

References Cited

- American Academy of Pediatrics (2001). Children, adolescents, and television. *Pediatrics*, 107 (2).
- Astrup A (2001). The role of dietary fat in the prevention and treatment of obesity: Efficacy and safety of low-fats diets. *International Journal of Obesity*, 25(suppl): S46-S50.
- Barlow SE, Dietz WH (1998). Obesity evaluation and treatment: Expert Committee recommendations. The Maternal and Child Health Bureau, Health Resources and Services Administration and the Department of Health and Human Services. *Pediatrics*, 102:E29.
- Baum, Susan (2005). Unpublished projections based on NM BRFSS trend data developed by Susan Baum, MD, MPH, New Mexico Department of Health.
- Borzekowski, D and Robinson T (2001, January). The 30-second effect: An experiment revealing the impact of television commercials on food preferences of preschoolers. *Journal of the American Dietetic Association*, 101(1), 42-46.
- Brandeis University Center on Hunger (2003, July). The Paradox of Hunger and Obesity in America. Accessed at <http://www.centeronhunger.org/execsums/hungerobesity.html> (9/7/05).
- Bray G, Nielsen SJ, Popkin BM (2004, April). Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *American Journal of Clinical Nutrition*, 79 (4), 537-543.
- Brinton LA, Potischman NA, Swanson CA, et al. Breastfeeding and breast cancer risk. *Cancer Causes and Control* 1995;6:199-208.
- Calle E, Rodriquez C, Walker-Thurmond K, Thun M (2003). Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. adults. *New England Journal of Medicine*, 348 (17), 1625-1637.
- Campbell AJ, Robertson MC, Gardner MM, Norton RN, Buchner DM (1999). Falls prevention over 2 years: a randomized controlled trial in women 80 years and older. *Age and Aging*, 28, 513-18.
- Caroli M, Argentieri, Cardone M, Masi A (2004 Nov). Role of television in childhood obesity prevention. *Int J Obes Relat Metab Disord.*, 28 Suppl 3:S104-8.
- Cawley, J (2004). The impact of obesity on wages. *Journal of Human Resources*, 39(2), 451-474.
- Centers for Disease Control and Prevention (1991). Youth Risk Behavior Surveillance System, 1991. Accessed at: www.cdc.gov/HealthyYouth/yrbs/data/1991/yrbs1991.pdf, Centers for Disease Control and Prevention (2001). Increasing physical activity: A report on recommendations of the Task Force on Community Preventive Services, *MMWR*. 2001;50 (No. RR-18);1-16.
- Centers for Disease Control and Prevention (2004). *The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives 2004*, 4, 126-7.

- Centers for Disease Control and Prevention (CDC). *Behavioral Risk Factor Surveillance System Survey Data*. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 1990 and 2000.
- Centers for Disease Control and Prevention (CDC). National Center for Health Statistics (NCHS). National Health and Nutrition Examination Survey Data. Hyattsville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, (2003-2004.) accessed at: <http://www.cdc.gov/nchs/products/pubs/pubd/hestats/obese/obse99.htm>.
- Cohen L, Perales DP and Steadman C (2005). The O word: Why the focus on obesity is harmful to community health. *Californian Journal of Health Promotion*, 3 (3), 154-161.
- Crespo, C.J., Smit, E., Troiano, R.P., Bartlett, S.J., Macera, C.A., Andersen, R.E. (2001). Television watching, energy intake, and obesity in US children: results from the third National Health and Nutrition Examination Survey, 1988-1994. *Archives of Pediatric Adolescent Medicine*, 155, 360-365.
- Dennison, Barbara A. Erb, Tara A., Jenkins, Paul L (2002, June). Television viewing and television in bedroom associated with overweight risk among low-income preschool children. *Pediatrics*, 109 (6).
- Dietz WH (1998 Mar). Health consequences of obesity in youth: Childhood predictors of adult disease. *Pediatrics*, 101(3) Suppl:518-525.
- Dietz WH, Gortmaker SL (1985). Do we fatten our children at the television set? Obesity and television viewing in children and adolescents. *Pediatrics*. 75, 807-812.
- Economic Research Service /USDA (2003). *Household Food Security in the United States, 2003/FANRR-42*.
- Eisenberg ME, Olson RE, Neumark-Sztainer D, Story M, Bearinger LH (2004). Correlations between family meals and psychosocial well-being among adolescents. *Arch Pediatr Adolesc Med.*, 158:792-796.
- Farrell, SW, Braun L, Barlow CE, Cheng YJ, and Blair SN, 2002. The relation of body mass index, cardiorespiratory fitness, and all-cause mortality in women. *Obes Res*, 10:417– 423.
- Felitti VJ. 2002. The relationship of adverse childhood experiences to adult health: Turning gold into lead. *Z Psychosom Med Psychother*, 48(4), 359-369.
- Felitti VJ, Anda RF, Nordenberg D, Williamson DF, Spitz AM, Edwards V., et al. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *Am J Prev Med*, 14 (4), 245-258.
- Finkelstein, EA, Fiebelkorn, IC, Wang, G (2004). State-level estimates of annual medical expenditures attributable to obesity. *Obesity Research*;12(1):18–24.
- Fisher JO, Birch LL (1999). Restricting access to foods and children's eating. *Appetite* a;32-405-19.
- Flegal et al. (2002). CDC, National Center for Health Statistics, National Health and Nutrition Examination Survey. *JAMA*; 288:1723-7 and *International Journal of Obesity*, 1998;22:39-47.

- Frank LD, Schmid TL, Sallis JF, Chapman J, Saelens BE (2005). Linking objectively measured physical activity with objectively measured urban form: Findings from SMARTRAQ. *Am J Prev Med* 28 (2S2) 117-125.
- Giles-Corti B, Broomhall MH, Knuiaman M, Collins C, Douglas K, Ng S et al. (2005). Increasing Walking: How important is distance to, attractiveness, and size of public open space? *Am J Prev Med* 28 (2S2) 169-176.
- Gillman MW, Rifas-Shiman SL, Camargo CA, Berkey CS, Frazier AL, Rockett HR, Field AE, Colditz GA. Risk of overweight among adolescents who were breastfed as infants. *JAMA*. 2001;285:2461–2467.
- Grummer-Strawn LM, Mei Z (2004). Does breastfeeding protect against pediatric overweight? Analysis of longitudinal data from the Centers for Disease Control and Prevention Pediatric Nutrition Surveillance System. *Pediatrics*;113(2):e81-86.
- Guo SS, Chumlea WC (1999). Tracking of body mass index in children in relation to overweight in adulthood. *Am J Clin Nutr*; 70(suppl): 145S-148S.
- Hediger ML et al. (2001). Association between infant breastfeeding and overweight in young children. *JAMA*, 285: 2453-2460.
- Hill J, Melanson EL, et al. (2000). Dietary fat intake and regulation of energy balance implications for obesity. *Journal of Nutrition*; 130: 284S-288S.
- Hill, James O., and Trowbridge, Frederick L (1998). Childhood obesity: future directions and research priorities. *Pediatrics*; Supplement: 571.
- Hoehner CM, Brennan Ramirez LK, Elliott MB, Handy SL, Brownson RC (2005). Perceived and objective environmental measures and physical activity among urban adults. *Am J Prev Med* 28 (2S2) 105-116.
- Howarth NC, Saltzman E, et. al. (2001). Dietary fiber and weight regulation. *Nutrition Reviews*; 59: 129-39.
- Hu FB, Li TY, Colditz GA, Willett WC, Manson JE (2003, Apr 9). Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women. *JAMA*, 289(14): 1785-91.
- Jain A, Sherman S, Chamberlin L, Carter Y, Powers S, Whitaker R (2001). Why don't low-income mothers worry about their preschoolers being overweight? *Pediatrics*;107: 1138-46.
- Judge JO, Lindsey C, Underwood M, Winsemius D (1993). Balance improvements in older women: effects of exercise training. *Physical Therapy*;73(4):254–65.
- Kaiser Family Foundation (2004, Feb). The Role of Media in Childhood Obesity. Accessed at <http://www.kff.org/entmedia/entmedia022404pkg.cfm> (12/2/05).
- Katz DL, O'Connell M, Yeh M, Nawaz H, Njike V, Anderson LM, Cory S, Dietz W (2005). Public Health Strategies for Preventing and Controlling Overweight and Obesity in School and Worksite Settings: A Report on Recommendations of the Task Force on Community Preventive Services. *MMWR* 2005;54 (RR10);1-12.

- Keast DR, Hoerr SI. Beverage choices related to U.S. adult obesity, NHANES III. The Fourth International Conference on Dietary Assessment Methods. H.2.26. 2000.
- Lin B, Guthrie J and Frazão E (January 1999). Away-from-home foods increasingly important to quality of American diet. Economic Research Service, U.S. Department of Agriculture, Agriculture Information Bulletin No. 749.
- McGinnis, JM, Gootman, JA, Kraak I, eds. (2006) *Food marketing to children and youth: Threat or opportunity?* The National Academies Press: Washington, D.C. forthcoming 2006. Overview accessed at <http://www.iom.edu/Object.File/Master/31/337/0.pdf> December 19, 2005.
- Mokdad, A.H.; Ford, E.S.; Bowman, B.A.; Dietz, W.H.; Vinicor, F.; Bales, V.S.; Marks, J.S. (2003, January 1). Prevalence of obesity, diabetes and obesity-related health risk factors, 2001. *Journal of the American Medical Association*, 289(1), 7-9.
- Montgomery DL, Splett PL (1997). Economic benefit of breast-feeding infants enrolled in WIC. *J Am Diet Assoc*;97:379-385.
- Morland K, Wing S, Diez Roux A, Poole C (2002 Jan). Neighborhood characteristics associated with the location of food stores and food service places. *Am J Prev Med.*; 22(1):23-9
- National Association for Sports and Physical Education. *Moving into the Future: National Standards for Physical Education, 2nd Edition (2004)*. Standards accessed at: <http://www.aahperd.org/naspe/publications-nationalstandards.html> (December 19, 2005).
- National Health and Nutrition Examination Survey 1999-2002.
- Nestle, Marion (2002). *Food Politics: How the food industry influences nutrition and health*. Berkeley and Los Angeles, CA: University of California Press.
- Newcomb PA, Egan KM, Titus-Ernstoff L, et al. Lactation in relation to postmenopausal breast cancer. *Am J Epidemiol* 1999; 150:174-182.
- Neumark-Sztainer, D., Hanna, PJ, Story, M, Croll J., and Perry, C (2003). Family meal patterns: Associations with sociodemographic characteristics and improved dietary intake among adolescents. *Journal of the American Dietetic Association.*;103:317-322.
- New Mexico Behavioral Risk Factor Surveillance System (NM BRFSS), 2003.
- New Mexico Department of Education (2000).
- New Mexico Pregnancy Risk Assessment and Monitoring System (PRAMS) Surveillance Report – Year 2001-2002 Live Births, Santa Fe, NM: NM Department of Health, June 2005, accessed at: <http://www.health.state.nm.us/phd/prams/home.html>.
- New Mexico Youth Risk Behavior Surveillance (YRBS), 2000.
- New Mexico Department of Health and New Mexico Public Education Department (2004). *New Mexico Youth Risk and Resiliency Survey (YRRS) 2003: Report of State Results*, 17-18.
- New Mexico Vital Records and Health Statistics (April 2004). Santa Fe, NM: The State Center for Health Statistics, Public Health Division, New Mexico Department of Health.
- New Mexico Women Infants and Children Nutrition Program,(n.d.) accessed at: <http://www.health.state.nm.us/phd/wic/breastfeeding.htm> (10/5/05).

- New Mexico Youth Tobacco Survey, (NM YTS) 2004.
- Nicklas, TA, Baranoski T, Cullen KW, Berenson G (2001). Eating patterns, dietary quality and obesity. *J AM Coll Nutr*; 20:599-608.
- Olshansky SJ, Passaro DJ, Hershow RC, Layden J, Carnes BA, Brody J, Hayflick L, Butler RN, Allison DB, and Ludwig DS (2005). A potential decline in life expectancy in the United States in the 21st century," *New England Journal of Medicine*;352:11, pp. 1138-1145).
- Pediatric Nutrition Surveillance System (2002) (PedsNSS). *Pediatric Nutrition Surveillance 2003 Report*. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention; 2004.
- Polhamus B, Dalenius K, Thompson D, Scanlon K, Borland E, Smith B, Grummer-Strawn L. *Pediatric Nutrition Surveillance 2002 Report*. Atlanta: U.S. Department of Health and Human Services. Centers for Disease Control and Prevention; 2004. Accessed at: http://www.cdc.gov/pednss/pdfs/PedNSS_2002_Summary.pdf
- Proctor M., Moore L., Gao D, Cupples L, Bradlee M, Hood M, Ellison R (2003). Television viewing and change in body fat from pre-school to early adolescence: The Framingham Children's Study. *International Journal of Obesity* 27:827-833.
- Produce for Better Health Foundation (2002). Health benefits of fruits and vegetables: A scientific overview for professionals.
- Puhl R, Brownell KD (2001). Bias, discrimination, and obesity. *Obes Res*; 9:788-805.
- Riordan JM (1997). The cost of not breastfeeding: a commentary. *J Hum Lact*;13(2):93-97.
- Robinson TN (1999). Reducing children's television viewing to prevent obesity. *JAMA.*; 282:16:1561-1567.
- Section 22-1-2 NMSA 1978. New Mexico Statutes Annotated 1978. Chapter 22 Public Schools, Article 1 General Provisions.
- Stettler N, Signer T, and Suter P (2004). Electronic games and environmental factors associated with childhood obesity in Switzerland. *Obesity Research* 12:896-903.
- Stewart H, Blisard N, Bhuyan S, Nayga Jr. R. (January 2004). The demand for food away from home: full-service or fast food? Economic Research Service, United States Department of Agriculture. Agriculture Economics Report No. 829, accessed at <http://www.ers.usda.gov/Publications/AER829/>.
- U.S. Census, 2001 Population Estimates.
- U.S. Census, 2000 and 2002 data.
- U.S. Department of Health and Human Services (2000). *Blueprint for Action on Breastfeeding*,. Accessed at <http://www.cdc.gov/breastfeeding/pdf/bluprntbk2.pdf> (9/23/05).
- U. S. Department of Health and Human Services (2001). The Surgeon General's call to action to prevent and decrease overweight and obesity. [Rockville, MD]: U.S. Dept. of Health and Human Services, Public Health Service, Office of the Surgeon General; 8-9.
- U.S. Department of Health and Human Services (2005) CDC, Office of the Director, Office of Strategy and Innovation. *Introduction to program evaluation for public health programs: A self-study guide*. Atlanta, GA: 2005.

- U.S. Department of Health and Human Services and U.S. Department of Agriculture (2005). *Dietary Guidelines for Americans 2005*, 6th edition, Washington, D.C.: U.S. Government Printing Office, January 2005.
- U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion, accessed at: <http://www.healthypeople.gov/> (10/3/05).
- Vandewater, E.A. (February 2004). Linking obesity and activity level with children's television and video game use. *Journal of Adolescence*, vol 27: pp 71-85.
- Vasan RS, Pencina MJ, Cobain M, Freiberg MS, D'Agostino RB (2005, Oct 4). Estimated risks for developing obesity in the Framingham Heart Study. *Ann Intern Med.* 143(7):473-80.
- Videon, TM, and Manning, CK (2003). Influences on adolescent eating patterns: The importance of family meals. *Journal of Adolescent Health*, 32:365-373.
- Wansink B., Painter JE, North J (2005). Bottomless bowls: Why visual cues of portion sizes may influence energy intake. *Obesity Research* 13:93-100.
- Wolf AM, Colditz GA (1998). Current estimates of the economic costs of obesity in the United States. *Obes Res*, 6:97-106.
- Youth Risk Behavior Surveillance—United States, 2003. MMWR May 21, 2004 / 53(SS02);1-96 Accessed at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5302a1.htm>
- Young LR, Nestle MN (Feb 2002). The contribution of expanding portion sizes to the U.S. obesity epidemic. *Am J Pub Health* 92: 2, 246-249.