

Massachusetts Department of Mental Retardation

Health Screening Recommendations

Based on Massachusetts Health Quality Partnership (MHQP) Adult Preventive Care Recommendations 2003

Procedure	19-29 Years	30-39 Years	40-49 Years	50-64 Years	65 Years +
Health Maintenance Visit <ul style="list-style-type: none"> Height and weight measurement 	<i>Annually</i>	<i>Annually</i>	<i>Annually</i>	Annually	Annually
Labs and Screenings					
Cancer Screening					
Breast Cancer: Mammography	Clinical breast exam and self-exam and self-exam instruction as appropriate. Mammography not routine except for patients at high risk. Accurate and detailed history and family history will identify risk factors.		Clinical breast exam and self-exam instruction as appropriate. Mammography every 1-2 years, at discretion of physician.	Clinical breast exam and self-exam instruction as appropriate. Annual mammography	Mammography annually through age 69 years. Age 70 years and older, annually at the discretion of the physician.
Cervical Cancer: Pap Smear	Every 1-3 years, at physician's discretion.				May be omitted after age 65 if previous screenings were consistently normal.
Colorectal Cancer	Not routine except for patients at high risk.			Fecal Occult Blood testing annually and sigmoidoscopy every 5 years OR colonoscopy every 10 years.	
Prostate Cancer	Not routine.		Not routine except for patients at high risk. Risk factors include: family history and African-American ancestry.	At physician discretion after discussion of risks and benefits of available screening strategies (PSA, DRE).	
Skin cancer	Periodic total cutaneous examinations targeting populations at high risk for malignant melanomas. Periodicity at physician discretion.				
Other Recommended Screening					
Hypertension	<i>At least Annually</i>	Annually	Annually	Annually	Annually
Cholesterol	Every five years or at physician discretion.				At physician discretion.
Diabetes (Type II)	<i>At least every 5 years until age 45.</i> Every 3 years after age 45. Fasting plasma glucose screen for individuals at high risk. Risk factors include: family history of premature CHD, hypertension, diabetes mellitus, peripheral atherosclerosis or carotid artery disease, current cigarette smoking, or HDL > 35 mg/dl.				
Liver Function	Annually for Hepatitis B carriers. At physician discretion after consideration of risk factors including long term prescription medication.				
Osteoporosis	Bone density screening when risk factors are present : long term polypharmacy, mobility impairments, hypothyroid, post-menopausal women. Periodicity of screening at physician discretion. Annually counsel about preventive measures including dietary calcium and vitamin D intake, weight-bearing exercise, and smoking cessation.				Counsel elderly patients about specific measures to prevent falls.

Infectious Disease Screening	19-29 Years	30-39 Years	40-49 Years	50-64 Years	65 Years +
Chlamydia and STDs	For all sexually active males and females screen annually < 25 years. > 25 years screen annually if at risk.	Annually if at risk. Risk factors include inconsistent use of barrier contraceptives, new or multiple sex partners in last 3 months. A new partner since last test, a history of STD, infected with another STD, and partner has had other sexual partner(s).			
HIV	Periodic testing if at risk and testing of pregnant women at increased risk.				
Hepatitis B and C	Periodic testing if risk factors present.				
Tuberculosis	Tuberculin skin testing every 1-2 years when risk factors present. Risk factors include residents or employees of congregate setting, close contact with persons known or suspected to have TB.				
Sensory Screening					
Hearing Assessment	Screen annually. Re-evaluate if hearing problem is reported or a change in behavior is noted.				
Vision Assessment	Screen annually. Re-evaluate if vision problems are reported or change in behavior is noted.				
Eye Exam for Glaucoma	Every 3-5 years in high risk patients. At least once in patients with no risk factors.	Every 2-4 years	Every 2-4 years	Every 2-4 years	Every 1-2 years
Mental and Behavioral Health					
Depression	Screen annually for sleep, appetite disturbance, weight loss, general agitation.				
Dementia	Monitor for problems performing daily activities.	In persons with Down Syndrome, annual screen after age 40.			
Immunizations					
Influenza Vaccine	Annually	Annually	Annually	Annually	Annually
Pneumococcal vaccine	Once				
Hepatitis B vaccine	Once. Reevaluate antibody status every 5 years.				
For persons with Down Syndrome (in addition to the above recommendations)					
Thyroid function test	Every 3 years (sensitive TSH)				
Cervical spine x-ray to rule out atlanto-axial instability.	Obtain baseline as adult. Recommend repeat if symptomatic, or 30 years from baseline.				
Echocardiogram	Obtain baseline if no records of cardiac function are available.				
General Counseling and Guidance					
Prevention counseling	Annually counsel regarding prevention of accidents related to falls, fire/burns, choking).				
Abuse or neglect	Annually monitor for behavioral signs of abuse and neglect.				
Preconception counseling	As appropriate, including genetic counseling, folic acid supplementation, discussion of parenting capability.				
Healthy Lifestyle	Annually counsel regarding diet/nutrition, incorporating regular physical activity into daily routines, substance abuse.				

Note: Items that are indicated in Bold italic are specific recommendations that differ from the MHQP recommendations in order to reflect particular health concerns of the population with mental retardation.