Surveillance & Epidemiology Program

HIV Infection and AIDS among Adults and Adolescents, New Mexico 2015

Epidemiology	Newly Diagnosed*			Persons Living with HIV or AIDS†								
Program				HIV			AIDS			Total		
NEW MEXICO DEPARTMENT OF HEALTH	N	%	Rate [‡]	N	%	Rate [‡]	N	%	Rate [‡]	N	%	Rate [‡]
Total	133	100.0	7.6	1,376	100.0	79.1	1,873	100.0	107.7	3,249 [§]	100.0	186.8
Sex at birth												
Male	123	92.5	14.3	1,187	86.3	138.5	1,670	89.2	194.8	2,857	87.9	333.3
Female	10	7.5	1.1	189	13.7	21.4	203	10.8	23.0	392	12.1	44.5
Race/Ethnicity												
American Indian/Alaska Native	16	12.0	10.8	124	9.0	83.7	145	7.7	97.9	269	8.3	181.5
Asian/Pacific Islander	0	_	0.0	10	0.7	32.6	7	0.4	22.8	17	0.5	55.5
Black	4	3.0	10.7	105	7.6	280.2	93	5.0	248.1	198	6.1	528.3
Hispanic	76	57.1	9.6	671	48.8	84.7	842	45.0	106.2	1,513	46.6	190.9
White	37	27.8	5.1	448	32.6	61.3	752	40.2	103.0	1,200	36.9	164.3
Multi-race	0	-	CNC	18	1.3	CNC	34	1.8	CNC	52	1.6	CNC
Age, years ¹												
13–24	28	21.1	8.1	66	4.8	19.1	15	8.0	4.3	81	2.5	23.4
25–34	51	38.4	18.1	323	23.5	114.5	112	6.0	39.7	435	13.4	154.2
35–44	27	20.3	11.0	317	23.0	129.3	314	16.8	128.0	631	19.4	257.3
45–54	19	14.3	7.3	362	26.3	139.4	687	36.7	264.6	1,049	32.3	404.0
55+	8	6.0	1.3	308	22.4	50.8	745	39.8	122.8	1,053	32.4	173.6
Region [€]												
Northwest	23	17.3	12.7	145	10.5	80.1	160	8.5	88.4	305	9.4	168.5
Northeast	11	8.3	4.4	239	17.4	94.4	379	20.2	149.7	618	19.0	244.2
Metro	65	48.9	8.5	678	49.3	89.1	965	51.5	126.8	1,643	50.6	216.0
Southeast	13	9.8	5.5	81	5.9	34.2	106	5.7	44.7	187	5.8	78.9
Southwest	21	15.8	6.8	233	16.9	75.9	263	14.0	85.6	496	15.3	161.5
Transmission Category												
Men who have sex with men (MSM)	75	56.4	CNC	838	60.9	CNC	1,178	62.9	CNC	2,016	62.1	CNC
Intravenous Drug Use (IDU)	11	8.3	CNC	103	7.5	CNC	171	9.1	CNC	274	8.4	CNC
MSM/IDU	12	9.0	CNC	99	7.2	CNC	182	9.7	CNC	281	8.7	CNC
High-Risk-Heterosexual	4	3.0	CNC	155	11.3	CNC	186	9.9	CNC	341	10.5	CNC
Other	0	-	CNC	2	0.2	CNC	11	0.6	CNC	13	0.4	CNC
Perinatal Exposure	0	-	CNC	4	0.3	CNC	8	0.4	CNC	12	0.4	CNC
No Risk Identified	23	17.3	CNC	97	7.1	CNC	96	5.1	CNC	193	5.9	CNC
No Risk Reported	8	6.0	CNC	78	5.7	CNC	41	2.2	CNC	119	3.7	CNC

Footnotes

NOTE: Distribution of prevalent HIV and AIDS cases amongst the total Persons Living with HIV or AIDS in New Mexico is 42.4% and 57.6%, respectively.

NOTE: CNC means Can Not Calculate - population data is unavailable.

NOTE: Percentages across characteristics within a section of this table may not add to 100.0% as a result of rounding.

- * All people who were newly diagnosed with Stage 1 through 3 HIV infection while residing in New Mexico during 2015; age 13 & older.
- † All people newly or previously diagnosed with Stage 1 through 2 or Stage 3 HIV infection and residing in New Mexico during 2015; age 13 & older.
- Rates per 100,000 based on Bureau of Business and Economic Research Geospatial and Population Studies Program population estimates for 2015.
- § The large difference in total prevalent Stage 1 through 3 HIV infection frequencies reported the 2014 end-of-year report and this report (difference = -82) is attributed to the February 2016 address update project where the current addresses were updated for all persons with confirmed HIV infection and reported to the New Mexico HIV Surveillance & Epidemiology Program between 1983 and 2016; where a large number of persons were reclassified as no longer living in New Mexico.
- ¶ For new diagnoses, age at time of diagnosis. For persons living with HIV or AIDS, current age.
- € For new diagnoses, residence at time of diagnosis. For persons living with HIV or AIDS, current residence.

Cautions

N < 20: Rate calculations for small numbers may be statistically unreliable. Fluctuations in the associated rates may be due in part to statistical unreliability rather than true change.

Region: New Mexico Department of Health constructed new health regions in 2012. Regional comparison to previous years is not recommended. A map depicting New Mexico's Health Regions is available for download from the New Mexico Department of Health at

https://ibis.health.state.nm.us/view/docs/HealthRegions2012.pdf.

Red "**" - Indicates ≥ 20% positive change from previous year, for values > 20.

Green "††" - Indicates ≥ 20% negative change from previous year, for values > 20.