

## New Mexico Department of Health Influenza & Respiratory Disease Report

A Summary of Influenza and RSV Surveillance





<sup>\*</sup> This map indicates geographic spread & does not measure the severity of influenza activity

# NEW MEXICO DEPARTMENT OF

#### Summary of Activity: Week 20 May 14<sup>th</sup> – May 20<sup>th</sup>, 2017

- New Mexico ILI activity is currently 1.2% which is below the national baseline
- US ILI is 1.3% which is below the national baseline of 2.2%
- Influenza activity is below the NM baseline of 2.6% in all health regions
- There was PCR confirmed lab activity in three of five health regions this week
- No new influenza-related outbreaks have been reported this week

#### **Table of Contents**


•	Influenza-Like Illness (ILI)	2
•	Regional ILI	3
	Laboratory Data	
•	Hospitalization and Death Data	6
•	Prevention and Control	7
•	Appendix & Resources	8



## Influenza-Like Illness (ILI) Activity


New Mexico Department of Health (NMDOH) is collaborating with 29\* ILI sentinel sites for the 2016-2017 season. Sites report weekly on the number of patients that present to their facility with influenza-like illness. That number is then divided by the total number of patients seen for any reason, resulting in percent of ILI activity. ILI is defined as fever of > 100° F and cough <u>and</u> sore throat in absence of known cause.






(current Week)	(previous week)	(current week)
1.2%	1.5%	1.3%

### Regional ILI Activity




Region	This Week	Last Week	Outbreaks	+PCR testing at SLD
NW	0.2%	1.4%	No	No
NE	2.0%	1.7%	No	Yes
Metro	1.6%	2.2%	No	Yes
SW	0.4%	0.5%	No	No
SE	1.0%	1.0%	No	Yes




**Outbreak:** An influenza outbreak is defined as at least two cases of ILI in a specific area with at least one lab confirmed case.


**PCR Testing:** Polymerase Chain Reaction (PCR) tests can identify the presence of influenza viral RNA in respiratory specimens. PCR testing is performed at various laboratories across New Mexico.

#### Laboratory Data & Virologic Surveillance




Since the start of the 2016-2017 influenza season, laboratories have reported that a total of 2,574 out of 15,894 respiratory specimens have tested positive for influenza by PCR. Twenty-seven positive specimens were subtyped as A(H1N1), 1,082 were A(H3N2), 1,080 influenza A specimen was not subtyped. Three hundred seventy- six tested positive as influenza B not subtyped, 5 positive specimens were identified as B(Victoria) and 47 as B(Yamagata).






2016-2017 US

#### RSV and Rapid Influenza Laboratory Data 2016-2017



<sup>\*</sup> Data is not representative of all facilities in New Mexico

## Influenza Hospitalizations, NM & US, 2016-2017



# Influenza and Pneumonia Deaths, NM, 2014-2017

Season	Year to date (YTD) P & I Deaths	Pneumonia Deaths	Adult Flu Deaths	Pediatric Flu Deaths	Total P & I Deaths
2016-2017	97	70	27	0	97*
2015-2016	190	159	30	1	190
2014-2015	185	152	32	1	185

**Pneumonia death:** Is defined as have a cause of death that related to pneumonia & influenza (P & I) not including: aspiration pneumonia, pneumonitis, or pneumococcal meningitis.

Influenza death: Is defined as have a cause of death that related to pneumonia & influenza (P & I) not including: parainfluenzae or Haemophilus influenzae.

<sup>\*</sup>There are significant reporting delays and counts represent cases reported to date by the NMDOH BVRHS or OMI

#### Vaccination Information

#### Still Need to Get Your Flu Shot?

HealthMap Vaccine Finder:

http://vaccine.healthmap.org/

To use HealthMap Vaccine Finder you'll need internet access and the zip code in which you wish to get vaccinated.

Or

Contact your local public health office:

https://nmhealth.org/location/public/

#### **Antiviral Information and Data**

Persons at higher risk for influenza complication recommended for antiviral treatment include:

- Children aged younger than 2 years & adults aged 65 years and older
- Persons with chronic medical conditions
- Persons with immunosuppression, including that caused by medications or by HIV infection
- Women who are pregnant or postpartum (within 2 weeks after delivery)
- Persons aged younger than 19 years who are receiving long-term aspirin therapy
- American Indians/Alaska Natives
- Persons who are morbidly obese (i.e., BMI is 40 or greater)
- Residents of nursing homes and other chronic-care facilities

#### **Appendix**

\*Geographic spread is based on CDCs activity estimates definitions. For more information visit: <a href="http://www.cdc.gov/flu/weekly/overview.htm">http://www.cdc.gov/flu/weekly/overview.htm</a>

<b>Health Region</b>	Participating Sentinel Sites
	(Facility name, City)
Northwest	San Juan Regional Medical Center, Farmington and Acoma-Canoncito-Laguna Indian Health Hospital, Acoma
Northeast	Raton Family Practice Associates, Raton; Taos-Picuris Indian Health Clinic, Taos; Pecos Valley Medical Center, Pecos; La Familia Medical Clinics, Santa Fe; Los Alamos Family Care Clinic, Los Alamos; Jicarilla Apache Indian Health Clinic, Dulce; Children's Clinic PA, Los Alamos; Miner's Colfax Medical Center, Raton
Metro	Lovelace Downtown Medical Center, Albuquerque; University of New Mexico Student Health Clinic, Albuquerque; Presbyterian Medical Group-Atrisco, Northside, Pediatric Urgent Care; Albuquerque Health Partners Urgent Care, Rio Rancho
Southwest	Gila Regional Medical Center, Silver City; Hidalgo Medical Services Clinic, Lordsburg; Ben Archer Health Center, Deming, Columbus, and Dona Ana; La Clinica de Familia, Sunland Park; Mescalero Apache Indian Health Hospital, Mescalero; New Mexico Mining and Technology Institute, Socorro  Carlsbad Medical Center, Carlsbad; Lea Regional Medical Center, Hobbs; Eastern New Mexico Medical Center, Roswell; Roosevelt General Hospital Clinic, Portales
Southeast	Carlsbad Medical Center, Carlsbad; Lea Regional Medical Center, Hobbs; Eastern New Mexico Medical Center, Roswell; Roosevelt General Hospital Clinic, Portales

In accordance with New Mexico Administrative Code (NMAC) 7.4.3.13 Influenza is a reportable condition for the following:

- Influenza, laboratory confirmed hospitalizations only
- Influenza-associated pediatric death
- Acute Illness or condition of any type involving large numbers of persons in the same geographic area (outbreaks)
- Other illnesses or condition of public health significance (novel influenza A)

For more information on reportable conditions please visit:

http://www.nmcpr.state.nm.us/nmac/parts/title07/07.004.0003.htm



Report published by New Mexico Department of Health (NMDOH), Epidemiology and Response Division (ERD) Infectious Disease Epidemiology Bureau (IDEB)

For questions, please call 505-827-0006. For more information on influenza go to the NMDOH web page: https://nmhealth.org/about/erd/ideb/isp/ Or The CDC web page: http://www.cdc.gov/flu/index.htm