

**NEW MEXICO SELECTED HEALTH STATISTICS  
ANNUAL REPORT 2011**

**THE STATE CENTER FOR HEALTH STATISTICS  
Bureau of Vital Records and Health Statistics**



# STATE OF NEW MEXICO



**Susana Martinez, Governor**

## **Department of Health**

Retta Ward, Cabinet Secretary

Brad McGrath                      Jim Green  
Chief Deputy Secretary          Deputy Secretary

## **Epidemiology and Response Division**

Michael G. Landen, M.D., M.P.H.  
Director and State Epidemiologist

## **Bureau of Vital Records and Health Statistics**

Tony Ortiz

Acting Bureau Chief and Acting Director, State Center for Health Statistics

Mary Anne Escudero                                              Renee Valencia, M.A.  
New Mexico State Registrar and Vital Records Manager          Deputy New Mexico State Registrar and Registration  
Manager

---

This report was prepared by the Statistics and Epidemiology Unit of the Bureau of Vital Records and Health Statistics: Camille Clifford, Patricia Drypolcher, Irma Montoya, Tony Ortiz, and Anne Worthington.

Much of the data contained in the tables and figures of this report were generated using dataset queries from New Mexico's Indicator-Based Information System (NM-IBIS). <http://ibis.health.state.nm.us/>

This publication is available at <http://www.vitalrecordsnm.org/StatReports.shtml>.

Irma Montoya, Project Coordinator for 2011 Annual Report. Photos were provided by Jim Orr (jamesorr.smugmug.com), Randal K. Roberts, the New Mexico Department of Tourism, Sally King, Bandelier National Monument and Jon Branch.

---

The mission of the New Mexico Department of Health is to promote health and sound health policy, prevent diseases and disability, improve health service systems and assure that essential public health functions and safety net services are available to New Mexicans.

## Executive Summary

### Population Highlights

New Mexico's estimated 2011 population reached 2,075,056, reflecting an increase of 0.5% since 2010. The state's population is projected to reach 2,864,796 by 2030.

For race/ethnicity in 2011, 41.5% of New Mexicans were White (non-Hispanic); 43.1% were Hispanic (White); 10.7% were American Indian or Alaska Native; 2.8% were Black or African American; and 1.9% were Asian or Pacific Islander. These percentages changed slightly from 2010.

### Natality Highlights

In 2011 there were 27,251 births to New Mexico resident mothers, translating to a birth rate of 13.1 births per 1,000 population, a record low for New Mexico. The state birth rate has been consistently higher than the national rate.

New Mexico teen birth rates continue to be higher than the national teen birth rates. The 2011 teen birth rate was 25.5 per 1,000 females ages 15-17 and 81.6 per 1,000 females ages 18-19. The United States rates for 2010 were 17.3 for 15-17 year olds and 58.2 for 18-19 year olds.

More than half (51.2%) of 2011 New Mexico births were to single mothers, compared to 40.8% nationally.

The proportion of infants weighing less than 2,500 grams increased slightly from 8.7% in 2010 to 8.8% in 2011. Nationally, the percent of low birthweight infants decreased to 8.1% for 2010.

New Mexico mothers less than 15 years of age, followed by 15-17 then 18-19 received the lowest levels of prenatal care.

### Mortality Highlights

In 2011, there were 16,245 deaths among New Mexico residents, translating to an age-adjusted death rate of 735.9 deaths per 100,000 U.S. standard population.

The leading cause of death among New Mexico residents was Heart Disease with 3,275 deaths, exceeding Malignant Neoplasm (Cancer) with 3,260 deaths. Accidents (Unintentional Injuries) accounted for 1,296 deaths.

Infant mortality, which is deaths of children under 1 year of age per 1,000 live births, was slightly lower in New Mexico in 2011 (5.2) than in 2010 (5.6). New Mexico's rate was lower than the 2009 U.S. rate of 6.4.

## Table of Contents

<b>Population Section</b> .....	11
Population Estimates and Projections .....	12
Population Distribution .....	13
Age .....	13
Race and Ethnicity .....	14
<b>Natality Section</b> .....	25
Birth Numbers and Rates.....	26
Race and Ethnicity .....	27
Age of Mother .....	27
Teen Mothers.....	28
Births to Single Mothers .....	28
Birth Order.....	30
Multiple Births .....	31
Birthweight.....	32
Gestational Age.....	34
Prenatal Care.....	36
Kessner Index.....	36
Facility and Attendant.....	37
Method of Delivery .....	38
<b>Mortality Section</b> .....	71
All Causes of Death .....	72
Leading Causes of Death .....	75
Selected Causes.....	79
Injury Deaths and Alcohol- and Drug-Induced Deaths.....	79
Maternal Mortality.....	82
Infant Mortality.....	83
Disposition of Remains .....	86
<b>Fetal Mortality Section</b> .....	125
<b>Abortion Section</b> .....	131
<b>Technical Appendix</b> .....	135

## List of Tables and Figures

---

### Population Section

Figure P-1	Population: Counts and Projections, New Mexico	12
Figure P-2	Population Pyramids, New Mexico and United States	13
Figure P-3	Population Distribution by Race/Ethnicity, New Mexico	14
Figure P-4	Population Distribution by Race/Ethnicity, Age, and Sex, New Mexico	15
Table P-1	Population Percent by Age Group, New Mexico and United States	16
Table P-2	Population Number by Age and County, New Mexico – Both Sexes	17
Table P-3	Population Number by Age and County, New Mexico – Males	18
Table P-4	Population Number by Age and County, New Mexico – Females	19
Table P-5	Population Number by Race/Ethnicity, Sex, and Age, New Mexico	20
Table P-6	Population Number by Race/Ethnicity, County, and Health Region, New Mexico	21
Table P-7	Births and Deaths by City, New Mexico	22
Table P-8	Summary and Trends in New Mexico Health Statistics	23

### Natality Section

Figure N-1	Birth Rates, New Mexico and United States	26
Figure N-2	Birth Rates by Race/Ethnicity, New Mexico	27
Figure N-3	Birth Rates by Mother's Age, New Mexico	27
Figure N-4	Teen (15-17 Years and 18-19 Years) Birth Rates, New Mexico and United States	28
Figure N-5	Percent of Births to Single Mothers, New Mexico and United States	29
Figure N-6	Percent of Births to Single Mothers by Race/Ethnicity, New Mexico	29
Figure N-7	Percent of Births to Single Mothers by Age, New Mexico	30
Figure N-8	Percent of Birth Order, New Mexico	31
Figure N-9	Number of Births in Single and Multiple Deliveries by Year, New Mexico	31
Figure N-10	Percent of Births with Low Birthweight, New Mexico and United States	32
Figure N-11	Percent of Births with Low Birthweight by Mother's Race/Ethnicity, New Mexico	33
Figure N-12	Percent of Births with Low Birthweight by Mother's Age, New Mexico and United States	34
Figure N-13	Percent of Preterm Births by Race/Ethnicity, New Mexico	35
Figure N-14	Percent Gestational Age by Birthweight, New Mexico	35
Figure N-15	Percent of Births by Level of Prenatal Care (Modified Kessner Index), New Mexico	36
Figure N-16	Percent of Births with Low or No Prenatal Care by Mother's Age, New Mexico	37
Figure N-17	Percent of Births Occurring in New Mexico by Attendant Type, New Mexico	38
Figure N-18	Distribution of Delivery Method by Year, New Mexico	39

## List of Tables and Figures

---

Table N-1	Natality Characteristics by Resident County and Health Region, New Mexico Residents and United States	40
Table N-2	Number of Births by Year, Mother's Age, and Race/Ethnicity, New Mexico and United States	41
Table N-3	Birth Rates by Mother's Age and Race/Ethnicity, New Mexico and United States	42
Table N-4(a)	Number of Births by Mother's Race/Ethnicity, County, and Health Region, New Mexico and United States	43
Table N-4(b)	Percent of Births by Mother's Race/Ethnicity, County, and Health Region, New Mexico and United States	44
Table N-5(a)	Number of Births by Year, County, and Health Region, New Mexico and United States	45
Table N-5(b)	Birth Rates by Year, County, and Health Region, New Mexico and United States	46
Table N-6(a)	Number of Births by Mother's Age, County, and Health Region, New Mexico	47
Table N-6(b)	Birth Rates by Mother's Age, County, and Health Region, New Mexico	48
Table N-7	Number and Percent of Births to Single Mother's by Mother's Age and Race/Ethnicity, New Mexico	49
Table N-8	Number and Percent of Births to Single Mothers by County and Health Region, New Mexico	50
Table N-9	Number and Percent of Births to Single Mothers by Mother's Age, New Mexico	51
Table N-10	Percent Distribution of Birth Order by Mother's Race/Ethnicity, New Mexico	52
Table N-11(a)	Number of Births by Mother's Age, Race/Ethnicity, and Infant's Birthweight, New Mexico	53
Table N-11(b)	Percent of Births by Mother's Age, Race/Ethnicity, and Infant's Birthweight, New Mexico	54
Table N-12	Number of Single and Multiple Births by Mother's Age and Race/Ethnicity, New Mexico	55
Table N-13(a)	Number of Births by Birthweight (Grams), County, and Health Region, New Mexico and United States	56
Table N-13(b)	Percent of Births by Birthweight (Grams), County, and Health Region, New Mexico and United States	57
Table N-14(a)	Number of Births by Level of Prenatal Care, County, and Health Region, New Mexico	58
Table N-14(b)	Percent of Births by Level of Prenatal Care, County, and Health Region, New Mexico	59
Table N-15(a)	Number of Births with Low or No Prenatal Care by Mother's Race/Ethnicity, County, and Health Region, New Mexico	60
Table N-15(b)	Percent of Births with Low or No Prenatal Care by Mother's Race/Ethnicity, County, and Health Region, New Mexico	61
Table N-16(a)	Number of Births with Low or No Prenatal Care by Mother's Age, County, and Health Region, New Mexico	62
Table N-16(b)	Percent of Births with Low or No Prenatal Care by Mother's Age, County, and Health Region, New Mexico	63

## List of Tables and Figures

---

Table N-17(a)	Number of Births by Trimester Prenatal Care Began, County, and Health Region, New Mexico	64
Table N-17(b)	Percent of Births by Trimester Prenatal Care Began, County, and Health Region, New Mexico	65
Table N-18	Number and Percent of Resident Births that Occurred and Did Not Occur in New Mexico by County of Residence	66
Table N-19	Number and Percent of Births by Facility Type and Attendant Type, New Mexico	67
Table N-20(a)	Number of Births by Birth Method, Mother's Age, and Race/Ethnicity, New Mexico	68
Table N-20(b)	Percent of Births by Birth Method, Mother's Age, and Race/Ethnicity, New Mexico	69
Table N-21	Number of Births by Birth Method, County, and Health Region, New Mexico	70
 <b>Mortality Section</b>		
Figure M-1	Percent of Deaths by Age Group and Sex, New Mexico	72
Figure M-2	Death Rates for All Causes by Sex and Race/Ethnicity, New Mexico	73
Figure M-3	Death Rates for All Causes by Race/Ethnicity, New Mexico	74
Figure M-4	Death Rates, New Mexico and United States	75
Figure M-5	Leading Causes of Death, New Mexico and United States	76
Figure M-6	Death Rates by Cause, New Mexico	77
Figure M-7(a)	Heart Disease Rates by Race/Ethnicity, New Mexico	78
Figure M-7(b)	Malignant Neoplasm Rates by Race/Ethnicity, New Mexico	78
Figure M-7(c)	Unintentional Injury (Accidents) Rates by Race/Ethnicity, New Mexico	79
Figure M-8	Death Rates for Unintentional Injuries by Type, New Mexico	80
Figure M-9	Death Rates for Intentional Injuries by Type, New Mexico	81
Figure M-10	Percent of Firearm Injury Deaths by Manner, New Mexico	82
Figure M-11	Infant Mortality Rates, New Mexico and United States	83
Figure M-12	Infant Mortality Rates by Race/Ethnicity, New Mexico	84
Figure M-13(a)	Neonatal Mortality Rates, New Mexico and United States	85
Figure M-13(b)	Postneonatal Mortality Rates, New Mexico and United States	85
Figure M-14	Percent Distribution by Method of Disposition, New Mexico Occurrence	86
Table M-1(a)	Number of Deaths by Age, Race/Ethnicity, and Sex, New Mexico and United States	87
Table M-1(b)	Death Rates by Age, Race/Ethnicity, and Sex, New Mexico and United States	88
Table M-2(a)	Number of Deaths by Age, Sex, County, and Health Region, New Mexico and United States – Both Sexes	89
Table M-2(b)	Number of Deaths by Age, Sex, County, and Health Region, New Mexico and United States – Females	90

## List of Tables and Figures

---

Table M-2(c)	Number of Deaths by Age, Sex, County, and Health Region, New Mexico and United States – Males	91
Table M-3(a)	Death Rates by Age, Sex, County, and Health Region, New Mexico and United States – Both Sexes	92
Table M-3(b)	Death Rates by Age, Sex, County and Health Region, New Mexico and United States – Females	93
Table M-3(c)	Death Rates by Age, Sex, County and Health Region, New Mexico and United States – Males	94
Table M-4(a)	Number of Deaths Ranked by Leading Causes of Death by County and Health Region, New Mexico and United States	95
Table M-4(b)	Death Rates for Ranked Leading Causes of Death by County and Health Region, New Mexico and United States	96
Table M-5	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – All Ages	97
Table M-6	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 1 to 4 Years	98
Table M-7	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 5 to 14 Years	99
Table M-8	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 15 to 24 Years	100
Table M-9	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 25 to 44 Years	101
Table M-10	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 45 to 64 Years	102
Table M-11	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 65 to 84 Years	103
Table M-12	Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death, New Mexico – Ages 85 Plus Years	104
Table M-13(a)	Number of Deaths by Race/Ethnicity and Sex, New Mexico and United States	105
Table M-13(b)	Death Rates by Race/Ethnicity and Sex, New Mexico and United States	106
Table M-14(a)	Number of Deaths for Leading Causes of Death, New Mexico	107
Table M-14(b)	Death Rates for Leading Causes of Death, New Mexico	108
Table M-15(a)	Number of Deaths for 39 Selected Causes by Age, New Mexico	109
Table M-15(b)	Death Rates for 39 Selected Causes by Age, New Mexico	110
Table M-16(a)	Number of Deaths for 39 Selected Causes by Sex, New Mexico	111
Table M-16(b)	Death Rates for 39 Selected Causes by Sex, New Mexico	112
Table M-17(a)	Number of Deaths for 39 Selected Causes by Health Region, New Mexico	113
Table M-17(b)	Death Rates for 39 Selected Causes by Health Region, New Mexico	114
Table M-18(a)	Number of Death for 39 Selected Causes by Race/Ethnicity, New Mexico	115
Table M-18(b)	Death Rates for 39 Selected Causes by Race/Ethnicity, New Mexico	116
Table M-19	Number of Injury Deaths by Sex, County, and Health Region, New Mexico and United States	117

## List of Tables and Figures

---

Table M-20	Death Rates for Injury by Sex, County, and Health Region, New Mexico and United States	118
Table M-21	Number of Deaths due to Firearms, Alcohol, Drugs, and Injury at Work by Sex, County, and Health Region, New Mexico and United States	119
Table M-22	Death Rates due to Firearms, Alcohol, Drugs, and Injury at Work by Sex, County, and Health Region, New Mexico and United States	120
Table M-23	Maternal Mortality: Number of Deaths and Death Rates, New Mexico	121
Table M-24(a)	Number of Infant Deaths by Sex and Race/Ethnicity, New Mexico	122
Table M-24(b)	Infant Death Rates by Sex and Race/Ethnicity, New Mexico	123
Table M-25	Number of Infant Deaths by Cause, New Mexico and United States	124
Table M-26	Method of Final Disposition for Deaths Occurring in New Mexico, New Mexico	124
 <b>Fetal Mortality Section</b>		
Figure F-1	Fetal Mortality Rates, New Mexico and United States	126
Figure F-2	Fetal Mortality Rates by Mother's Age, New Mexico and United States	127
Table F-1	Number of Fetal Deaths and Fetal Death Rates by Mother's Race/Ethnicity, New Mexico and United States	128
Table F-2	Number of Fetal Deaths and Fetal Death Rates by Cause, New Mexico	129
 <b>Abortion Section</b>		
Figure A-1	Percent Distribution of Induced Abortions by Weeks Gestation, New Mexico Occurrence	132
Figure A-2	Ratio of Induced Abortions, New Mexico Occurrence	133
Table A-1	Number and Percent of Induced Abortions by Woman's Age and Race/Ethnicity, New Mexico and United States	134

Intentionally Left Blank

# Population Section




# POPULATION SECTION

## POPULATION ESTIMATES AND PROJECTIONS

The total United States population estimate for 2011 was 311,591,917. This total represents a 0.9% increase in the nation’s population since 2010 (U.S. Census Bureau, released July 2012). New Mexico’s 2011 estimated population was 2,075,056, which is a 0.5% increase from 2010. This is also an increase of 13.5% since 2000 (Table P-8). (See the *Technical Appendix* for information on population sources and adjustments made to 2001-2010 estimates based on the 2010 Census.)

New Mexico’s population is projected to reach 2,540,145 in 2020 and 2,864,796 in 2030. These are projected increases from 2011 of 22.4% and 38.1%, respectively (Figure P-1).

**Figure P-1, Population: Counts and Projections, New Mexico, 1850 to 2030**




POPULATION DISTRIBUTION

Age

In 2011, for the United States, the largest portion of the population was between the ages of 45 and 54. The largest portion for New Mexico was 65 and older (Table P-1).

In 1900, both the United States and New Mexico were characterized by low life expectancy and high fertility rates resulting in a high proportion of young people and a low proportion of elderly. After World War II, the percent of the population in the younger age groups declined to produce a more uniform pyramid. At the same time, the national figure becomes more rectangular in shape, indicating a more even distribution of ages in the population. New Mexico's older population was slower to increase than that of the United States. By 2010, the state population distribution more closely reflected that of the nation (Figure P-2).


**Figure P-2, Population Pyramids  
New Mexico and United States, 1900, 1950, and 2010**



Race and Ethnicity

The New Mexico Department of Health combines race and ethnicity for reporting purposes. The Department’s race and ethnicity guidelines are described in the Technical Appendix.

Figure P-3, Population Distribution by Race/Ethnicity, New Mexico, 2011




According to 2011 state population estimates 43.1% of New Mexicans were Hispanic and 41.5 % were White (Figure P-3). The Hispanic category does not include Black, American Indian, or Asian or Pacific Islander populations. The American Indian or Alaska Native population comprised 10.7% of New Mexico’s population; the Black or African American population made up 2.8%; and the Asian or Pacific Islander population constituted another 1.9%.

The American Indian or Alaska Native and the Black or African American populations had higher percents of individuals under age 25 years compared to the other racial/ethnic groups. The White population had the highest percent of persons 65 years of age and older (Figure P-4).

## Population Section

**Figure P-4, Population Distribution by Race/Ethnicity, Age, and Sex  
New Mexico, 2011**



## Population Section

---

**Table P-1 Population Percent by Age Group  
New Mexico and United States, 1990, 2000, and 2011**

Age Group	1990		2000		2011	
	NM	US	NM	US	NM	US
< 5	8.5	7.4	7.2	6.8	6.9	6.5
5 to 14	16.6	14.2	15.8	14.6	13.5	13.2
15 to 24	14.6	14.8	14.6	13.9	13.9	14.1
25 to 34	16.9	17.4	12.9	14.2	13.0	13.4
35 to 44	15.0	15.1	15.4	16.0	12.0	13.0
45 to 54	9.7	10.1	13.4	13.4	13.8	14.4
55 to 64	8.0	8.5	8.7	8.6	12.8	12.2
65 +	10.7	12.6	11.8	12.4	14.1	13.3

See Technical Appendix for information on population sources.

## Population Section

**Table P-2 Population Number by Age and County  
New Mexico, 2011  
Both Sexes**

	Less													
	All ages	than 1	1-4	5-14	15-17	18-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>New Mexico</b>	2,075,056	27,717	115,006	280,901	89,091	58,615	141,761	269,202	249,019	287,127	264,686	168,149	91,020	32,762
<b>County</b>														
Bernalillo	672,567	8,869	36,800	88,255	27,809	18,297	50,254	97,182	84,647	92,958	81,970	47,596	26,867	11,063
Catron	3,740	29	121	304	96	63	92	268	240	546	877	719	299	84
Chaves	65,958	1025	4,251	10,039	3,347	2,201	4,244	8,031	7,352	8,452	7,551	4,937	3,210	1,318
Cibola	27,424	365	1,514	3,675	1,161	764	1,797	3,704	3,539	3,949	3,326	2,122	1,164	345
Colfax	13,713	138	573	1,546	504	331	613	1,378	1,412	2,088	2,277	1,637	889	328
Curry	49,120	841	3,488	7,498	2,129	1,400	3,990	7,378	5,870	6,068	4,793	3,092	1,890	682
De Baca	1,991	21	89	254	64	42	55	199	176	295	331	251	151	63
Dona Ana	213,390	2,968	12,317	30,173	10,841	7,130	18,251	26,979	23,442	26,003	23,378	18,675	10,271	2,962
Eddy	54,305	746	3,096	7,791	2,367	1,557	3,179	6,872	6,410	7,669	6,875	4,121	2,570	1052
Grant	29,410	339	1,408	3,496	1,099	722	1,496	2,842	2,780	3,825	4,826	3,687	2,143	746
Guadalupe	4,672	51	212	564	172	113	269	662	552	745	589	416	254	73
Harding	694	5	22	44	17	11	16	49	55	106	159	96	81	35
Hidalgo	4,829	62	258	653	226	149	275	465	553	695	661	458	279	95
Lea	65,692	1164	4,832	10,387	2,993	1,968	4,598	9,581	8,049	8,390	6,615	3,921	2,413	783
Lincoln	20,614	188	779	2,159	675	444	819	1,778	2,020	3,187	3,851	2,957	1,389	369
Los Alamos	18,229	188	778	2,541	687	452	501	1,746	2,334	3,332	2,863	1,514	886	407
Luna	25,174	351	1,458	3,586	1,151	757	1,435	2,643	2,647	2,987	3,156	2,749	1,745	508
McKinley	73,691	1,221	5,065	12,216	4,180	2,753	5,567	9,197	8,695	9,778	7,616	4,328	2,320	755
Mora	4,838	47	195	582	176	116	210	443	552	721	849	550	312	86
Otero	64,519	925	3,840	8,549	2,610	1,716	4,868	8,467	7,178	8,556	7,767	5,799	3,306	940
Quay	8,992	99	412	1,070	350	230	362	874	972	1,295	1,427	1,103	605	193
Rio Arriba	40,272	521	2,162	5,417	1,679	1,106	2,421	4,626	4,888	5,946	5,548	3,528	1,828	603
Roosevelt	20,516	315	1,308	2,862	1,174	772	2,298	2,756	2,193	2,294	2,018	1,359	812	353
Sandoval	134,615	1,773	7,357	20,019	5,639	3,710	7,051	15,987	17,235	19,743	18,225	10,975	5,016	1,885
San Juan	128,247	2,078	8,621	20,387	6,083	4,003	8,609	17,630	15,038	17,296	14,388	8,091	4,374	1,650
San Miguel	29,358	308	1,279	3,429	1,460	961	1,989	3,178	3,186	4,471	4,373	2,911	1,378	436
Santa Fe	145,894	1,587	6,586	16,677	5,009	3,296	7,465	16,643	18,107	21,939	24,619	14,847	6,740	2,378
Sierra	11,967	108	449	999	316	208	472	799	999	1,608	2,241	2,086	1,259	422
Socorro	17,886	231	957	2,318	879	578	1,454	2,110	1,928	2,478	2,351	1,580	767	255
Taos	33,114	348	1,445	3,746	1,118	736	1,547	3,347	3,905	5,024	5,852	3,715	1,719	613
Torrance	16,357	176	731	2,205	692	455	836	1,678	1,921	2,547	2,625	1,588	682	220
Union	4,533	48	199	479	160	105	239	667	581	693	549	434	266	112
Valencia	68,736	580	2,407	6,979	2,229	1,467	4,491	9,045	9,563	11,443	10,138	6,309	3,136	949

See Technical Appendix for information on population sources.

## Population Section

**Table P-3 Population Number by Age and County**

**New Mexico, 2011**

**Males**

	Less													85+
	All Ages	than 1	1-4	5-14	15-17	18-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	
<b>New Mexico</b>	1,024,541	14,189	58,715	142,789	45,668	29,956	72,542	137,257	124,251	140,452	127,310	79,168	40,542	11,702
<b>County</b>														
Bernalillo	329,087	4,567	18,897	44,742	14,107	9,253	25,210	49,002	42,240	45,225	38,910	21,829	11,326	3,779
Catron	1,962	15	64	166	49	32	45	145	133	261	452	401	162	34
Chaves	32,645	529	2,188	5,117	1,797	1,178	2,145	4,034	3,598	4,224	3,607	2,352	1,385	492
Cibola	13,937	183	756	1,896	581	381	874	2,012	1,970	2,017	1,652	957	528	130
Colfax	6,993	72	299	788	278	182	321	718	758	1,052	1,153	835	419	117
Curry	24,699	426	1,764	3,839	1,115	731	2,169	3,877	2,928	3,020	2,361	1,442	800	227
De Baca	976	10	40	129	32	21	19	96	86	151	174	130	68	21
Dona Ana	103,984	1,509	6,244	15,227	5,479	3,593	9,228	13,636	11,117	12,283	11,120	8,587	4,810	1,150
Eddy	27,175	394	1,628	3,910	1,236	811	1,638	3,574	3,261	3,826	3,450	1,963	1,141	344
Grant	14,443	179	740	1,840	579	380	746	1,392	1,331	1,827	2,290	1,841	1,025	273
Guadalupe	2,647	27	111	297	99	65	148	438	345	418	340	197	129	34
Harding	368	3	11	21	8	5	8	30	29	61	82	47	47	17
Hidalgo	2,423	32	133	338	117	76	131	241	274	342	332	234	139	33
Lea	33,583	590	2,439	5,322	1,517	995	2,375	5,196	4,188	4,402	3,346	1,850	1,067	298
Lincoln	10,130	100	412	1,105	361	237	406	912	976	1,508	1,805	1,440	702	166
Los Alamos	9,177	95	392	1,302	362	238	256	914	1,151	1,655	1,479	758	416	161
Luna	12,548	180	744	1,846	569	373	735	1,369	1,311	1,428	1,538	1,375	856	225
McKinley	35,658	627	2,596	6,137	2,096	1,376	2,847	4,551	4,249	4,590	3,500	1,881	936	270
Mora	2,480	24	99	314	92	61	116	220	272	377	425	290	147	45
Otero	32,693	477	1,976	4,350	1,398	916	2,722	4,459	3,678	4,201	3,830	2,812	1,533	341
Quay	4,436	53	220	557	188	123	188	419	482	627	680	547	282	69
Rio Arriba	19,893	255	1,054	2,714	879	577	1,218	2,356	2,458	2,985	2,695	1,702	803	198
Roosevelt	10,337	169	700	1,459	588	386	1,194	1,429	1,139	1,130	989	660	366	129
Sandoval	65,721	917	3,796	10,225	2,874	1,885	3,567	7,830	8,422	9,595	8,566	5,214	2,160	671
San Juan	63,696	1,047	4,334	10,346	3,130	2,054	4,364	9,006	7,504	8,621	7,060	3,758	1,921	550
San Miguel	14,658	152	627	1,757	754	494	1,047	1,648	1,565	2,261	2,142	1,450	615	146
Santa Fe	71,076	796	3,293	8,378	2,537	1,665	3,956	8,561	9,118	10,526	11,520	6,901	3,031	794
Sierra	6,027	55	229	525	160	105	241	404	491	804	1,100	1,070	647	195
Socorro	9,193	115	477	1,183	480	314	839	1,125	959	1,205	1,224	804	377	90
Taos	16,301	177	734	1,974	589	387	819	1,657	1,984	2,411	2,821	1,783	751	215
Torrance	8,438	84	349	1,127	373	245	481	901	1,048	1,250	1,338	824	336	81
Union	2,636	26	109	261	88	58	157	479	383	421	291	209	111	42
Valencia	34,519	305	1,263	3,595	1,158	760	2,331	4,625	4,802	5,745	5,037	3,025	1,507	365

See Technical Appendix for information on population sources.

## Population Section

**Table P-4 Population Number by Age and County**

**New Mexico, 2011**

**Females**

	Less													85+
	All Ages	than 1	1-4	5-14	15-17	18-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	
<b>New Mexico</b>	1,050,516	13,528	56,292	138,112	43,422	28,658	69,220	131,945	124,768	146,675	137,375	88,981	50,478	21,060
<b>County</b>														
Bernalillo	343,480	4,302	17,902	43,513	13,703	9,044	25,044	48,180	42,406	47,733	43,061	25,767	15,541	7,285
Catron	1,778	14	57	138	47	31	47	123	107	285	425	318	137	50
Chaves	33,313	496	2,063	4,922	1,550	1,023	2,099	3,996	3,755	4,228	3,944	2,585	1,825	827
Cibola	13,487	182	758	1,779	580	383	923	1,692	1,568	1,932	1,674	1,165	636	215
Colfax	6,720	66	274	758	226	149	292	659	654	1,036	1,124	802	469	211
Curry	24,421	415	1,725	3,659	1,015	670	1,821	3,500	2,942	3,048	2,432	1,650	1,090	455
De Baca	1,014	12	49	125	32	21	36	104	90	144	156	121	83	42
Dona Ana	109,406	1,460	6,074	14,945	5,361	3,537	9,023	13,343	12,325	13,720	12,258	10,088	5,461	1,812
Eddy	27,130	353	1,468	3,881	1,131	747	1,541	3,298	3,150	3,843	3,425	2,158	1,428	708
Grant	14,967	160	668	1,656	519	343	750	1,450	1,449	1,999	2,537	1,846	1,118	473
Guadalupe	2,025	24	101	268	73	48	121	224	206	327	249	220	125	39
Harding	326	3	11	23	8	5	8	19	26	45	77	49	34	18
Hidalgo	2,405	30	125	315	110	72	143	223	279	353	329	223	140	62
Lea	32,110	575	2,393	5,065	1,476	973	2,223	4,385	3,861	3,988	3,269	2,071	1,346	484
Lincoln	10,484	88	367	1,054	313	207	412	866	1,044	1,680	2,046	1,517	687	202
Los Alamos	9,051	93	387	1,239	325	214	245	832	1,183	1,677	1,384	757	470	246
Luna	12,626	172	714	1,740	582	384	700	1,273	1,336	1,559	1,618	1,374	890	283
McKinley	38,033	593	2,468	6,079	2,085	1,377	2,720	4,646	4,446	5,188	4,117	2,446	1,384	485
Mora	2,358	23	96	268	83	55	94	222	280	344	424	260	165	41
Otero	31,826	448	1,864	4,198	1,212	800	2,146	4,008	3,500	4,355	3,937	2,987	1,773	598
Quay	4,556	46	192	513	162	107	173	455	490	668	747	556	323	124
Rio Arriba	20,379	266	1,108	2,703	800	529	1,202	2,270	2,430	2,961	2,853	1,826	1,025	405
Roosevelt	10,178	146	609	1,403	585	386	1,105	1,327	1,054	1,164	1,030	700	446	225
Sandoval	68,894	856	3,561	9,794	2,765	1,825	3,485	8,157	8,813	10,148	9,659	5,760	2,856	1,215
San Juan	64,551	1,030	4,287	10,040	2,953	1,949	4,246	8,624	7,533	8,676	7,328	4,333	2,453	1,099
San Miguel	14,700	157	652	1,673	706	466	942	1,530	1,621	2,209	2,230	1,461	763	290
Santa Fe	74,818	791	3,292	8,300	2,471	1,631	3,509	8,082	8,990	11,413	13,099	7,946	3,710	1,583
Sierra	5,940	53	220	474	156	103	231	396	508	804	1,141	1,016	611	227
Socorro	8,693	115	480	1,135	399	264	615	985	969	1,272	1,126	776	391	165
Taos	16,813	171	711	1,772	529	350	727	1,690	1,921	2,613	3,030	1,932	968	398
Torrance	7,919	92	382	1,078	319	210	354	777	873	1,297	1,287	764	346	138
Union	1,898	22	90	217	72	48	82	188	198	272	258	225	155	71
Valencia	34,216	275	1,144	3,384	1,071	708	2,160	4,420	4,761	5,697	5,101	3,283	1,629	584

See Technical Appendix for information on population sources.

## Population Section

**Table P-5 Population Number by Race/Ethnicity, Sex, and Age  
New Mexico, 2011, United States, 2011**

	Less than													
	All Ages	1	1-4	5-14	15-17	18-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>New Mexico</b>														
<b>All Races</b>														
Male	1,024,541	14,189	58,715	142,789	45,668	29,956	72,542	137,257	124,251	140,452	127,310	79,168	40,542	11,702
Female	1,050,516	13,528	56,292	138,112	43,422	28,658	69,220	131,945	124,768	146,675	137,375	88,981	50,478	21,060
Both Sexes	2,075,056	27,717	115,006	280,901	89,091	58,615	141,761	269,202	249,019	287,127	264,686	168,149	91,020	32,762
<b>American Indian or Alaska Native</b>														
Male	108,255	1,997	8,263	19,451	6,703	4,422	8,816	15,299	12,642	14,722	8,764	4,595	2,022	558
Female	114,260	1,960	8,146	19,319	6,529	4,329	8,762	15,414	13,372	15,990	10,335	6,062	3,008	1,034
Both Sexes	222,515	3,957	16,409	38,770	13,232	8,750	17,578	30,713	26,014	30,713	19,099	10,657	5,030	1,591
<b>Asian or Pacific Islander</b>														
Male	17,915	267	1,106	2,570	913	598	1,649	3,168	2,374	2,412	1,613	842	323	80
Female	20,694	249	1,037	2,577	900	593	1,653	3,584	2,935	2,910	2,357	1,143	609	147
Both Sexes	38,609	517	2,143	5,147	1,813	1,192	3,302	6,752	5,310	5,323	3,970	1,984	932	226
<b>Black or African American</b>														
Male	31,394	596	2,468	5,268	1,758	1,152	2,654	4,622	3,668	4,367	2,748	1,375	569	150
Female	27,181	529	2,203	4,886	1,382	912	2,076	3,628	2,864	4,100	2,265	1,266	794	276
Both Sexes	58,575	1,126	4,671	10,154	3,140	2,064	4,730	8,250	6,532	8,466	5,013	2,641	1,363	425
<b>Hispanic</b>														
Male	442,225	7,519	31,112	73,006	20,920	13,709	33,877	63,454	53,252	64,835	40,979	24,108	12,275	3,179
Female	451,626	7,247	30,161	70,990	20,460	13,493	33,042	62,252	53,283	66,949	43,986	28,181	15,994	5,590
Both Sexes	893,851	14,766	61,272	143,996	41,380	27,202	66,919	125,706	106,536	131,784	84,964	52,289	28,268	8,769
<b>White</b>														
Male	424,751	3,810	15,766	42,494	15,374	10,075	25,545	50,713	52,314	54,115	73,207	48,247	25,354	7,736
Female	436,756	3,543	14,745	40,340	14,151	9,332	23,687	47,068	52,314	56,726	78,432	52,330	30,073	14,014
Both Sexes	861,507	7,353	30,511	82,834	29,525	19,407	49,233	97,781	104,628	110,842	151,640	100,577	55,427	21,749
<b>United States</b>														
<b>All Races</b>														
Male	153,290,819	2,043,710	8,255,790	20,971,217	6,534,362	4,584,584	11,312,700	21,044,163	20,223,470	22,019,247	18,358,205	10,476,313	5,573,033	1,894,025
Female	158,301,098	1,952,827	7,909,731	20,067,831	6,198,804	4,326,293	10,841,132	20,746,335	20,404,484	22,698,956	19,703,935	12,005,425	7,602,197	3,843,148
Both Sexes	311,591,917	3,996,537	16,165,521	41,039,048	12,733,166	8,910,877	22,153,832	41,790,498	40,627,954	44,718,203	38,062,140	22,481,738	13,175,230	5,737,173

See Technical Appendix for information on race/ethnicity and population sources.

## Population Section

**Table P-6 Population Number by Race/Ethnicity, County, and Health Region  
New Mexico, 2011**

	<b>All Races</b>	<b>American Indian or Alaska Native</b>	<b>Asian or Pacific Islander</b>	<b>Black or African American</b>	<b>Hispanic</b>	<b>White</b>
<b>New Mexico</b>	2,075,056	222,515	38,609	58,575	893,851	861,507
<b>County</b>						
Bernalillo	672,567	40,721	20,490	26,757	299,419	285,181
Catron	3,740	131	11	43	665	2,889
Chaves	65,958	1,496	706	1,869	32,575	29,312
Cibola	27,424	11,801	201	398	8,978	6,046
Colfax	13,713	317	72	136	6,263	6,925
Curry	49,120	1,095	881	3,820	17,834	25,490
De Baca	1,991	20	4	28	755	1,183
Dona Ana	213,390	5,027	3,263	4,869	132,976	67,255
Eddy	54,305	1,354	480	1,075	22,736	28,661
Grant	29,410	616	186	393	13,680	14,534
Guadalupe	4,672	132	69	108	3,612	751
Harding	694	11	0	4	289	390
Hidalgo	4,829	49	30	62	2,669	2,020
Lea	65,692	1,207	459	3,164	32,320	28,543
Lincoln	20,614	607	127	227	5,905	13,748
Los Alamos	18,229	184	1,108	180	2,633	14,124
Luna	25,174	544	192	421	14,808	9,209
McKinley	73,691	57,621	727	731	6,515	8,097
Mora	4,838	125	21	61	3,757	874
Otero	64,519	4,944	1,177	2,875	20,629	34,895
Quay	8,992	191	103	168	3,645	4,885
Rio Arriba	40,272	7,601	291	375	26,553	5,452
Roosevelt	20,516	435	240	495	7,763	11,581
Sandoval	134,615	19,223	2,756	3,878	43,463	65,295
San Juan	128,247	49,598	755	1,300	21,229	55,367
San Miguel	29,358	931	351	583	21,568	5,924
Santa Fe	145,894	6,407	2,354	1,828	70,126	65,179
Sierra	11,967	327	59	109	3,190	8,282
Socorro	17,886	2,278	276	262	8,250	6,820
Taos	33,114	2,740	320	331	17,503	12,221
Torrance	16,357	663	122	370	5,898	9,303
Union	4,533	118	27	101	1,721	2,566
Valencia	68,736	4,002	748	1,555	33,926	28,504
<b>Health Region</b>						
Northwest	119,019	1,683	2,429	36,722	69,510	229,362
Northeast	18,565	4,614	3,706	154,026	114,407	295,318
Metro	64,609	24,117	32,561	382,706	388,283	892,275
Southeast	6,405	3,001	10,845	123,532	143,404	287,187
Southwest	13,916	5,195	9,034	196,865	145,904	370,914

See Technical Appendix for information on race/ethnicity, health regions, and population sources.

## Population Section

**Table P-7 Births and Deaths by City  
Population, 2010 and 2011; Births and Deaths, 2011**

City	Population			Births	Deaths	City	Population			Births	Deaths
	2010 Population Estimate	2011 Population Estimate	Percent Change 2010- 2011				2010 Population Estimate	2011 Population Estimate	Percent Change 2010- 2011		
Alamogordo	30,403	31,327	3.0	561	361	Lake Arthur	436	437	0.2	13	10
Albuquerque	545,852	552,804	1.3	8,230	4,790	Las Cruces	97,618	99,665	2.1	1,982	1,040
Artesia	11,301	11,371	0.6	249	150	Las Vegas	13,753	13,656	-0.7	243	194
Aztec	6,763	6,667	-1.4	225	144	Logan	1,042	1,041	-0.1	9	19
Bayard	2,328	2,317	-0.5	27	30	Lordsburg	2,797	2,778	-0.7	53	44
Belen	7,269	7,313	0.6	255	235	Los Lunas	14,835	14,933	0.7	583	284
Bernalillo	8,320	8,482	1.9	116	63	Los Ranchos De Albuquerque	6,024	6,101	1.3	10	15
Bloomfield	8,112	7,998	-1.4	231	97	Loving	1,413	1,421	0.6	20	7
Bosque Farms	3,904	3,930	0.7	42	40	Lovington	11,009	11,128	1.1	223	113
Capitan	1,489	1,485	-0.3	14	22	Magdalena	938	939	0.1	35	13
Carlsbad	26,138	26,296	0.6	489	355	Maxwell	254	253	-0.4	5	4
Carrizozo	996	994	-0.2	13	22	Melrose	651	669	2.8	7	16
Causey	104	106	1.9	2	0	Mesilla	2,196	2,244	2.2	12	8
Chama	1,022	1,027	0.5	15	20	Milan	3,245	3,279	1.0	44	13
Cimarron	1,021	1,012	-0.9	13	11	Moriarty	1,910	1,905	-0.3	87	53
Clayton	2,980	2,911	-2.3	32	42	Mosquero	93	94	1.1	2	2
Cloudcroft	674	695	3.1	5	13	Mountainair	928	925	-0.3	21	21
Clovis	37,775	38,776	2.6	907	352	Pecos	1,392	1,388	-0.3	37	22
Columbus	1,664	1,678	0.8	32	11	Portales	12,280	12,641	2.9	271	137
Corona	172	171	-0.6	5	0	Questa	1,770	1,769	-0.1	20	17
Corrales	8,329	8,501	2.1	37	63	Raton	6,885	6,829	-0.8	98	94
Cuba	731	746	2.1	57	13	Red River	477	479	0.4	3	3
Deming	14,855	14,963	0.7	335	270	Reserve	289	289	0.0	8	11
Des Moines	143	139	-2.8	3	5	Rio Rancho	87,521	89,320	2.1	1,106	594
Dexter	1,266	1,270	0.3	81	38	Roswell	48,366	48,546	0.4	815	605
Dora	133	138	3.8	1	0	Roy	234	237	1.3	4	5
Eagle Nest	290	287	-1.0	3	3	Ruidoso	8,029	8,010	-0.2	95	84
Edgewood	3,735	3,772	1.0	108	68	Ruidoso Downs	2,815	2,787	-1.0	42	23
Elida	197	204	3.6	4	4	San Jon	216	216	0.0	3	4
Encino	82	82	0.0	1	4	Santa Clara	1,686	1,679	-0.4	23	33
Espanola	10,224	10,313	0.9	235	159	Santa Fe	67,947	68,642	1.0	1,229	899
Estancia	1,655	1,653	-0.1	31	21	Santa Rosa	2,848	2,811	-1.3	29	31
Eunice	2,922	2,954	1.1	42	20	San Ysidro	193	196	1.6	1	3
Farmington	45,877	45,256	-1.4	874	380	Silver City	10,315	10,269	-0.4	174	184
Floyd	133	136	2.3	1	1	Socorro city	9,051	9,055	0.0	128	94
Folsom	56	54	-3.6	0	4	Springer	1,047	1,039	-0.8	12	19
Fort Sumner	1,031	992	-3.8	23	18	Sunland Park	14,106	14,407	2.1	223	57
Gallup	21,678	22,329	3.0	357	152	Taos	5,716	5,713	-0.1	121	94
Grady	107	109	1.9	2	3	Tatum	798	806	1.0	19	7
Grants	9,182	9,332	1.6	170	108	Texico	1,130	1,160	2.7	20	10
Grenville	38	36	-5.3	2	1	Tijeras	541	548	1.3	64	57
Hagerman	1,257	1,263	0.5	21	17	Truth or Consequences	6,475	6,451	-0.4	47	160
Hatch	1,648	1,680	1.9	56	8	Tucumcari	5,363	5,354	-0.2	95	82
Hobbs	34,122	34,488	1.1	741	323	Tularosa	2,842	2,930	3.1	53	55
Hope	105	105	0.0	0	5	Vaughn	446	438	-1.8	2	5
House	68	68	0.0	2	3	Virden	152	151	-0.7	1	1
Hurley	1,297	1,291	-0.5	21	26	Wagon Mound	314	306	-2.5	2	7
Jal	2,047	2,070	1.1	28	20	Willard	253	252	-0.4	4	3
Jemez Springs	250	254	1.6	5	12	Williamsburg	449	448	-0.2	3	17

See Technical Appendix for information on population sources.

## Population Section

**Table P-8 Summary of Health Statistics Trends  
New Mexico, 1960-2011**

Year	Population	Births	Deaths	Maternal Mortality		Infant Mortality				Fetal Mortality	
				Number	Rate	All Infants Deaths	Mortality Rate	Neonatal Rate	Post-neonatal Rate	Number	Rate
2011	2,075,056	27,251	16,245	10	36.7	143	5.2	3.2	2.0	68	2.5
2010	2,065,171	27,795	15,866	4	14.4	155	5.6	3.4	2.2	75	2.7
2009	2,036,112	28,873	15,392	4	13.9	145	5.0	3.0	2.0	90	3.1
2008	2,013,046	30,156	15,400	6	19.9	154	5.1	3.0	2.1	89	2.9
2007	1,989,979	30,605	15,400	4	13.1	188	6.1	3.8	2.4	82	2.7
2006	1,966,876	29,918	15,231	1	3.3	170	5.7	3.6	2.1	69	2.3
2005	1,943,810	28,822	14,866	2	6.9	175	6.1	3.6	2.5	84	2.9
2004	1,920,743	28,355	14,197	4	14.1	178	6.3	3.2	2.2	78	2.7
2003	1,897,640	27,799	14,493	4	14.4	150	5.4	3.2	2.2	89	3.2
2002	1,874,575	27,708	14,114	6	21.7	168	6.1	4.2	1.9	89	3.2
2001	1,851,512	27,101	14,016	8	29.5	174	6.4	4.0	2.4	64	2.4
2000	1,828,560	27,206	13,384	8	29.4	180	6.6	3.7	2.9	104	3.8
1999	1,808,082	27,133	13,433	5	18.4	185	6.8	3.9	2.9	90	3.3
1998	1,793,484	27,294	12,858	3	11.0	194	7.1	4.3	2.8	84	3.1
1997	1,774,839	26,844	12,613	1	3.7	165	6.1	3.3	2.9	103	3.8
1996	1,752,326	27,216	12,456	3	11.0	169	6.2	3.9	2.4	84	3.1
1995	1,720,394	26,914	12,500	3	11.1	162	6.0	4.0	2.0	106	3.9
1994	1,682,398	27,585	12,106	5	18.1	228	8.3	4.9	3.4	108	3.9
1993	1,636,453	27,831	11,689	2	7.2	233	8.4	4.6	3.8	108	3.9
1992	1,595,442	27,910	11,130	2	7.2	209	7.5	3.9	3.6	104	3.7
1991	1,555,305	27,783	11,225	3	10.8	224	8.1	4.9	3.1	100	3.6
1990	1,521,574	27,318	10,549	9	32.9	243	8.9	5.2	3.7	123	4.5
1989	1,503,901	27,265	10,473	5	18.3	232	8.5	5.4	3.1	111	4.1
1988	1,490,336	26,935	10,381	2	7.4	268	9.9	6.1	3.9	147	5.4
1987	1,478,519	27,246	10,324	1	3.7	218	8.0	5.0	3.0	121	4.4
1986	1,462,728	27,281	10,007	3	11.0	254	9.3	5.4	4.0	111	4.1
1985	1,438,360	27,449	9,637	3	10.9	291	10.6	6.2	4.4	157	5.7
1984	1,416,719	27,350	9,504	5	18.3	263	9.6	6.0	3.6	186	6.8
1983	1,394,362	27,508	9,138	3	10.9	274	10.0	5.5	4.5	192	6.9
1982	1,363,822	27,630	9,186	4	14.5	316	11.4	6.7	4.7	202	7.3
1981	1,332,747	26,565	8,668	2	7.5	256	9.6	5.7	3.9	180	6.7
1980	1,303,303	26,589	9,032	3	11.3	293	11.0	7.0	4.0	204	7.6
1979	1,283,000	24,821	8,617	10	40.3	352	14.2	8.8	5.4	206	8.2
1978	1,254,000	23,907	8,331	2	8.4	330	13.8	8.7	5.1	199	8.3
1977	1,227,000	23,100	8,223	2	8.7	333	14.4	9.8	4.6	201	8.6
1976	1,196,000	22,180	8,204	3	13.5	347	15.6	10.0	5.6	196	8.8
1975	1,164,000	21,078	8,003	2	9.5	357	16.9	11.0	6.0	169	8.0
1974	1,130,000	21,339	8,029	10	46.9	391	18.3	12.2	6.1	184	8.5
1973	1,104,000	20,852	8,139	2	9.6	421	20.2	12.9	7.3	211	10.0
1972	1,078,000	20,813	7,877	5	24.0	403	19.4	14.4	5.0	248	11.8
1971	1,053,000	22,205	7,638	5	22.5	460	20.7	15.0	5.8	254	11.3
1970	1,017,055	22,004	7,411	6	27.3	463	21.0	15.0	6.0	245	11.0
1969	1,011,000	21,543	7,180	5	23.2	508	23.6	16.1	7.5	266	12.2
1968	994,000	20,346	7,128	7	34.4	487	23.9	16.8	7.2	264	12.8
1967	1,000,000	21,243	6,897	4	18.8	527	24.8	16.1	8.7	249	11.6
1966	1,007,000	22,363	6,971	9	40.2	601	26.9	16.7	10.2	278	12.3
1965	1,012,000	24,352	6,801	10	41.1	657	27.0	17.8	9.2	326	13.2
1964	1,006,000	26,862	6,902	14	52.1	781	29.1	19.2	9.9	349	12.8
1963	989,000	27,820	6,837	10	35.9	848	30.5	20.0	10.5	371	13.2
1962	979,000	29,226	6,507	16	54.7	877	30.0	19.5	10.5	409	13.8
1961	965,000	30,009	6,344	19	63.3	880	29.3	20.0	9.3	370	12.2
1960	951,023	30,747	6,503	13	42.3	1,022	33.2	20.2	13.0	414	13.3

Maternal mortality rates are per 100,000 live births; infant mortality rates are per 1,000 live births; and fetal mortality rates are per 1,000 live births + fetal deaths.  
Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.  
See Technical Appendix for information on rates and population sources.

Intentionally Left Blank

# Natality Section




# NATALITY SECTION

## BIRTH NUMBERS AND RATES

There were 27, 251 births to New Mexico resident mothers in 2011, translating to a birth rate of 13.1 births per 1,000 population (Table N-1). New Mexico’s birth rate has generally declined since 1993 when the birth rate was 17.0. In 2010, the latest year for which United States data are available, the national birth rate (13.0) was slightly lower than the New Mexico 2011 birth rate. These are the lowest birth rates on record for both the United States and New Mexico. Prior to 2011, the state birth rate was consistently higher than the national rate (Figure N-1).

The fertility rate is calculated as the number of births per 1,000 females ages 15-44 years. New Mexico’s fertility rate increased 9.4% between 2010 (62.6) and 2011 (68.5). New Mexico’s birth rate for mothers in the 20-24 year-old age category has decreased from 140.2 in 2007 to 113.8 in 2011. However, the 2011 New Mexico rate is 26.4 % higher than the 2010 United States rate (90.0) for the same age group (Table N-3).

**Figure N-1, Birth Rates  
New Mexico, 1993-2011, and United States, 1993-2010**




Population note: Birth rates for years 2001-2010 differ from those shown in reports published in previous years. This reflects adjustments to 2001-2010 population estimates following the 2010 Census. See the *Technical Appendix* for more information.

## Natality Section

### RACE AND ETHNICITY


In 2011, Hispanic mothers had the highest percent of births (52.5%) (Table N-4(b)). American Indians or Alaska Natives had the highest birth rate (16.6) among the state's racial/ethnic groups. Since 1993, the highest birth rates have alternated between American Indian or Alaska Native mothers and Hispanic mothers (Figure N-2).

**Figure N-2, Birth Rates by Race/Ethnicity  
New Mexico, 1993-2011**



### AGE OF MOTHER

**Figure N-3, Birth Rates by Mother's Age  
New Mexico, 1990, 2000, and 2011**




## Nativity Section

Between 1990 and 2011 there were decreases in the birth rates for all age groups except for those women who were between 30 to 44 years. Mothers who were ages 40 to 44 years had the largest increase (50.0%) in rates during this time period (Figure N-3).

### Teen Mothers

**Figure N-4, Teen (15-17 Years and 18-19 Years) Birth Rates  
New Mexico, 1994-2011, and United States, 1994-2010**




Birth rates for New Mexico teens ages 15-17 years decreased 50.4% and rates for teens ages 18-19 years decreased 30.8% between 1994 and 2011. However, New Mexico's teen birth rates continue to be higher than nationally (Figure N-4).

## BIRTHS TO SINGLE MOTHERS


From 1985 to 2011 in New Mexico, the percent of births to single mothers increased from 26.4% to 51.2%. Nationally, 40.8% of births were to single women in 2010, compared to 51.2% in New Mexico in 2011 (Figure N-5). The percent of births to single women in 2011 was highest for American Indian or Alaska Native women (76.6). Black or African American women (57.7) and Hispanic women (56.2) were the next highest. The increase in the percent of single mothers was highest among Asian or Pacific Islander women (99.2%) and second highest among White women (70.6%) between 1990 and 2011 (Figure N-6).

## Natality Section

**Figure N-5, Percent of Births to Single Mothers  
New Mexico, 1985-2011, and United States, 1985-2010**




**Figure N-6, Percent of Births to Single Mothers by Race/Ethnicity  
New Mexico, 1990, 2000, 2011**



## Natality Section

**Figure N-7, Percent of Births to Single Mothers by Age  
New Mexico, 1990, 2000, 2011**




## BIRTH ORDER

Birth order refers to the order in which the child is born to the mother: first child, second child, etc. A population that has a high proportion of second or higher births may have greater fertility rates than a population where most newborns are first born.

In 2011, 40.5% of all births in New Mexico were first born (Figure N-8). This is up from 25.3% in 1960. In contrast, 5.4% of the births in 2011 were fifth born or later, compared to 21.8% in 1960.

## Natality Section


**Figure N-8, Percent of Birth Order  
New Mexico, 1960-2011**



## MULTIPLE BIRTHS

The multiple birth rate, defined as the number of twins, triplets, or higher multiple births per 1,000 total live births, was 26.2 in 2011 in New Mexico (Figure N-9). The 2011 multiple birth rate in New Mexico was 24.1% lower than the 2010 United States multiple birth rate (34.5).<sup>1</sup>

**Figure N-9, Number of Births in Single and Multiple Deliveries by Year  
New Mexico, 1990-2011**



## Natality Section


The number of singleton births decreased in New Mexico by 0.9% between 1990 and 2011; whereas, the number of multiple births increased 33.5%. The percent of multiple births to total births increased from 2.0% in 1990 to 2.6% in 2011 (Figure N-9).

### BIRTHWEIGHT

Very low birthweight	Less than 1,500 grams
Low birthweight	1,500 -- 2,499 grams
Normal birthweight	2,500 – 3,999 grams
High birthweight	Equal to or greater than 4,000 grams


Birthweight is an important predictor of infant survival. Low birthweight is a factor in approximately two-thirds of infant deaths nationally.<sup>2</sup> Low birthweight newborns are also more likely to have serious health problems and increased risks of long-term disabilities.

**Figure N-10, Percent of Births with Low Birthweight  
New Mexico, 1998-2011, and United States, 1998-2010**



## Natality Section


**Figure N-11, Percent of Births with Low Birthweight by Mother's Race/Ethnicity  
New Mexico, 2007-2011**



From 1998 to 2006, the percent of low birthweight infants generally increased in New Mexico and nationally. The percent of low birthweight infants in the United States reached a high of 8.3% in 2006. The percent decreased since 2006 in New Mexico until showing increases in 2010 and 2011 (Figure N-10).

In 2011, Black or African American women had the highest percentages of low birthweight infants (13.1%), followed by Asians or Pacific Islanders (9.2%) (Figure N-11).

**Figure N-12, Percent of Births with Low Birthweight by Mother's Age  
New Mexico, 2009-2011 Total, and United States, 2010**



Demographic factors associated with increased risk of low birthweight include mother's age (19 years and younger or 35 years and older), marital status of the mother (single), and gestational age.<sup>3</sup> For New Mexico and the nation, mothers 40 years of age and older showed the highest percentages of low birthweight births (Figure N-12).

## GESTATIONAL AGE


Ninety percent of term births (born at 37-41 weeks gestation) were born with normal birthweight, while 64.2% of early preterm births were very low birthweight in 2011 (Figure N-14). Preterm birth is a leading cause of infant death and is associated with congenital neurological defects.

Preterm births were highest in Black or African American (16.7%) and American Indian (14.0%) populations in 2011 (Figure N-13).


The calculation for gestational age in New Mexico uses the United States National Center for Health Statistics (NCHS) methodology and measures the number of weeks from the date of the last normal menses to delivery. Clinical estimates of gestation are used instead of calculated gestation for unknown or "out of usual range" dates of last normal menses. (See *Technical Appendix* for additional information.)

## Natality Section

**Figure N-13  
Percent of Preterm Births by Race/Ethnicity  
New Mexico, 2008-2011**



**Figure N-14  
Percent Gestational Age by Birthweight  
New Mexico, 2011**




PRENATAL CARE

There are two primary ways that New Mexico reports on prenatal care: the trimester prenatal care began and the Kessner Index. These measures rely heavily on when prenatal care was initiated.

**Kessner Index**

The traditional measure of prenatal care used in New Mexico has been a modified Kessner index. Levels of prenatal care are defined by using a combination of factors: the month prenatal care began and the number of prenatal visits made. A low level of care is defined as care that begins in the third trimester with less than five or no prenatal care visits. A high level of care is defined as care that began during the first trimester of pregnancy with nine or more prenatal care visits occurring during that period. Mid level care is defined as care that began during the first trimester with 5-8 prenatal visits, or care beginning in the fourth to sixth month of pregnancy with 5 or more visits.


**Figure N-15, Percent of Births by Level of Prenatal Care (Modified Kessner Index)  
New Mexico, 2008-2011**



## Nativity Section

*The Revised Birth Certificate: Changes to the New Mexico Birth File, in the New Mexico Selected Health Statistics, Annual Report, 2008* at [http://www.vitalrecordsnm.org/reports/2008\\_AR.pdf](http://www.vitalrecordsnm.org/reports/2008_AR.pdf)

**Figure N-16, Percent of Births with Low or No Prenatal Care by Mother's Age  
New Mexico, 2011**




New Mexico mothers less than 18 years of age received the highest percentage of no or low levels of prenatal care (Figure N-16).

## FACILITY AND ATTENDANT

Of all the births to New Mexico resident mothers in 2011, 98.2% occurred in hospitals. Medical doctors attended 66.1% of the births, and certified nurse midwives (CNMs) attended 23.9% of the births. The percent of births delivered by medical doctors decreased from 88.0% in 1990 to 66.1% in 2011. With this decrease, the number of births delivered by other types of attendants increased during this time period. Specifically, the percent of deliveries by CNMs increased from 10.6% in 1990 to 23.9% in 2011 (Table N-19).

## Natality Section

**Figure N-17, Percent of Births Occurring in New Mexico by Attendant Type  
New Mexico, 2002-2011**




## METHOD OF DELIVERY

The percent of vaginal births decreased 4.9% since 1997, while the percent of cesarean births increased 36.1% (Figure N-18).

Generally, the younger the mother is, the higher the percent of vaginal births. For 15-17 year old mothers, 88.0% had vaginal deliveries (excluding vaginal after previous cesarean) while only 11.6% had cesarean sections; 79.5% of 20-24 year old mothers delivered vaginally (excluding vaginal after previous cesarean) and 14.2% delivered cesarean. For 35-39 year old mothers, 64.5% had vaginal deliveries (excluding vaginal after previous cesarean) while 23.2% had cesareans (Table N-20(b)).

## Natality Section

**Figure N-18, Distribution of Delivery Method by Year  
New Mexico, 1997-2011**



1 Martin JA, Hamilton BE, et al. Births: Final data for 2010. National Vital Statistics Report, Vol. 61, No. 1. Hyattsville, MD: National Center for Health Statistics. 2012.

2 March of Dimes. 2006. “Professional and Researchers: Low Birth Weight,” <http://www.marchofdimes.com>.

3 Martin JA, Hamilton BE, Sutton PD. et al. Births: Final data for 2005. National Vital Statistics Report, Vol. 56, No. 6. Hyattsville, MD: National Center for Health Statistics. 2007.

## Nativity Section

**Table N-1 Natality Characteristics by County and Health Region  
New Mexico, 2011, and United States, 2010**

	Number of Live Births	Crude Rate	Percent	Fertility Rate	Sex Ratio		Male to Female
					Male	Female	
<b>United States</b>	3,999,386	13.0	100.0	64.1	2,046,935	1,952,451	1.05
<b>New Mexico</b>	27,251	13.1	100.0	68.5	13,691	13,560	1.01
<b>County</b>							
Bernalillo	8,385	12.5	30.8	60.6	4,270	4,115	1.04
Catron	22	5.9	0.1	62.0	11	11	1.00
Chaves	929	14.1	3.4	74.8	476	453	1.05
Cibola	395	14.4	1.4	76.8	196	199	0.98
Colfax	143	10.4	0.5	72.2	73	70	1.04
Curry	940	19.1	3.4	94.5	456	484	0.94
De Baca	24	12.1	0.1	84.9	10	14	0.71
Dona Ana	3,240	15.2	11.9	74.3	1,633	1,607	1.02
Eddy	768	14.1	2.8	77.8	389	379	1.03
Grant	292	9.9	1.1	64.7	149	143	1.04
Guadalupe	38	8.1	0.1	56.4	17	21	0.81
Harding	7	10.1	0.0	105.1	4	3	1.33
Hidalgo	76	15.7	0.3	91.8	26	50	0.52
Lea	1,063	16.2	3.9	82.3	526	537	0.98
Lincoln	198	9.6	0.7	69.6	92	106	0.87
Los Alamos	153	8.4	0.6	54.7	80	73	1.10
Luna	357	14.2	1.3	83.5	179	178	1.01
McKinley	1,305	17.7	4.8	85.4	635	670	0.95
Mora	44	9.1	0.2	59.8	18	26	0.69
Otero	934	14.5	3.4	80.1	482	452	1.07
Quay	111	12.3	0.4	80.0	49	62	0.79
Rio Arriba	576	14.3	2.1	79.7	290	286	1.01
Roosevelt	282	13.8	1.0	63.3	132	150	0.88
Sandoval	1,554	11.5	5.7	62.0	775	779	0.99
San Juan	1,910	14.9	7.0	75.5	950	960	0.99
San Miguel	317	10.8	1.2	60.2	157	160	0.98
Santa Fe	1,394	9.6	5.1	56.5	709	685	1.04
Sierra	87	7.3	0.3	62.4	41	46	0.89
Socorro	238	13.3	0.9	73.6	119	119	1.00
Taos	328	9.9	1.2	62.9	177	151	1.17
Torrance	173	10.6	0.6	68.3	83	90	0.92
Union	40	8.8	0.1	68.0	18	22	0.82
Valencia	928	13.5	3.4	70.7	469	459	1.02
<b>Health Region</b>							
Northwest	3,610	15.7	13.2	79.0	1,781	1,829	0.97
Northeast	3,040	10.3	11.2	61.7	1,543	1,497	1.03
Metro	11,040	12.4	40.5	61.6	5,597	5,443	1.03
Southeast	4,315	15.0	15.8	79.7	2,130	2,185	0.97
Southwest	5,246	14.1	19.3	75.1	2,640	2,606	1.01

See Technical Appendix for information on rates, race/ethnicity, and health regions.

## Natality Section

**Table N-2 Number of Births by Year, Mother's Age, and Race/Ethnicity  
New Mexico, 2007-2011, and United States, 2007-2010**

Year	Mother's age group											Unknown/ Not Reported
	All Ages	10 to 14	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50+	
<b>United States - All Races</b>												
2010	3,999,386	4,497	109,173	258,505	951,688	1,133,713	962,170	464,870	107,045	7,154	571	0
2009	4,130,665	5,029	124,247	285,555	1,005,982	1,166,787	955,246	474,103	105,827	7,320	569	0
2008	4,247,694	5,764	135,664	299,094	1,052,184	1,195,774	956,716	488,875	105,973	7,109	541	0
2007	4,316,233	6,195	140,566	304,333	1,082,354	1,208,408	961,931	499,914	105,179	6,839	514	0
<b>New Mexico - All Races</b>												
2011	27,251	44	1,107	2,340	7,877	7,731	5,209	2,318	583	27	6	9
2010	27,795	46	1,287	2,578	8,185	7,570	5,088	2,425	570	39	6	1
2009	28,873	52	1,479	2,930	8,586	7,994	4,913	2,318	552	45	1	3
2008	30,156	63	1,597	2,940	9,272	8,096	5,151	2,388	593	48	4	4
2007	30,605	72	1,605	3,116	9,330	8,158	5,165	2,564	537	46	5	7
<b>American Indian or Alaska Native</b>												
2011	3,692	3	172	366	1,248	960	584	273	81	4	0	1
2010	3,777	9	187	418	1,227	922	610	335	65	4	0	0
2009	4,042	6	229	460	1,316	1,037	612	293	80	8	0	1
2008	4,046	9	234	487	1,350	994	589	296	76	11	0	0
2007	3,922	6	226	469	1,270	976	592	288	88	5	0	2
<b>Asian or Pacific Islander</b>												
2011	597	2	7	14	101	171	191	90	20	1	0	0
2010	615	0	8	18	85	186	179	115	24	0	0	0
2009	516	2	8	17	85	146	155	74	29	0	0	0
2008	524	0	10	14	70	145	172	86	26	1	0	0
2007	509	0	4	12	85	151	163	77	16	1	0	0
<b>Black or African American</b>												
2011	581	2	27	49	199	148	94	51	8	2	1	0
2010	595	0	31	69	210	138	103	34	8	2	0	0
2009	616	3	36	75	180	164	99	48	11	0	0	0
2008	598	2	24	81	224	146	77	35	7	2	0	0
2007	640	2	35	83	210	168	90	46	5	1	0	0
<b>Hispanic</b>												
2011	14,315	33	736	1,451	4,416	3,910	2,421	1,075	258	12	0	3
2010	14,635	32	889	1,585	4,628	3,879	2,283	1,071	256	12	0	0
2009	15,328	40	1,016	1,805	4,857	4,060	2,263	1,070	202	15	0	0
2008	16,165	47	1,109	1,820	5,284	4,154	2,456	1,038	234	17	4	2
2007	16,616	55	1,108	1,946	5,481	4,223	2,423	1,125	231	23	0	1
<b>White</b>												
2011	7,895	4	160	448	1,873	2,502	1,873	810	209	8	5	3
2010	8,025	5	169	473	1,986	2,407	1,889	856	212	21	6	1
2009	8,186	1	187	557	2,097	2,535	1,742	820	224	22	1	0
2008	8,630	4	209	528	2,287	2,607	1,823	913	241	17	0	1
2007	8,841	8	229	592	2,263	2,624	1,882	1,021	197	16	5	4

See Technical Appendix for information on race/ethnicity.

For the 10- to 14-year old age group, U.S. data are for mothers under 15 years of age.

## Natality Section

**Table N-3 Birth Rates by Mother's Age and Race/Ethnicity  
New Mexico, 2007-2011, and United States, 2007-2010**

Year	Mother's age group									
	10 to 14	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50+
<b>United States - All Races</b>										
2010	0.4	17.3	58.2	90.0	108.3	96.5	45.9	10.2	0.7	*
2009	0.5	20.1	66.2	96.3	110.5	97.7	46.5	10.1	0.7	*
2008	0.6	21.7	70.6	103.0	115.1	99.3	46.9	9.8	0.7	*
2007	0.6	22.1	73.9	106.3	117.5	99.9	47.5	9.5	0.6	*
<b>New Mexico - All Races</b>										
2011	0.6	25.5	81.6	113.8	112.9	82.1	37.2	9.3	0.4	0.0
2010	0.7	29.2	88.7	117.5	110.5	80.7	39.3	9.1	0.5	0.0
2009	0.7	33.7	101.2	125.4	118.9	78.4	36.9	8.6	0.6	0.0
2008	0.9	36.5	101.8	137.4	122.2	82.6	37.5	9.2	0.7	0.0
2007	1.0	36.8	108.2	140.2	125.0	83.2	39.6	8.2	0.6	0.0
<b>American Indian or Alaska Native</b>										
2011	0.3	26.3	84.6	142.4	118.2	80.1	39.8	12.4	0.4	0.0
2010	0.9	28.6	96.9	139.6	114.0	84.6	49.4	10.0	0.4	0.0
2009	0.6	35.6	108.4	152.3	130.6	85.7	42.6	12.2	0.9	0.0
2008	0.9	36.9	116.5	158.4	127.1	83.1	42.6	11.5	1.3	0.0
2007	0.6	36.2	114.0	151.2	126.7	84.2	41.1	13.3	0.6	0.0
<b>Asian or Pacific Islander</b>										
2011	1.7	7.8	23.6	61.1	91.5	111.3	56.6	14.9	0.6	0.0
2010	0.0	8.9	30.4	51.4	99.8	105.0	73.0	17.8	0.0	0.0
2009	1.7	9.3	29.8	54.0	81.5	93.9	47.6	21.7	0.0	0.0
2008	0.0	12.0	25.5	46.6	84.0	107.5	56.3	19.8	0.7	0.0
2007	0.0	5.0	22.8	59.5	90.8	105.2	51.3	12.3	0.7	0.0
<b>Black or African American</b>										
2011	0.8	19.5	53.8	95.9	73.2	58.5	35.1	5.7	0.8	0.2
2010	0.0	22.5	75.9	100.9	68.3	64.6	23.7	5.7	0.8	0.0
2009	1.3	26.6	84.0	88.3	84.5	63.4	33.3	7.8	0.0	0.0
2008	0.9	18.0	92.3	111.8	77.9	50.2	24.2	5.0	0.8	0.0
2007	0.9	26.8	96.2	106.6	93.0	59.7	31.8	3.6	0.4	0.0
<b>Hispanic</b>										
2011	1.0	36.0	107.5	133.6	120.5	81.2	38.9	10.1	0.3	0.0
2010	0.9	42.1	113.9	138.9	119.3	77.0	39.1	9.9	0.3	0.0
2009	1.1	48.4	130.4	148.6	127.7	77.3	38.6	7.8	0.4	0.0
2008	1.3	53.1	132.1	164.2	133.1	84.9	37.2	9.0	0.5	0.0
2007	1.6	53.3	141.9	173.1	137.9	84.8	40.0	8.8	0.7	0.0
<b>White</b>										
2011	0.2	11.3	48.0	79.1	104.2	81.3	32.8	7.6	0.4	0.0
2010	0.2	12.0	50.7	83.4	100.2	82.5	35.0	7.6	1.1	0.0
2009	0.0	13.1	59.2	89.2	106.6	75.6	32.5	7.8	1.0	0.0
2008	0.2	14.5	55.6	98.2	110.3	78.5	35.2	8.2	0.7	0.0
2007	0.4	15.8	61.8	98.1	111.8	80.5	38.4	6.6	0.6	0.0

See Technical Appendix for information on rates and race/ethnicity. \* indicates U.S. data not available.

Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

## Nativity Section

**Table N-4(a) Number of Births by Mother's Race/Ethnicity, County, and Health Region  
New Mexico, 2011, and United States, 2010**

	All Races	American Indian or Alaska Native	Asian or Pacific Islander	Black or African American	Hispanic	White	Unknown or Not Stated
<b>United States</b>	3,999,386	46,760	246,896	636,425	906,909	2,162,406	0
<b>New Mexico</b>	27,251	3,692	597	581	14,315	7,895	171
<b>County</b>							
Bernalillo	8,385	650	313	266	4,709	2,373	74
Catron	22	3	0	0	3	14	2
Chaves	929	5	6	14	625	272	7
Cibola	395	216	3	7	116	50	3
Colfax	143	1	2	0	90	49	1
Curry	940	2	18	57	402	456	5
De Baca	24	0	0	0	14	10	0
Dona Ana	3,240	29	44	38	2,272	846	11
Eddy	768	11	5	10	395	343	4
Grant	292	5	4	6	191	86	0
Guadalupe	38	1	0	0	34	3	0
Harding	7	0	0	0	3	4	0
Hidalgo	76	0	3	0	44	29	0
Lea	1,063	9	5	37	661	347	4
Lincoln	198	22	3	1	89	82	1
Los Alamos	153	1	25	1	24	102	0
Luna	357	3	2	3	284	65	0
McKinley	1,305	1,122	3	4	99	73	4
Mora	44	1	1	0	36	6	0
Otero	934	96	39	52	309	432	6
Quay	111	1	3	2	60	45	0
Rio Arriba	576	107	1	6	424	38	0
Roosevelt	282	3	2	3	147	127	0
Sandoval	1,554	294	50	33	625	547	5
San Juan	1,910	903	19	10	344	618	16
San Miguel	317	6	6	5	268	31	1
Santa Fe	1,394	59	20	15	961	333	6
Sierra	87	2	2	1	38	42	2
Socorro	238	67	2	4	118	45	2
Taos	328	30	2	3	220	70	3
Torrance	173	5	0	0	71	94	3
Union	40	0	0	0	14	26	0
Valencia	928	38	14	3	625	237	11
<b>Health Region</b>							
Northwest	3,610	2,241	25	21	559	741	23
Northeast	3,040	206	57	30	2,074	662	11
Metro	11,040	987	377	302	6,030	3,251	93
Southeast	4,315	53	42	124	2,393	1,682	21
Southwest	5,246	205	96	104	3,259	1,559	23

See Technical Appendix for information on race/ethnicity and health regions.

## Natality Section

**Table N-4(b) Percent of Births by Mother's Race/Ethnicity, County, and Health Region  
New Mexico, 2011, and United States, 2010**

	American Indian or Alaska Native	Asian or Pacific Islander	Black or African American	Hispanic	White	Unknown or Not Stated
<b>United States</b>	1.2	6.2	15.9	22.7	54.1	--
<b>New Mexico</b>	13.5	2.2	2.1	52.5	29.0	0.6
<b>County</b>						
Bernalillo	7.8	3.7	3.2	56.2	28.3	0.9
Catron	13.6	0.0	0.0	13.6	63.6	9.1
Chaves	0.5	0.6	1.5	67.3	29.3	0.8
Cibola	54.7	0.8	1.8	29.4	12.7	0.8
Colfax	0.7	1.4	0.0	62.9	34.3	0.7
Curry	0.2	1.9	6.1	42.8	48.5	0.5
De Baca	0.0	0.0	0.0	58.3	41.7	0.0
Dona Ana	0.9	1.4	1.2	70.1	26.1	0.3
Eddy	1.4	0.7	1.3	51.4	44.7	0.5
Grant	1.7	1.4	2.1	65.4	29.5	0.0
Guadalupe	2.6	0.0	0.0	89.5	7.9	0.0
Harding	0.0	0.0	0.0	42.9	57.1	0.0
Hidalgo	0.0	3.9	0.0	57.9	38.2	0.0
Lea	0.8	0.5	3.5	62.2	32.6	0.4
Lincoln	11.1	1.5	0.5	44.9	41.4	0.5
Los Alamos	0.7	16.3	0.7	15.7	66.7	0.0
Luna	0.8	0.6	0.8	79.6	18.2	0.0
McKinley	86.0	0.2	0.3	7.6	5.6	0.3
Mora	2.3	2.3	0.0	81.8	13.6	0.0
Otero	10.3	4.2	5.6	33.1	46.3	0.6
Quay	0.9	2.7	1.8	54.1	40.5	0.0
Rio Arriba	18.6	0.2	1.0	73.6	6.6	0.0
Roosevelt	1.1	0.7	1.1	52.1	45.0	0.0
Sandoval	18.9	3.2	2.1	40.2	35.2	0.3
San Juan	47.3	1.0	0.5	18.0	32.4	0.8
San Miguel	1.9	1.9	1.6	84.5	9.8	0.3
Santa Fe	4.2	1.4	1.1	68.9	23.9	0.4
Sierra	2.3	2.3	1.1	43.7	48.3	2.3
Socorro	28.2	0.8	1.7	49.6	18.9	0.8
Taos	9.1	0.6	0.9	67.1	21.3	0.9
Torrance	2.9	0.0	0.0	41.0	54.3	1.7
Union	0.0	0.0	0.0	35.0	65.0	0.0
Valencia	4.1	1.5	0.3	67.3	25.5	1.2
<b>Health Region</b>						
Northwest	62.1	0.7	0.6	15.5	20.5	0.6
Northeast	6.8	1.9	1.0	68.2	21.8	0.4
Metro	8.9	3.4	2.7	54.6	29.4	0.8
Southeast	1.2	1.0	2.9	55.5	39.0	0.5
Southwest	3.9	1.8	2.0	62.1	29.7	0.4

See Technical Appendix for information on race/ethnicity and health regions.

The symbol -- indicates the percent cannot be calculated because no events occurred in the denominator value of this category.

## Natality Section

**Table N-5(a) Number of Births by Year, County, and Health Region  
New Mexico, 2004-2011, and United States, 2004-2010**

	2004	2005	2006	2007	2008	2009	2010	2011
<b>United States</b>	4,112,052	4,138,349	4,265,555	4,316,233	4,247,694	4,130,665	3,999,386	*
<b>New Mexico</b>	28,355	28,822	29,918	30,605	30,156	28,873	27,795	27,251
<b>County</b>								
Bernalillo	9,054	9,297	9,633	9,809	9,416	9,122	8,589	8,385
Catron	28	21	27	19	15	24	19	22
Chaves	966	989	1,015	1,094	1,074	1,042	986	929
Cibola	433	433	439	458	428	420	418	395
Colfax	163	142	151	166	154	146	138	143
Curry	940	927	897	846	852	845	935	940
De Baca	20	17	18	18	29	22	25	24
Dona Ana	3,315	3,331	3,385	3,460	3,310	3,323	3,323	3,240
Eddy	725	659	763	789	822	766	729	768
Grant	353	358	405	363	406	367	355	292
Guadalupe	53	45	48	40	52	36	46	38
Harding	4	3	6	6	8	4	3	7
Hidalgo	68	63	57	66	83	60	39	76
Lea	925	1,046	1,126	1,226	1,230	1,202	1,044	1,063
Lincoln	233	214	213	235	234	233	190	198
Los Alamos	201	195	178	188	178	168	181	153
Luna	429	412	404	454	429	412	373	357
McKinley	1,364	1,332	1,415	1,404	1,362	1,343	1,248	1,305
Mora	48	45	49	42	52	36	44	44
Otero	839	846	857	866	889	869	874	934
Quay	113	116	121	98	115	100	109	111
Rio Arriba	662	708	744	549	705	630	622	576
Roosevelt	309	320	333	328	302	294	303	282
Sandoval	1,254	1,340	1,446	1,609	1,628	1,585	1,579	1,554
San Juan	2,000	2,069	2,188	2,242	2,320	2,163	1,928	1,910
San Miguel	378	365	382	358	389	314	342	317
Santa Fe	1,591	1,662	1,688	1,852	1,686	1,452	1,511	1,394
Sierra	118	117	97	110	115	107	97	87
Socorro	261	266	275	242	259	246	256	238
Taos	362	363	370	375	389	329	327	328
Torrance	196	167	178	200	186	165	163	173
Union	41	49	39	41	47	48	50	40
Valencia	909	905	971	1,047	990	999	947	928
Unknown, Not Reported	0	0	0	5	2	1	2	0
<b>Health Regions</b>								
Northwest	3,797	3,834	4,042	4,104	4,110	3,926	3,594	3,610
Northeast	3,503	3,577	3,655	3,617	3,660	3,163	3,264	3,040
Metro	11,413	11,709	12,228	12,665	12,220	11,871	11,278	11,040
Southeast	4,231	4,288	4,486	4,634	4,658	4,504	4,321	4,315
Southwest	5,411	5,414	5,507	5,580	5,506	5,408	5,336	5,246
Unknown, Not Reported	0	0	0	5	2	1	2	0

Unknown county and unknown region are included in New Mexico total.

See Technical Appendix for information on health regions. \* indicates 2011 U.S. data not available at publication time.

## Natality Section

**Table N-5(b) Birth Rates by Year, County, and Health Region  
New Mexico, 2004-2011, and United States, 2004-2010**

	2004	2005	2006	2007	2008	2009	2010	2011
<b>United States</b>	14.0	14.0	14.2	14.3	14.0	13.5	13.0	*
<b>New Mexico</b>	14.8	14.8	15.2	15.4	15.0	14.2	13.5	13.1
<b>County</b>								
Bernalillo	15.1	15.2	15.5	15.5	14.7	14.0	12.9	12.5
Catron	7.6	5.7	7.3	5.1	4.0	6.5	5.1	5.9
Chaves	15.2	15.5	15.8	16.9	16.5	16.0	15.0	14.1
Cibola	16.4	16.3	16.5	17.1	15.9	15.5	15.3	14.4
Colfax	11.6	10.1	10.8	11.9	11.1	10.6	10.0	10.4
Curry	20.2	19.8	19.0	17.8	17.8	17.6	19.3	19.1
De Baca	9.3	8.0	8.5	8.6	14.0	10.8	12.4	12.1
Dona Ana	17.5	17.3	17.3	17.4	16.3	16.1	15.8	15.2
Eddy	13.7	12.4	14.4	14.8	15.4	14.3	13.5	14.1
Grant	11.6	11.8	13.4	12.1	13.6	12.4	12.0	9.9
Guadalupe	11.3	9.6	10.2	8.5	11.1	7.7	9.8	8.1
Harding	5.2	4.0	8.1	8.2	11.2	5.7	4.3	10.1
Hidalgo	12.3	11.6	10.7	12.7	16.3	12.0	8.0	15.7
Lea	15.5	17.3	18.4	19.7	19.5	18.8	16.1	16.2
Lincoln	11.7	10.7	10.6	11.6	11.5	11.4	9.3	9.6
Los Alamos	11.0	10.7	9.8	10.4	9.9	9.3	10.1	8.4
Luna	17.0	16.4	16.1	18.1	17.1	16.4	14.9	14.2
McKinley	18.5	18.2	19.4	19.4	18.9	18.7	17.5	17.7
Mora	9.4	8.9	9.8	8.4	10.5	7.3	9.0	9.1
Otero	13.3	13.4	13.5	13.7	14.0	13.6	13.7	14.5
Quay	11.6	12.1	12.7	10.4	12.4	10.9	12.1	12.3
Rio Arriba	16.2	17.3	18.3	13.5	17.4	15.6	15.5	14.3
Roosevelt	16.4	16.8	17.4	17.0	15.5	14.9	15.3	13.8
Sandoval	11.7	12.0	12.5	13.5	13.2	12.4	11.9	11.5
San Juan	16.6	17.0	17.7	17.9	18.3	16.8	14.8	14.9
San Miguel	12.6	12.2	12.8	12.1	13.2	10.6	11.6	10.8
Santa Fe	11.8	12.2	12.2	13.3	11.9	10.2	10.4	9.6
Sierra	9.2	9.2	7.8	8.9	9.4	8.8	8.1	7.3
Socorro	14.5	14.8	15.3	13.5	14.4	13.8	14.3	13.3
Taos	11.6	11.5	11.6	11.7	12.0	10.1	9.9	9.9
Torrance	11.7	10.0	10.7	12.1	11.3	10.0	10.0	10.6
Union	9.4	11.2	8.8	9.2	10.5	10.6	11.0	8.8
Valencia	12.8	12.6	13.4	14.2	13.3	13.2	12.3	13.5
<b>Health Region</b>								
Northwest	17.2	17.3	18.1	18.3	18.2	17.3	15.7	15.7
Northeast	12.3	12.5	12.7	12.5	12.6	10.8	11.1	10.3
Metro	14.4	14.4	14.8	15.1	14.3	13.6	12.7	12.4
Southeast	15.5	15.6	16.2	16.6	16.6	16.0	15.2	15.0
Southwest	15.6	15.4	15.6	15.6	15.3	14.9	14.6	14.1

See Technical Appendix for information on health regions. \* indicates 2011 U.S. data not available at publication time.

Rates per 1,000 population for specified county or region.

Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

## Nativity Section

**Table N-6(a) Number of Births by Mother's Age, County, and Health Region  
New Mexico, 2011**

	All Ages	10-14	15 - 17	18 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50+	Unknown or Not Reported
<b>New Mexico</b>	27,251	44	1,107	2,340	7,877	7,731	5,209	2,318	583	27	6	9
<b>County</b>												
Bernalillo	8,385	12	257	530	2,050	2,530	1,911	864	219	7	1	4
Catron	22	0	0	1	4	8	6	3	0	0	0	0
Chaves	929	2	47	102	289	268	154	57	10	0	0	0
Cibola	395	1	17	50	137	90	64	29	6	1	0	0
Colfax	143	0	8	17	37	41	25	12	3	0	0	0
Curry	940	1	40	88	320	281	138	60	11	0	0	1
De Baca	24	0	1	4	3	8	8	0	0	0	0	0
Dona Ana	3,240	9	168	326	964	886	566	255	57	7	1	1
Eddy	768	0	32	102	265	205	124	33	6	1	0	0
Grant	292	1	6	25	101	82	52	21	4	0	0	0
Guadalupe	38	1	2	6	15	8	5	1	0	0	0	0
Harding	7	0	0	0	2	3	2	0	0	0	0	0
Hidalgo	76	0	4	5	30	25	9	2	1	0	0	0
Lea	1,063	3	71	122	383	271	145	57	11	0	0	0
Lincoln	198	0	10	16	69	68	17	14	3	1	0	0
Los Alamos	153	0	1	2	15	31	70	29	5	0	0	0
Luna	357	2	28	46	118	85	49	23	5	1	0	0
McKinley	1,305	0	59	152	428	318	188	117	42	1	0	0
Mora	44	0	0	9	8	12	8	5	2	0	0	0
Otero	934	2	31	76	316	273	174	51	11	0	0	0
Quay	111	0	7	18	31	24	22	7	2	0	0	0
Rio Arriba	576	0	29	44	186	168	96	41	11	1	0	0
Roosevelt	282	0	22	32	100	75	44	9	0	0	0	0
Sandoval	1,554	1	35	96	378	469	359	174	40	2	0	0
San Juan	1,910	3	76	180	622	554	309	130	33	1	0	2
San Miguel	317	0	14	28	106	91	52	23	3	0	0	0
Santa Fe	1,394	2	61	100	342	348	301	176	60	2	2	0
Sierra	87	0	4	13	27	27	9	6	1	0	0	0
Socorro	238	1	12	15	85	63	44	16	2	0	0	0
Taos	328	0	10	33	84	80	75	33	13	0	0	0
Torrance	173	0	11	22	52	48	28	6	4	1	0	1
Union	40	0	0	3	12	17	4	3	1	0	0	0
Valencia	928	3	44	77	298	274	151	61	17	1	2	0
<b>Health Region</b>												
Northwest	3,610	4	152	382	1,187	962	561	276	81	3	0	2
Northeast	3,040	3	125	242	807	799	638	323	98	3	2	0
Metro	11,040	16	347	725	2,778	3,321	2,449	1,105	280	11	3	5
Southeast	4,315	6	230	484	1,460	1,200	652	237	43	2	0	1
Southwest	5,246	15	253	507	1,645	1,449	909	377	81	8	1	1

See Technical Appendix for information on health regions.

## Natality Section

**Table N-6(b) Birth Rates by Mother's Age, County, and Health Region  
New Mexico, 2011**

	All Ages	10-14	15 - 17	18 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50+
<b>New Mexico</b>	13.1	0.6	25.5	81.6	113.8	112.9	82.1	37.2	9.3	0.4	0.0
<b>County</b>											
Bernalillo	12.5	0.6	18.8	58.6	81.8	98.8	84.7	40.7	10.3	0.3	0.0
Catron	5.9	0.0	0.0	32.1	85.4	156.2	83.4	57.4	0.0	0.0	0.0
Chaves	14.1	0.8	30.3	99.7	137.7	127.6	81.2	30.4	5.3	0.0	0.0
Cibola	14.4	1.1	29.3	130.6	148.4	106.6	75.6	36.9	7.7	1.1	0.0
Colfax	10.4	0.0	35.4	114.0	126.6	118.9	79.5	37.4	9.0	0.0	0.0
Curry	19.1	0.6	39.4	131.4	175.7	149.5	85.2	38.6	7.9	0.0	0.0
De Baca	12.1	0.0	31.4	190.5	83.3	145.4	164.7	0.0	0.0	0.0	0.0
Dona Ana	15.2	1.2	31.3	92.2	106.8	123.7	91.6	41.3	9.3	1.0	0.0
Eddy	14.1	0.0	28.3	136.6	172.0	123.9	75.4	20.9	3.8	0.5	0.0
Grant	9.9	1.2	11.6	73.0	134.7	113.9	71.3	28.9	5.5	0.0	0.0
Guadalupe	8.1	7.9	27.2	123.8	123.7	69.5	46.0	10.6	0.0	0.0	0.0
Harding	10.1	0.0	0.0	0.0	253.8	281.4	242.9	0.0	0.0	0.0	0.0
Hidalgo	15.7	0.0	36.4	69.1	209.2	231.6	77.9	15.8	6.6	0.0	0.0
Lea	16.2	1.2	48.1	125.3	172.3	120.9	67.6	29.3	5.7	0.0	0.0
Lincoln	9.6	0.0	31.9	77.4	167.3	146.7	42.2	26.8	5.7	1.2	0.0
Los Alamos	8.4	0.0	3.1	9.3	61.3	91.8	141.7	50.3	8.2	0.0	0.0
Luna	14.2	2.2	48.1	119.8	168.5	130.4	78.8	35.7	7.2	1.4	0.0
McKinley	17.7	0.0	28.3	110.4	157.4	134.7	82.3	52.8	18.8	0.4	0.0
Mora	9.1	0.0	0.0	163.7	84.7	94.6	83.8	39.3	13.1	0.0	0.0
Otero	14.5	1.0	25.6	95.0	147.3	128.2	92.6	29.6	6.2	0.0	0.0
Quay	12.3	0.0	43.2	168.3	178.7	106.0	96.2	29.8	7.8	0.0	0.0
Rio Arriba	14.3	0.0	36.2	83.2	154.7	150.1	83.4	33.3	9.2	0.7	0.0
Roosevelt	13.8	0.0	37.6	82.9	90.5	106.0	71.0	16.3	0.0	0.0	0.0
Sandoval	11.5	0.2	12.7	52.6	108.5	117.8	86.0	39.0	9.2	0.4	0.0
San Juan	14.9	0.6	25.7	92.4	146.5	121.5	76.0	33.6	9.0	0.2	0.0
San Miguel	10.8	0.0	19.8	60.1	112.6	112.4	72.1	27.5	3.8	0.0	0.0
Santa Fe	9.6	0.5	24.7	61.3	97.5	90.1	71.3	40.9	12.8	0.4	0.1
Sierra	7.3	0.0	25.7	126.4	117.1	125.9	49.6	27.1	3.5	0.0	0.0
Socorro	13.3	1.8	30.0	56.9	138.2	127.2	89.9	33.6	4.1	0.0	0.0
Taos	9.9	0.0	18.9	94.4	115.5	97.2	86.5	35.4	13.2	0.0	0.0
Torrance	10.6	0.0	34.5	104.6	146.8	123.1	72.3	13.9	9.0	1.6	0.0
Union	8.8	0.0	0.0	62.7	146.5	167.7	46.0	32.3	9.6	0.0	0.0
Valencia	13.5	1.6	41.1	108.8	138.0	123.0	68.9	26.5	6.9	0.4	0.2
<b>Health Region</b>											
Northwest	15.7	0.4	27.1	103.0	150.5	123.9	78.0	40.2	12.1	0.4	0.0
Northeast	10.3	0.3	23.6	69.2	111.7	104.4	79.1	37.9	10.9	0.3	0.0
Metro	12.4	0.6	19.4	61.5	89.5	103.1	83.5	38.9	9.8	0.3	0.0
Southeast	15.0	0.6	36.7	117.1	155.1	128.6	75.8	28.6	5.3	0.2	0.0
Southwest	14.1	1.2	30.2	91.6	120.5	125.6	88.5	37.2	7.8	0.7	0.0

See Technical Appendix for information on rates and health regions. The rates for All Ages are taken from Table N-5(b).

Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

**Table N-7 Number and Percent of Births to Single Mothers by Mother's Age and Race/Ethnicity  
New Mexico, 2011**

Number	All Ages	Age Group										Unknown or Not Reported
		10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45-49	50+	
All Races	13,950	44	1,033	1,965	5,204	3,152	1,663	666	210	11	2	0
American Indian or Alaska Native	2,829	3	172	351	1,062	659	377	160	42	3	0	0
Asian or Pacific Islander	146	2	7	10	46	36	26	12	7	0	0	0
Black or African American	335	2	27	39	137	76	38	13	2	1	0	0
Hispanic	8,051	33	680	1,216	3,013	1,744	906	354	100	5	0	0
White	2,522	4	144	342	927	620	302	122	57	2	2	0
Unknown or Not Reported	67	0	3	7	19	17	14	5	2	0	0	0
Unknown or Not Reported												
Percent	All Ages	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45-49	50+	Reported
All Races	100.0	0.3	7.4	14.1	37.3	22.6	11.9	4.8	1.5	0.1	0.0	0.0
American Indian or Alaska Native	100.0	0.1	6.1	12.4	37.5	23.3	13.3	5.7	1.5	0.1	0.0	0.0
Asian or Pacific Islander	100.0	1.4	4.8	6.8	31.5	24.7	17.8	8.2	4.8	0.0	0.0	0.0
Black or African American	100.0	0.6	8.1	11.6	40.9	22.7	11.3	3.9	0.6	0.3	0.0	0.0
Hispanic	100.0	0.4	8.4	15.1	37.4	21.7	11.3	4.4	1.2	0.1	0.0	0.0
White	100.0	0.2	5.7	13.6	36.8	24.6	12.0	4.8	2.3	0.1	0.1	0.0
Unknown or Not Reported	100.0	0.0	4.5	10.4	28.4	25.4	20.9	7.5	3.0	0.0	0.0	0.0

See Technical Appendix for information on race/ethnicity.

## Nativity Section

**Table N-8 Number and Percent of Births to Single Mothers by County and Health Region  
New Mexico, 1990, 2000, and 2011**

	1990		2000		2011	
	Number	Percent	Number	Percent	Number	Percent
<b>New Mexico</b>	9,683	35.4	12,400	45.6	13,950	51.2
<b>County</b>						
Bernalillo	2,601	32.1	3,484	42.0	3,934	46.9
Catron	6	24.0	5	29.4	6	27.3
Chaves	355	37.8	439	45.8	487	52.4
Cibola	265	54.6	277	62.8	293	74.2
Colfax	45	27.4	74	46.0	80	55.9
Curry	237	24.9	283	36.2	391	41.6
De Baca	6	42.9	6	27.3	9	37.5
Dona Ana	906	31.8	1,435	47.4	1,697	52.4
Eddy	279	35.2	306	41.7	394	51.3
Grant	146	36.7	194	46.2	172	58.9
Guadalupe	26	35.1	42	62.7	27	71.1
Harding	1	14.3	1	16.7	3	42.9
Hidalgo	27	31.4	35	45.5	45	59.2
Lea	321	32.8	409	46.9	568	53.4
Lincoln	49	26.5	98	47.1	116	58.6
Los Alamos	15	8.3	25	12.9	10	6.5
Luna	133	42.9	202	53.0	200	56.0
McKinley	1,112	60.2	891	65.7	965	73.9
Mora	22	44.0	30	56.6	21	47.7
Otero	241	24.1	268	31.0	381	40.8
Quay	54	38.0	59	53.6	61	55.0
Rio Arriba	322	44.5	402	57.8	375	65.1
Roosevelt	74	29.4	113	37.3	126	44.7
Sandoval	411	32.6	543	43.5	679	43.7
San Juan	817	41.8	991	50.7	1,071	56.1
San Miguel	182	45.0	221	57.4	200	63.1
Santa Fe	470	32.6	665	40.6	661	47.4
Sierra	27	27.3	45	45.0	52	59.8
Socorro	100	37.7	159	59.1	140	58.8
Taos	139	37.0	191	54.6	203	61.9
Torrance	44	31.4	85	45.2	87	50.3
Union	14	21.2	14	36.8	14	35.0
Valencia	236	31.8	408	41.1	482	51.9
<b>Health Region</b>						
Northwest	2,194	51.2	2,159	57.6	2,329	64.5
Northeast	1,236	35.5	1,665	46.4	1,594	52.4
Metro	3,292	32.1	4,520	42.1	5,182	46.9
Southeast	1,375	32.3	1,713	43.0	2,152	49.9
Southwest	1,586	31.5	2,343	45.5	2,693	51.3

See Technical Appendix for information on health regions. Unknown county and region are included in New Mexico total.

## Natality Section

**Table N-9 Number and Percent of Births to Single Mothers by Mother's Age  
New Mexico, 1990, 2000, and 2011**

<b>Number</b>	<b>1990</b>	<b>2000</b>	<b>2011</b>
<b>All Ages</b>	9,683	12,400	13,950
<b>10 to 14</b>	83	76	44
<b>15 to 17</b>	1,266	1,535	1,033
<b>18 to 19</b>	1,772	2,263	1,965
<b>20 to 24</b>	3,353	4,511	5,204
<b>25 to 29</b>	1,861	2,217	3,152
<b>30 to 34</b>	877	1,063	1,663
<b>35 to 39</b>	384	555	666
<b>40 to 44</b>	73	155	210
<b>45 to 49</b>	6	8	11
<b>50+</b>	0	0	2
<b>Unknown or Not Reported Age</b>	8	17	0

<b>Percent</b>	<b>1990</b>	<b>2000</b>	<b>2011</b>
<b>All Ages</b>	35.4	45.6	51.2
<b>10 to 14</b>	94.3	97.4	100.0
<b>15 to 17</b>	81.3	90.5	93.3
<b>18 to 19</b>	63.4	76.6	84.0
<b>20 to 24</b>	42.4	55.3	66.1
<b>25 to 29</b>	23.9	32.8	40.8
<b>30 to 34</b>	17.9	23.1	31.9
<b>35 to 39</b>	19.9	23.5	28.7
<b>40 to 44</b>	22.1	28.3	36.0
<b>45 to 49</b>	31.6	34.8	40.7
<b>50+</b>	--	0.0	33.3
<b>Unknown or Not Reported Age</b>	50.0	58.6	0.0

The symbol -- indicates the percent cannot be calculated because no events occurred in the denominator value of this category.

## Natality Section

**Table N-10 Percent Distribution of Birth Order by Mother's Race/Ethnicity  
New Mexico, 1990, 2000, and 2011**

<b>Birth Order and Race/Ethnicity</b>	<b>1990</b>	<b>2000</b>	<b>2011</b>
<b>All Races</b>			
Total	27,317	27,206	27,251
1	38.0	39.4	40.5
2	31.5	31.7	27.4
3	17.3	17.1	17.3
4	7.8	7.2	8.1
5+	5.4	4.5	5.4
<b>American Indian or Alaska Native</b>			
Total	3,962	3,434	3,692
1	27.4	32.7	36.3
2	24.8	25.8	24.9
3	19.8	17.5	17.0
4	14.2	11.7	11.1
5+	13.8	12.3	9.9
<b>Asian or Pacific Islander</b>			
Total	293	402	597
1	43.0	44.3	49.1
2	35.8	37.3	31.5
3	13.7	12.7	10.7
4	6.5	3.7	5.0
5+	1.0	2.0	1.8
<b>Black or African American</b>			
Total	534	493	581
1	41.0	45.8	42.0
2	28.3	27.8	25.5
3	18.5	16.2	18.4
4	8.8	7.1	7.2
5+	3.4	3.0	4.6
<b>Hispanic</b>			
Total	12,030	13,833	14,315
1	38.8	38.8	40.2
2	31.2	32.3	26.5
3	17.5	18.1	18.4
4	7.5	7.1	8.4
5+	4.9	3.7	5.1
<b>White</b>			
Total	10,492	9,044	7,895
1	40.9	42.4	42.3
2	34.3	33.1	30.1
3	16.1	15.6	15.9
4	5.6	5.9	6.5
5+	3.1	3.0	4.3

See Technical Appendix for information on race/ethnicity and birth order.

## Natality Section

**Table N-11(a) Number of Births by Mother's Age, Race/Ethnicity, and Infant's Birthweight  
New Mexico, 2011**

Birthweight (grams)	All Ages	10 to 14	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50+	Unknown or Not Reported
												Age
<b>All Races</b>												
Less than 1500	362	1	15	43	94	88	69	36	13	0	3	0
1500 to 2499	2,024	5	83	180	538	574	378	194	69	3	0	0
2500 to 3999	23,310	38	977	2,038	6,847	6,601	4,405	1,912	457	23	3	9
4000+	1,494	0	29	75	378	448	351	171	41	1	0	0
Unknown	61	0	3	4	20	20	6	5	3	0	0	0
Total	27,251	44	1,107	2,340	7,877	7,731	5,209	2,318	583	27	6	9
<b>American Indian or Alaska Native</b>												
Less than 1500	43	0	0	3	18	8	6	5	3	0	0	0
1500 to 2499	245	0	7	22	67	69	43	24	12	1	0	0
2500 to 3999	3,152	3	160	329	1,084	817	476	219	60	3	0	1
4000+	243	0	4	12	77	63	58	24	5	0	0	0
Unknown	9	0	1	0	2	3	1	1	1	0	0	0
Total	3,692	3	172	366	1,248	960	584	273	81	4	0	1
<b>Asian or Pacific Islander</b>												
Less than 1500	4	0	0	0	2	0	0	2	0	0	0	0
1500 to 2499	51	0	0	1	6	14	19	8	3	0	0	0
2500 to 3999	514	2	7	13	87	149	167	74	14	1	0	0
4000+	26	0	0	0	6	6	5	6	3	0	0	0
Unknown	2	0	0	0	0	2	0	0	0	0	0	0
Total	597	2	7	14	101	171	191	90	20	1	0	0
<b>Black or African American</b>												
Less than 1500	16	0	0	4	5	4	2	1	0	0	0	0
1500 to 2499	60	0	1	5	27	13	7	4	2	1	0	0
2500 to 3999	487	2	26	38	161	126	83	44	5	1	1	0
4000+	16	0	0	2	6	3	2	2	1	0	0	0
Unknown	2	0	0	0	0	2	0	0	0	0	0	0
Total	581	2	27	49	199	148	94	51	8	2	1	0
<b>Hispanic</b>												
Less than 1500	204	1	8	28	46	52	43	20	6	0	0	0
1500 to 2499	1,088	4	58	127	282	313	178	97	29	0	0	0
2500 to 3999	12,304	28	648	1,254	3,884	3,331	2,064	878	203	11	0	3
4000+	680	0	20	38	189	205	132	77	18	1	0	0
Unknown	39	0	2	4	15	9	4	3	2	0	0	0
Total	14,315	33	736	1,451	4,416	3,910	2,421	1,075	258	12	0	3
<b>White</b>												
Less than 1500	88	0	6	6	23	23	15	8	4	0	3	0
1500 to 2499	563	1	17	25	150	161	128	58	22	1	0	0
2500 to 3999	6,713	3	132	394	1,599	2,144	1,577	683	169	7	2	3
4000+	523	0	5	23	99	170	152	60	14	0	0	0
Unknown	8	0	0	0	2	4	1	1	0	0	0	0
Total	7,895	4	160	448	1,873	2,502	1,873	810	209	8	5	3

See Technical Appendix for information on birthweight and race/ethnicity.

## Natality Section

**Table N-11(b) Percent of Births by Mother's Age, Race/Ethnicity, and Infant's Birthweight  
New Mexico, 2011**

Birthweight (grams)	10 to 14	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50+	Unknown or Not Reported Age
<b>All Races</b>											
Less than 1500	0.3	4.1	11.9	26.0	24.3	19.1	9.9	3.6	0.0	0.8	0.0
1500 to 2499	0.2	4.1	8.9	26.6	28.4	18.7	9.6	3.4	0.1	0.0	0.0
2500 to 3999	0.2	4.2	8.7	29.4	28.3	18.9	8.2	2.0	0.1	0.0	0.0
4000+	0.0	1.9	5.0	25.3	30.0	23.5	11.4	2.7	0.1	0.0	0.0
Unknown	0.0	4.9	6.6	32.8	32.8	9.8	8.2	4.9	0.0	0.0	0.0
Total	0.2	4.1	8.6	28.9	28.4	19.1	8.5	2.1	0.1	0.0	0.0
<b>American Indian or Alaska Native</b>											
Less than 1500	0.0	0.0	7.0	41.9	18.6	14.0	11.6	7.0	0.0	0.0	0.0
1500 to 2499	0.0	2.9	9.0	27.3	28.2	17.6	9.8	4.9	0.4	0.0	0.0
2500 to 3999	0.1	5.1	10.4	34.4	25.9	15.1	6.9	1.9	0.1	0.0	0.0
4000+	0.0	1.6	4.9	31.7	25.9	23.9	9.9	2.1	0.0	0.0	0.0
Unknown	0.0	11.1	0.0	22.2	33.3	11.1	11.1	11.1	0.0	0.0	0.0
Total	0.1	4.7	9.9	33.8	26.0	15.8	7.4	2.2	0.1	0.0	0.0
<b>Asian or Pacific Islander</b>											
Less than 1500	0.0	0.0	0.0	50.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0
1500 to 2499	0.0	0.0	2.0	11.8	27.5	37.3	15.7	5.9	0.0	0.0	0.0
2500 to 3999	0.4	1.4	2.5	16.9	29.0	32.5	14.4	2.7	0.2	0.0	0.0
4000+	0.0	0.0	0.0	23.1	23.1	19.2	23.1	11.5	0.0	0.0	0.0
Unknown	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	0.3	1.2	2.3	16.9	28.6	32.0	15.1	3.4	0.2	0.0	0.0
<b>Black or African American</b>											
Less than 1500	0.0	0.0	25.0	31.3	25.0	12.5	6.3	0.0	0.0	0.0	0.0
1500 to 2499	0.0	1.7	8.3	45.0	21.7	11.7	6.7	3.3	1.7	0.0	0.0
2500 to 3999	0.4	5.3	7.8	33.1	25.9	17.0	9.0	1.0	0.2	0.2	0.0
4000+	0.0	0.0	12.5	37.5	18.8	12.5	12.5	6.3	0.0	0.0	0.0
Unknown	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	0.3	4.6	8.4	34.3	25.5	16.2	8.8	1.4	0.3	0.2	0.0
<b>Hispanic</b>											
Less than 1500	0.5	3.9	13.7	22.5	25.5	21.1	9.8	2.9	0.0	0.0	0.0
1500 to 2499	0.4	5.3	11.7	25.9	28.8	16.4	8.9	2.7	0.0	0.0	0.0
2500 to 3999	0.2	5.3	10.2	31.6	27.1	16.8	7.1	1.6	0.1	0.0	0.0
4000+	0.0	2.9	5.6	27.8	30.1	19.4	11.3	2.6	0.1	0.0	0.0
Unknown	0.0	5.1	10.3	38.5	23.1	10.3	7.7	5.1	0.0	0.0	0.0
Total	0.2	5.1	10.1	30.8	27.3	16.9	7.5	1.8	0.1	0.0	0.0
<b>White</b>											
Less than 1500	0.0	6.8	6.8	26.1	26.1	17.0	9.1	4.5	0.0	3.4	0.0
1500 to 2499	0.2	3.0	4.4	26.6	28.6	22.7	10.3	3.9	0.2	0.0	0.0
2500 to 3999	0.0	2.0	5.9	23.8	31.9	23.5	10.2	2.5	0.1	0.0	0.0
4000+	0.0	1.0	4.4	18.9	32.5	29.1	11.5	2.7	0.0	0.0	0.0
Unknown	0.0	0.0	0.0	25.0	50.0	12.5	12.5	0.0	0.0	0.0	0.0
Total	0.1	2.0	5.7	23.7	31.7	23.7	10.3	2.6	0.1	0.1	0.0

See Technical Appendix for information on birthweight and race/ethnicity.

## Natality Section

**Table N-12 Number of Single and Multiple Births by Mother's Age and Race/Ethnicity  
New Mexico, 2009-2011 Total**

	All Ages	10 to 14	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50+	Unknown or Not Reported Age
<b>All Races</b>												
Single	81,788	140	3,818	7,755	24,245	22,674	14,672	6,747	1,623	94	7	13
Twins	2,069	2	52	90	400	604	526	299	76	14	6	0
Triplets	62	0	3	3	3	17	12	15	6	3	0	0
Total	83,919	142	3,873	7,848	24,648	23,295	15,210	7,061	1,705	111	13	13
<b>American Indian or Alaska Native</b>												
Single	11,306	18	586	1,232	3,742	2,847	1,760	877	226	16	0	2
Twins	205	0	2	12	49	72	46	24	0	0	0	0
Total	11,511	18	588	1,244	3,791	2,919	1,806	901	226	16	0	2
<b>Asian Pacific Islander</b>												
Single	1,672	4	23	49	266	487	502	269	71	1	0	0
Twins	53	0	0	0	5	16	20	10	2	0	0	0
Triplets	3	0	0	0	0	0	3	0	0	0	0	0
Total	1,728	4	23	49	271	503	525	279	73	1	0	0
<b>Black or African American</b>												
Single	1,704	5	90	187	564	427	283	120	25	2	1	0
Twins	88	0	4	6	25	23	13	13	2	2	0	0
Total	1,792	5	94	193	589	450	296	133	27	4	1	0
<b>Hispanic</b>												
Single	43,294	103	2,604	4,780	13,684	11,545	6,747	3,102	691	35	0	3
Twins	969	2	37	58	217	301	217	111	22	4	0	0
Triplets	15	0	0	3	0	3	3	3	3	0	0	0
Total	44,278	105	2,641	4,841	13,901	11,849	6,967	3,216	716	39	0	3
<b>White</b>												
Single	23,323	10	504	1,464	5,852	7,242	5,270	2,337	594	40	6	4
Twins	739	0	9	14	101	188	228	137	48	8	6	0
Triplets	44	0	3	0	3	14	6	12	3	3	0	0
Total	24,106	10	516	1,478	5,956	7,444	5,504	2,486	645	51	12	4

The number displayed is the total number of births in the specified multiple birth category (not the sets) for years 2008-2010. See Technical Appendix for information on race/ethnicity.

## Natality Section

**Table N-13(a) Number of Births by Birthweight (Grams), County, and Health Region  
New Mexico, 2011, and United States, 2010**

	<b>Total Births</b>	<b>Less than 1500</b>	<b>1500 to 2499</b>	<b>2500 to 3999</b>	<b>4000+</b>	<b>Unknown, Not Reported Weight</b>
<b>United States</b>	3,999,386	57,841	267,722	3,365,940	303,919	3,964
<b>New Mexico</b>	27,251	362	2,024	23,310	1,494	61
<b>County</b>						
Bernalillo	8,385	105	643	7,142	457	38
Catron	22	2	2	18	0	0
Chaves	929	10	61	798	59	1
Cibola	395	5	30	338	21	1
Colfax	143	4	28	109	2	0
Curry	940	12	56	806	66	0
De Baca	24	0	0	24	0	0
Dona Ana	3,240	40	204	2,783	208	5
Eddy	768	7	43	667	51	0
Grant	292	2	31	246	13	0
Guadalupe	38	1	3	31	3	0
Harding	7	0	0	6	1	0
Hidalgo	76	1	10	61	4	0
Lea	1,063	18	83	906	56	0
Lincoln	198	5	13	168	12	0
Los Alamos	153	3	12	131	7	0
Luna	357	7	26	305	19	0
McKinley	1,305	16	96	1,123	68	2
Mora	44	3	4	34	3	0
Otero	934	9	69	803	53	0
Quay	111	1	5	97	8	0
Rio Arriba	576	11	53	492	20	0
Roosevelt	282	2	26	239	15	0
Sandoval	1,554	19	128	1,327	77	3
San Juan	1,910	19	114	1,646	129	2
San Miguel	317	4	28	273	10	2
Santa Fe	1,394	25	115	1,197	56	1
Sierra	87	4	8	70	5	0
Socorro	238	7	13	206	11	1
Taos	328	6	20	292	10	0
Torrance	173	3	21	139	10	0
Union	40	0	3	37	0	0
Valencia	928	11	76	796	40	5
<b>Health Region</b>						
Northwest	3,610	40	240	3,107	218	5
Northeast	3,040	57	266	2,602	112	3
Metro	11,040	138	868	9,404	584	46
Southeast	4,315	55	287	3,705	267	1
Southwest	5,246	72	363	4,492	313	6

See Technical Appendix for information on infant birthweights.

## Natality Section

**Table N-13(b) Percent of Births by Birthweight (Grams), County, and Health Region  
New Mexico, 2011, and United States, 2010**

	Less than 1500	1500 to 2499	2500 to 3999	4000+	Unknown, Not Reported Weight
<b>United States</b>	1.4	6.7	84.2	7.6	0.1
<b>New Mexico</b>	1.3	7.4	85.5	5.5	0.2
<b>County</b>					
Bernalillo	1.3	7.7	85.2	5.5	0.5
Catron	9.1	9.1	81.8	0.0	0.0
Chaves	1.1	6.6	85.9	6.4	0.1
Cibola	1.3	7.6	85.6	5.3	0.3
Colfax	2.8	19.6	76.2	1.4	0.0
Curry	1.3	6.0	85.7	7.0	0.0
De Baca	0.0	0.0	100.0	0.0	0.0
Dona Ana	1.2	6.3	85.9	6.4	0.2
Eddy	0.9	5.6	86.8	6.6	0.0
Grant	0.7	10.6	84.2	4.5	0.0
Guadalupe	2.6	7.9	81.6	7.9	0.0
Harding	0.0	0.0	85.7	14.3	0.0
Hidalgo	1.3	13.2	80.3	5.3	0.0
Lea	1.7	7.8	85.2	5.3	0.0
Lincoln	2.5	6.6	84.8	6.1	0.0
Los Alamos	2.0	7.8	85.6	4.6	0.0
Luna	2.0	7.3	85.4	5.3	0.0
McKinley	1.2	7.4	86.1	5.2	0.2
Mora	6.8	9.1	77.3	6.8	0.0
Otero	1.0	7.4	86.0	5.7	0.0
Quay	0.9	4.5	87.4	7.2	0.0
Rio Arriba	1.9	9.2	85.4	3.5	0.0
Roosevelt	0.7	9.2	84.8	5.3	0.0
Sandoval	1.2	8.2	85.4	5.0	0.2
San Juan	1.0	6.0	86.2	6.8	0.1
San Miguel	1.3	8.8	86.1	3.2	0.6
Santa Fe	1.8	8.2	85.9	4.0	0.1
Sierra	4.6	9.2	80.5	5.7	0.0
Socorro	2.9	5.5	86.6	4.6	0.4
Taos	1.8	6.1	89.0	3.0	0.0
Torrance	1.7	12.1	80.3	5.8	0.0
Union	0.0	7.5	92.5	0.0	0.0
Valencia	1.2	8.2	85.8	4.3	0.5
<b>Health Region</b>					
Northwest	1.1	6.6	86.1	6.0	0.1
Northeast	1.9	8.8	85.6	3.7	0.1
Metro	1.3	7.9	85.2	5.3	0.4
Southeast	1.3	6.7	85.9	6.2	0.0
Southwest	1.4	6.9	85.6	6.0	0.1

See Technical Appendix for information on infant birthweights.

## Natality Section

**Table N-14(a) Number of Births by Level of Prenatal Care, County, and Health Region  
New Mexico, 2011**

*Note: This table uses the Modified Kessner Index.*

	No Prenatal					
	Total Births	Care	Low	Moderate	High	Unknown
<b>New Mexico</b>	27,251	430	2,783	8,088	14,070	1,880
<b>County</b>						
Bernalillo	8,385	52	767	2,477	4,339	750
Catron	22	0	3	12	4	3
Chaves	929	12	146	300	455	16
Cibola	395	6	71	114	174	30
Colfax	143	1	13	48	74	7
Curry	940	11	97	282	526	24
De Baca	24	1	1	9	13	0
Dona Ana	3,240	156	352	1,073	1,640	19
Eddy	768	4	58	172	314	220
Grant	292	7	15	73	193	4
Guadalupe	38	0	3	20	15	0
Harding	7	0	0	4	3	0
Hidalgo	76	1	8	25	36	6
Lea	1,063	15	95	323	544	86
Lincoln	198	1	33	63	97	4
Los Alamos	153	0	4	21	122	6
Luna	357	8	34	84	167	64
McKinley	1,305	39	170	456	547	93
Mora	44	0	3	16	23	2
Otero	934	23	53	246	511	101
Quay	111	2	17	38	49	5
Rio Arriba	576	11	65	159	315	26
Roosevelt	282	7	25	97	143	10
Sandoval	1,554	6	125	467	833	123
San Juan	1,910	32	298	582	941	57
San Miguel	317	3	35	69	204	6
Santa Fe	1,394	9	59	295	990	41
Sierra	87	1	14	41	28	3
Socorro	238	5	40	82	91	20
Taos	328	8	50	103	158	9
Torrance	173	0	23	59	63	28
Union	40	1	5	5	28	1
Valencia	928	8	101	273	430	116
<b>Health Region</b>						
Northwest	3,610	77	539	1,152	1,662	180
Northeast	3,040	33	237	740	1,932	98
Metro	11,040	66	1,016	3,276	5,665	1,017
Southeast	4,315	53	472	1,284	2,141	365
Southwest	5,246	201	519	1,636	2,670	220

See Technical Appendix for information on the Modified Kessner Index.

## Nativity Section

### N-14(b) Percent of Births by Level of Prenatal Care, County, and Health Region New Mexico, 2011

*Note: This table uses the Modified Kessner Index.*

	No Prenatal Care	Low	Moderate	High	Unknown
<b>New Mexico</b>	1.6	10.2	29.7	51.6	6.9
<b>County</b>					
Bernalillo	0.6	9.1	29.5	51.7	8.9
Catron	0.0	13.6	54.5	18.2	13.6
Chaves	1.3	15.7	32.3	49.0	1.7
Cibola	1.5	18.0	28.9	44.1	7.6
Colfax	0.7	9.1	33.6	51.7	4.9
Curry	1.2	10.3	30.0	56.0	2.6
De Baca	4.2	4.2	37.5	54.2	0.0
Dona Ana	4.8	10.9	33.1	50.6	0.6
Eddy	0.5	7.6	22.4	40.9	28.6
Grant	2.4	5.1	25.0	66.1	1.4
Guadalupe	0.0	7.9	52.6	39.5	0.0
Harding	0.0	0.0	57.1	42.9	0.0
Hidalgo	1.3	10.5	32.9	47.4	7.9
Lea	1.4	8.9	30.4	51.2	8.1
Lincoln	0.5	16.7	31.8	49.0	2.0
Los Alamos	0.0	2.6	13.7	79.7	3.9
Luna	2.2	9.5	23.5	46.8	17.9
McKinley	3.0	13.0	34.9	41.9	7.1
Mora	0.0	6.8	36.4	52.3	4.5
Otero	2.5	5.7	26.3	54.7	10.8
Quay	1.8	15.3	34.2	44.1	4.5
Rio Arriba	1.9	11.3	27.6	54.7	4.5
Roosevelt	2.5	8.9	34.4	50.7	3.5
Sandoval	0.4	8.0	30.1	53.6	7.9
San Juan	1.7	15.6	30.5	49.3	3.0
San Miguel	0.9	11.0	21.8	64.4	1.9
Santa Fe	0.6	4.2	21.2	71.0	2.9
Sierra	1.1	16.1	47.1	32.2	3.4
Socorro	2.1	16.8	34.5	38.2	8.4
Taos	2.4	15.2	31.4	48.2	2.7
Torrance	0.0	13.3	34.1	36.4	16.2
Union	2.5	12.5	12.5	70.0	2.5
Valencia	0.9	10.9	29.4	46.3	12.5
<b>Health Region</b>					
Northwest	2.1	14.9	31.9	46.0	5.0
Northeast	1.1	7.8	24.3	63.6	3.2
Metro	0.6	9.2	29.7	51.3	9.2
Southeast	1.2	10.9	29.8	49.6	8.5
Southwest	3.8	9.9	31.2	50.9	4.2

See Technical Appendix for information on the Modified Kessner Index.

## Natality Section

**Table N-15(a) Number of Births with Low or No Prenatal Care by Mother's Race/Ethnicity, County and Health Region, New Mexico, 2011**

*Note: This table uses the Modified Kessner Index.*

	<b>Mother's Race/Ethnicity</b>							
	<b>All Races</b>	<b>American Indian or Alaska Native</b>	<b>Asian or Pacific Islander</b>	<b>Black or African American</b>	<b>Hispanic</b>	<b>White</b>	<b>Unknown or Not Reported Race</b>	
<b>New Mexico</b>	3,213	691	61	80	1,682	671	28	
<b>County</b>								
Bernalillo	819	90	35	37	471	179	7	
Catron	3	1	0	0	1	1	0	
Chaves	158	0	1	3	120	33	1	
Cibola	77	64	0	1	11	1	0	
Colfax	14	0	0	0	8	5	1	
Curry	108	0	2	10	56	40	0	
De Baca	2	0	0	0	2	0	0	
Dona Ana	508	4	3	6	397	97	1	
Eddy	62	0	0	1	34	25	2	
Grant	22	1	0	2	13	6	0	
Guadalupe	3	0	0	0	3	0	0	
Harding	0	0	0	0	0	0	0	
Hidalgo	9	0	0	0	5	4	0	
Lea	110	2	2	5	72	29	0	
Lincoln	34	4	0	0	19	10	1	
Los Alamos	4	0	1	0	0	3	0	
Luna	42	0	0	1	36	5	0	
McKinley	209	202	0	0	4	3	0	
Mora	3	1	0	0	2	0	0	
Otero	76	11	1	4	36	22	2	
Quay	19	1	0	0	13	5	0	
Rio Arriba	76	28	0	2	42	4	0	
Roosevelt	32	2	0	0	19	11	0	
Sandoval	131	52	5	2	43	28	1	
San Juan	330	176	6	1	61	84	2	
San Miguel	38	1	1	2	31	3	0	
Santa Fe	68	9	0	2	40	14	3	
Sierra	15	2	0	0	6	7	0	
Socorro	45	19	0	0	23	3	0	
Taos	58	13	1	1	32	10	1	
Torrance	23	1	0	0	9	12	1	
Union	6	0	0	0	1	5	0	
Valencia	109	7	3	0	72	22	5	
<b>Health Region</b>								
Northwest	616	442	6	2	76	88	2	
Northeast	270	52	3	7	159	44	5	
Metro	1,082	150	43	39	595	241	14	
Southeast	525	9	5	19	335	153	4	
Southwest	720	38	4	13	517	145	3	

See Technical Appendix for information on health regions and the Modified Kessner Index.

## Natality Section

**Table N-15(b) Percent of Births with Low or No Prenatal Care by Mother's Race/Ethnicity, County and Health Region, New Mexico, 2011**

*Note: This table uses the Modified Kessner Index.*

	Mother's Race/Ethnicity							Unknown or Not Reported Race
	American Indian or		Asian or Pacific	Black or African		Hispanic	White	
	All Races	Alaska Native	Islander	American				
<b>New Mexico</b>	11.8	18.7	10.2	13.8	11.7	8.5	16.4	
<b>County</b>								
Bernalillo	9.8	13.8	11.2	13.9	10.0	7.5	9.5	
Catron	13.6	33.3	--	--	33.3	7.1	0.0	
Chaves	17.0	0.0	16.7	21.4	19.2	12.1	14.3	
Cibola	19.5	29.6	0.0	14.3	9.5	2.0	0.0	
Colfax	9.8	0.0	0.0	--	8.9	10.2	100.0	
Curry	11.5	0.0	11.1	17.5	13.9	8.8	0.0	
De Baca	8.3	--	--	--	14.3	0.0	--	
Dona Ana	15.7	13.8	6.8	15.8	17.5	11.5	9.1	
Eddy	8.1	0.0	0.0	10.0	8.6	7.3	50.0	
Grant	7.5	20.0	0.0	33.3	6.8	7.0	--	
Guadalupe	7.9	0.0	--	--	8.8	0.0	--	
Harding	0.0	--	--	--	0.0	0.0	--	
Hidalgo	11.8	--	0.0	--	11.4	13.8	--	
Lea	10.3	22.2	40.0	13.5	10.9	8.4	0.0	
Lincoln	17.2	18.2	0.0	0.0	21.3	12.2	100.0	
Los Alamos	2.6	0.0	4.0	0.0	0.0	2.9	--	
Luna	11.8	0.0	0.0	33.3	12.7	7.7	--	
McKinley	16.0	18.0	0.0	0.0	4.0	4.1	0.0	
Mora	6.8	100.0	0.0	--	5.6	0.0	--	
Otero	8.1	11.5	2.6	7.7	11.7	5.1	33.3	
Quay	17.1	100.0	0.0	0.0	21.7	11.1	--	
Rio Arriba	13.2	26.2	0.0	33.3	9.9	10.5	--	
Roosevelt	11.3	66.7	0.0	0.0	12.9	8.7	--	
Sandoval	8.4	17.7	10.0	6.1	6.9	5.1	20.0	
San Juan	17.3	19.5	31.6	10.0	17.7	13.6	12.5	
San Miguel	12.0	16.7	16.7	40.0	11.6	9.7	0.0	
Santa Fe	4.9	15.3	0.0	13.3	4.2	4.2	50.0	
Sierra	17.2	100.0	0.0	0.0	15.8	16.7	0.0	
Socorro	18.9	28.4	0.0	0.0	19.5	6.7	0.0	
Taos	17.7	43.3	50.0	33.3	14.5	14.3	33.3	
Torrance	13.3	20.0	--	--	12.7	12.8	33.3	
Union	15.0	--	--	--	7.1	19.2	--	
Valencia	11.7	18.4	21.4	0.0	11.5	9.3	45.5	
<b>Health Region</b>								
Northwest	17.1	19.7	24.0	9.5	13.6	11.9	8.7	
Northeast	8.9	25.2	5.3	23.3	7.7	6.6	45.5	
Metro	9.8	15.2	11.4	12.9	9.9	7.4	15.1	
Southeast	12.2	17.0	11.9	15.3	14.0	9.1	19.0	
Southwest	13.7	18.5	4.2	12.5	15.9	9.3	13.0	

See Technical Appendix for information on health regions and the Modified Kessner Index. The symbol -- indicates the percent cannot be calculated because no events occurred in the denominator value of this category.

## Natality Section

**Table N-16(a) Number of Births with Low or No Prenatal Care by Mother's Age, County, and Health Region  
New Mexico, 2011**

*Note: This table uses the Modified Kessner Index.*

	Mother's age group											Unknown or Not Reported
	All Ages	10-14	15 - 17	18 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50+	
<b>New Mexico</b>	3,213	11	182	335	1,060	826	502	225	68	3	0	1
<b>County</b>												
Bernalillo	819	4	38	88	232	223	152	62	19	0	0	1
Catron	3	0	0	0	0	1	1	1	0	0	0	0
Chaves	158	1	4	19	53	45	24	9	3	0	0	0
Cibola	77	1	6	10	28	16	10	6	0	0	0	0
Colfax	14	0	2	1	6	1	1	3	0	0	0	0
Curry	108	0	4	6	38	34	16	8	2	0	0	0
De Baca	2	0	0	0	2	0	0	0	0	0	0	0
Dona Ana	508	2	40	66	171	120	64	33	11	1	0	0
Eddy	62	0	3	6	22	13	13	3	2	0	0	0
Grant	22	0	1	1	9	9	1	1	0	0	0	0
Guadalupe	3	0	0	0	1	1	1	0	0	0	0	0
Harding	0	0	0	0	0	0	0	0	0	0	0	0
Hidalgo	9	0	0	0	4	4	1	0	0	0	0	0
Lea	110	1	12	11	39	29	10	4	4	0	0	0
Lincoln	34	0	3	2	10	12	3	3	1	0	0	0
Los Alamos	4	0	0	0	0	1	2	1	0	0	0	0
Luna	42	0	3	3	18	9	9	0	0	0	0	0
McKinley	209	0	9	23	65	52	31	21	7	1	0	0
Mora	3	0	0	0	1	0	2	0	0	0	0	0
Otero	76	1	3	9	25	22	7	8	1	0	0	0
Quay	19	0	1	4	7	3	4	0	0	0	0	0
Rio Arriba	76	0	5	2	37	23	5	2	2	0	0	0
Roosevelt	32	0	4	3	11	7	6	1	0	0	0	0
Sandoval	131	0	5	14	40	36	25	9	2	0	0	0
San Juan	330	0	22	36	116	68	58	23	7	0	0	0
San Miguel	38	0	1	3	15	10	8	1	0	0	0	0
Santa Fe	68	0	4	8	20	17	7	10	2	0	0	0
Sierra	15	0	2	1	4	8	0	0	0	0	0	0
Socorro	45	0	3	2	20	7	9	2	2	0	0	0
Taos	58	0	0	9	18	13	13	4	1	0	0	0
Torrance	23	0	0	2	9	6	4	0	1	1	0	0
Union	6	0	0	1	2	1	1	0	1	0	0	0
Valencia	109	1	7	5	37	35	14	10	0	0	0	0
<b>Health Region</b>												
Northwest	616	1	37	69	209	136	99	50	14	1	0	0
Northeast	270	0	12	24	100	67	40	21	6	0	0	0
Metro	1,082	5	50	109	318	300	195	81	22	1	0	1
Southeast	525	2	31	51	182	143	76	28	12	0	0	0
Southwest	720	3	52	82	251	180	92	45	14	1	0	0

See Technical Appendix for information on health regions and the Modified Kessner Index.

## Natality Section

**Table N-16(b) Percent of Births with Low or No Prenatal Care by Mother's Age, County, and Health Region  
New Mexico, 2011**

*Note: This table uses the Modified Kessner Index.*

	Mother's Age Group										Unknown or Not Reported	
	All Ages	10-14	15 - 17	18 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49		50+
<b>New Mexico</b>	11.8	25.0	16.4	14.3	13.5	10.7	9.6	9.7	11.7	11.1	0.0	11.1
<b>County</b>												
Bernalillo	9.8	33.3	14.8	16.6	11.3	8.8	8.0	7.2	8.7	0.0	0.0	25.0
Catron	13.6	--	--	0.0	0.0	12.5	16.7	33.3	--	--	--	--
Chaves	17.0	50.0	8.5	18.6	18.3	16.8	15.6	15.8	30.0	--	--	--
Cibola	19.5	100.0	35.3	20.0	20.4	17.8	15.6	20.7	0.0	0.0	--	--
Colfax	9.8	--	25.0	5.9	16.2	2.4	4.0	25.0	0.0	--	--	--
Curry	11.5	0.0	10.0	6.8	11.9	12.1	11.6	13.3	18.2	--	--	0.0
De Baca	8.3	--	0.0	0.0	66.7	0.0	0.0	--	--	--	--	--
Dona Ana	15.7	22.2	23.8	20.2	17.7	13.5	11.3	12.9	19.3	14.3	0.0	0.0
Eddy	8.1	--	9.4	5.9	8.3	6.3	10.5	9.1	33.3	0.0	--	--
Grant	7.5	0.0	16.7	4.0	8.9	11.0	1.9	4.8	0.0	--	--	--
Guadalupe	7.9	0.0	0.0	0.0	6.7	12.5	20.0	0.0	--	--	--	--
Harding	0.0	--	--	--	0.0	0.0	0.0	--	--	--	--	--
Hidalgo	11.8	--	0.0	0.0	13.3	16.0	11.1	0.0	0.0	--	--	--
Lea	10.3	33.3	16.9	9.0	10.2	10.7	6.9	7.0	36.4	--	--	--
Lincoln	17.2	--	30.0	12.5	14.5	17.6	17.6	21.4	33.3	0.0	--	--
Los Alamos	2.6	--	0.0	0.0	0.0	3.2	2.9	3.4	0.0	--	--	--
Luna	11.8	0.0	10.7	6.5	15.3	10.6	18.4	0.0	0.0	0.0	--	--
McKinley	16.0	--	15.3	15.1	15.2	16.4	16.5	17.9	16.7	100.0	--	--
Mora	6.8	--	--	0.0	12.5	0.0	25.0	0.0	0.0	--	--	--
Otero	8.1	50.0	9.7	11.8	7.9	8.1	4.0	15.7	9.1	--	--	--
Quay	17.1	--	14.3	22.2	22.6	12.5	18.2	0.0	0.0	--	--	--
Rio Arriba	13.2	--	17.2	4.5	19.9	13.7	5.2	4.9	18.2	0.0	--	--
Roosevelt	11.3	--	18.2	9.4	11.0	9.3	13.6	11.1	--	--	--	--
Sandoval	8.4	0.0	14.3	14.6	10.6	7.7	7.0	5.2	5.0	0.0	--	--
San Juan	17.3	0.0	28.9	20.0	18.6	12.3	18.8	17.7	21.2	0.0	--	0.0
San Miguel	12.0	--	7.1	10.7	14.2	11.0	15.4	4.3	0.0	--	--	--
Santa Fe	4.9	0.0	6.6	8.0	5.8	4.9	2.3	5.7	3.3	0.0	0.0	--
Sierra	17.2	--	50.0	7.7	14.8	29.6	0.0	0.0	0.0	--	--	--
Socorro	18.9	0.0	25.0	13.3	23.5	11.1	20.5	12.5	100.0	--	--	--
Taos	17.7	--	0.0	27.3	21.4	16.3	17.3	12.1	7.7	--	--	--
Torrance	13.3	--	0.0	9.1	17.3	12.5	14.3	0.0	25.0	100.0	--	0.0
Union	15.0	--	--	33.3	16.7	5.9	25.0	0.0	100.0	--	--	--
Valencia	11.7	33.3	15.9	6.5	12.4	12.8	9.3	16.4	0.0	0.0	0.0	--
<b>Health Region</b>												
Northwest	17.1	25.0	24.3	18.1	17.6	14.1	17.6	18.1	17.3	33.3	--	0.0
Northeast	8.9	0.0	9.6	9.9	12.4	8.4	6.3	6.5	6.1	0.0	0.0	--
Metro	9.8	31.3	14.4	15.0	11.4	9.0	8.0	7.3	7.9	9.1	0.0	20.0
Southeast	12.2	33.3	13.5	10.5	12.5	11.9	11.7	11.8	27.9	0.0	--	0.0
Southwest	13.7	20.0	20.6	16.2	15.3	12.4	10.1	11.9	17.3	12.5	0.0	0.0

See Technical Appendix for information on health regions and the Modified Kessner Index. The symbol -- indicates the percent cannot be calculated because no events occurred in the denominator value of this category.

## Natality Section

**Table N-17(a) Number of Births by Trimester Prenatal Care Began, County, and Health Region  
New Mexico, 2011**

	Trimester Prenatal Care Began					
	All Births	No Prenatal Care	1-3 Months (first trimester)	4-6 Months (second trimester)	7-9 Months (third trimester)	Unknown or not reported trimester
<b>New Mexico</b>	27,251	430	17,302	6,151	1,720	1,648
<b>County</b>						
Bernalillo	8,385	52	5,601	1,650	452	630
Catron	22	0	9	9	2	2
Chaves	929	12	608	218	71	20
Cibola	395	6	220	92	56	21
Colfax	143	1	89	40	8	5
Curry	940	11	581	259	75	14
De Baca	24	1	17	5	1	0
Dona Ana	3,240	156	1,882	915	270	17
Eddy	768	4	374	141	30	219
Grant	292	7	228	44	9	4
Guadalupe	38	0	23	12	3	0
Harding	7	0	5	2	0	0
Hidalgo	76	1	44	18	7	6
Lea	1,063	15	648	241	72	87
Lincoln	198	1	118	53	23	3
Los Alamos	153	0	130	16	3	4
Luna	357	8	219	68	25	37
McKinley	1,305	39	666	393	122	85
Mora	44	0	28	13	1	2
Otero	934	23	591	189	32	99
Quay	111	2	53	39	12	5
Rio Arriba	576	11	357	140	41	27
Roosevelt	282	7	156	91	20	8
Sandoval	1,554	6	1,094	279	80	95
San Juan	1,910	32	1,229	470	110	69
San Miguel	317	3	234	51	23	6
Santa Fe	1,394	9	1,045	260	44	36
Sierra	87	1	46	31	8	1
Socorro	238	5	126	70	21	16
Taos	328	8	190	92	33	5
Torrance	173	0	87	46	14	26
Union	40	1	30	3	5	1
Valencia	928	8	574	201	47	98
<b>Health Region</b>						
Northwest	3,610	77	2,115	955	288	175
Northeast	3,040	33	2,131	629	161	86
Metro	11,040	66	7,356	2,176	593	849
Southeast	4,315	53	2,555	1,047	304	356
Southwest	5,246	201	3,145	1,344	374	182

See Technical Appendix for information on health regions and trimester prenatal care began.

## Natality Section

**Table N-17(b) Percent of Births by Trimester Prenatal Care Began, County, and Health Region  
New Mexico, 2011**

	Trimester Prenatal Care Began				
	No Prenatal Care	1-3 Months (first trimester)	4-6 Months (second trimester)	7-9 Months (third trimester)	Unknown or not reported trimester
<b>New Mexico</b>	1.6	63.5	22.6	6.3	6.0
<b>County</b>					
Bernalillo	0.6	66.8	19.7	5.4	7.5
Catron	0.0	40.9	40.9	9.1	9.1
Chaves	1.3	65.4	23.5	7.6	2.2
Cibola	1.5	55.7	23.3	14.2	5.3
Colfax	0.7	62.2	28.0	5.6	3.5
Curry	1.2	61.8	27.6	8.0	1.5
De Baca	4.2	70.8	20.8	4.2	0.0
Dona Ana	4.8	58.1	28.2	8.3	0.5
Eddy	0.5	48.7	18.4	3.9	28.5
Grant	2.4	78.1	15.1	3.1	1.4
Guadalupe	0.0	60.5	31.6	7.9	0.0
Harding	0.0	71.4	28.6	0.0	0.0
Hidalgo	1.3	57.9	23.7	9.2	7.9
Lea	1.4	61.0	22.7	6.8	8.2
Lincoln	0.5	59.6	26.8	11.6	1.5
Los Alamos	0.0	85.0	10.5	2.0	2.6
Luna	2.2	61.3	19.0	7.0	10.4
McKinley	3.0	51.0	30.1	9.3	6.5
Mora	0.0	63.6	29.5	2.3	4.5
Otero	2.5	63.3	20.2	3.4	10.6
Quay	1.8	47.7	35.1	10.8	4.5
Rio Arriba	1.9	62.0	24.3	7.1	4.7
Roosevelt	2.5	55.3	32.3	7.1	2.8
Sandoval	0.4	70.4	18.0	5.1	6.1
San Juan	1.7	64.3	24.6	5.8	3.6
San Miguel	0.9	73.8	16.1	7.3	1.9
Santa Fe	0.6	75.0	18.7	3.2	2.6
Sierra	1.1	52.9	35.6	9.2	1.1
Socorro	2.1	52.9	29.4	8.8	6.7
Taos	2.4	57.9	28.0	10.1	1.5
Torrance	0.0	50.3	26.6	8.1	15.0
Union	2.5	75.0	7.5	12.5	2.5
Valencia	0.9	61.9	21.7	5.1	10.6
<b>Health Region</b>					
Northwest	2.1	58.6	26.5	8.0	4.8
Northeast	1.1	70.1	20.7	5.3	2.8
Metro	0.6	66.6	19.7	5.4	7.7
Southeast	1.2	59.2	24.3	7.0	8.3
Southwest	3.8	60.0	25.6	7.1	3.5

See Technical Appendix for information on health regions and trimester prenatal care began.

## Natality Section

**Table N-18 Number and Percent of Births that Occurred and Did Not Occur in New Mexico by County of Residence, 2011**

	Total Resident Births	Births Occurring in New Mexico	%	Births Occurring Out- of-State	%
<b>New Mexico</b>	27,251	25,834	94.8	1,417	5.2
<b>Residence County</b>					
Bernalillo	8,385	8,357	99.7	28	0.3
Catron	22	20	90.9	2	9.1
Chaves	929	923	99.4	6	0.6
Cibola	395	395	100.0	0	0.0
Colfax	143	138	96.5	5	3.5
Curry	940	860	91.5	80	8.5
De Baca	24	24	100.0	0	0.0
Dona Ana	3,240	2,469	76.2	771	23.8
Eddy	768	747	97.3	21	2.7
Grant	292	289	99.0	3	1.0
Guadalupe	38	38	100.0	0	0.0
Harding	7	5	71.4	2	28.6
Hidalgo	76	70	92.1	6	7.9
Lea	1,063	967	91.0	96	9.0
Lincoln	198	195	98.5	3	1.5
Los Alamos	153	152	99.3	1	0.7
Luna	357	342	95.8	15	4.2
McKinley	1,305	1,233	94.5	72	5.5
Mora	44	44	100.0	0	0.0
Otero	934	899	96.3	35	3.7
Quay	111	99	89.2	12	10.8
Rio Arriba	576	570	99.0	6	1.0
Roosevelt	282	268	95.0	14	5.0
Sandoval	1,554	1,552	99.9	2	0.1
San Juan	1,910	1,705	89.3	205	10.7
San Miguel	317	316	99.7	1	0.3
Santa Fe	1,394	1,392	99.9	2	0.1
Sierra	87	78	89.7	9	10.3
Socorro	238	237	99.6	1	0.4
Taos	328	325	99.1	3	0.9
Torrance	173	172	99.4	1	0.6
Union	40	26	65.0	14	35.0
Valencia	928	927	99.9	1	0.1

## Natality Section

**Table N-19 Number and Percent of Births by Facility Type and Attendant Type  
New Mexico, 1990, 2000, and 2011**

Year/Facility Type	Total Births	Medical Doctor (M.D. or D.O.)		Certified Nurse Midwife		Licensed Midwife		Other and Unknown Attendant Type	
		#	%	#	%	#	%	#	%
<b>2011</b>	27,251	18,011	66.1	6,516	23.9	1,218	4.5	1,506	5.5
Hospital	26,752	17,987	67.2	6,469	24.2	923	3.5	1,373	5.1
Freestanding Birthing Center	75	5	6.7	24	32.0	40	53.3	6	8.0
Mother's Residence	310	11	3.5	20	6.5	251	81.0	28	9.0
Other	114	8	7.0	3	2.6	4	3.5	99	86.8
<b>2000</b>	27,206	19,407	71.3	7,338	27.0	290	1.1	171	0.6
Hospital	26,780	19,391	72.4	7,304	27.3	6	0.0	79	0.3
Freestanding Birthing Center	101	6	5.9	22	21.8	73	72.3	0	0.0
Mother's Residence	263	5	1.9	9	3.4	195	74.1	54	20.5
Other	62	5	8.1	3	4.8	16	25.8	38	61.3
<b>1990</b>	27,317	24,026	88.0	2,884	10.6	244	0.9	163	0.6
Hospital	26,965	24,004	89.0	2,845	10.6	41	0.2	75	0.3
Freestanding Birthing Center	39	2	5.1	0	0.0	37	94.9	0	0.0
Mother's Residence	268	8	3.0	38	14.2	151	56.3	71	26.5
Other	45	12	26.7	1	2.2	15	33.3	17	37.8

Unknown and not reported facilities are included in Other.

## Natality Section

**Table N-20(a) Number of Births by Birth Method, Mother's Age, and Race/Ethnicity  
New Mexico, 2011**

Mother's age group	All Births	Vaginal	Vaginal birth after C-section	Primary C- section	Repeat C- section	Other and Unknown Birth Method
<b>All Races</b>						
10 to 14	44	38	0	6	0	0
15 to 17	1,107	974	0	128	2	3
18 to 19	2,340	1,961	11	325	42	1
20 to 24	7,877	6,260	65	1,122	428	2
25 to 29	7,731	5,800	124	1,225	578	4
30 to 34	5,209	3,718	91	921	476	3
35 to 39	2,318	1,494	56	538	230	0
40 to 44	583	339	17	160	66	1
45 to 49	27	15	0	9	3	0
50+	6	1	0	4	1	0
Unknown or Not Reported Age	9	8	0	1	0	0
<b>All Ages</b>	<b>27,251</b>	<b>20,608</b>	<b>364</b>	<b>4,439</b>	<b>1,826</b>	<b>14</b>
<b>American Indian or Alaska Native</b>						
10 to 14	3	3	0	0	0	0
15 to 17	172	159	0	11	0	2
18 to 19	366	312	4	44	5	1
20 to 24	1,248	1,020	19	150	58	1
25 to 29	960	738	35	127	60	0
30 to 34	584	422	22	93	45	2
35 to 39	273	172	14	58	29	0
40 to 44	81	52	5	15	9	0
45 to 49	4	3	0	1	0	0
Unknown or Not Reported Age	1	1	0	0	0	0
<b>All Ages</b>	<b>3,692</b>	<b>2,882</b>	<b>99</b>	<b>499</b>	<b>206</b>	<b>6</b>
<b>Asian or Pacific Islander</b>						
10 to 14	2	2	0	0	0	0
15 to 17	7	7	0	0	0	0
18 to 19	14	12	1	0	1	0
20 to 24	101	84	1	13	3	0
25 to 29	171	138	2	26	5	0
30 to 34	191	135	4	46	6	0
35 to 39	90	57	1	21	11	0
40 to 44	20	8	0	9	3	0
45 to 49	1	0	0	1	0	0
<b>All Ages</b>	<b>597</b>	<b>443</b>	<b>9</b>	<b>116</b>	<b>29</b>	<b>0</b>
<b>Black or African American</b>						
10 to 14	2	2	0	0	0	0
15 to 17	27	25	0	2	0	0
18 to 19	49	39	0	9	1	0
20 to 24	199	139	1	46	13	0
25 to 29	148	106	1	28	13	0
30 to 34	94	60	2	20	12	0
35 to 39	51	35	1	11	4	0
40 to 44	8	5	0	1	2	0
45 to 49	2	1	0	1	0	0
50+	1	1	0	0	0	0
<b>All Ages</b>	<b>581</b>	<b>413</b>	<b>5</b>	<b>118</b>	<b>45</b>	<b>0</b>
<b>Hispanic</b>						
10 to 14	33	29	0	4	0	0
15 to 17	736	649	0	85	2	0
18 to 19	1,451	1,218	4	200	29	0
20 to 24	4,416	3,517	28	615	255	1
25 to 29	3,910	2,880	51	644	333	2
30 to 34	2,421	1,761	41	392	227	0
35 to 39	1,075	681	18	265	111	0
40 to 44	258	153	4	72	28	1
45 to 49	12	6	0	4	2	0
Unknown or Not Reported Age	3	3	0	0	0	0
<b>All Ages</b>	<b>14,315</b>	<b>10,897</b>	<b>146</b>	<b>2,281</b>	<b>987</b>	<b>4</b>
<b>White</b>						
10 to 14	4	2	0	2	0	0
15 to 17	160	130	0	29	0	1
18 to 19	448	371	2	69	6	0
20 to 24	1,873	1,468	15	291	99	0
25 to 29	2,502	1,906	35	394	165	2
30 to 34	1,873	1,309	21	361	181	1
35 to 39	810	535	22	180	73	0
40 to 44	209	119	7	62	21	0
45 to 49	8	5	0	2	1	0
50+	5	0	0	4	1	0
Unknown or Not Reported Age	3	3	0	0	0	0
<b>All Ages</b>	<b>7,895</b>	<b>5,848</b>	<b>102</b>	<b>1,394</b>	<b>547</b>	<b>4</b>

See Technical Appendix for information on race/ethnicity and birth method.

## Natality Section

**Table N-20(b) Percent of Births by Birth Method, Mother's Age, and Race/Ethnicity  
New Mexico, 2011**

Mother's age group	Vaginal	Vaginal birth after C-section	Primary C- section	Repeat C- section	Other and Unknown Birth Method
<b>All Races</b>					
10 to 14	86.4	0.0	13.6	0.0	0.0
15 to 17	88.0	0.0	11.6	0.2	0.3
18 to 19	83.8	0.5	13.9	1.8	0.0
20 to 24	79.5	0.8	14.2	5.4	0.0
25 to 29	75.0	1.6	15.8	7.5	0.1
30 to 34	71.4	1.7	17.7	9.1	0.1
35 to 39	64.5	2.4	23.2	9.9	0.0
40 to 44	58.1	2.9	27.4	11.3	0.2
45 to 49	55.6	0.0	33.3	11.1	0.0
50+	16.7	0.0	66.7	16.7	0.0
Unknown or Not Reported Age	88.9	0.0	11.1	0.0	0.0
All Ages	75.6	1.3	16.3	6.7	0.1
<b>American Indian or Alaska Native</b>					
10 to 14	100.0	0.0	0.0	0.0	0.0
15 to 17	92.4	0.0	6.4	0.0	1.2
18 to 19	85.2	1.1	12.0	1.4	0.3
20 to 24	81.7	1.5	12.0	4.6	0.1
25 to 29	76.9	3.6	13.2	6.3	0.0
30 to 34	72.3	3.8	15.9	7.7	0.3
35 to 39	63.0	5.1	21.2	10.6	0.0
40 to 44	64.2	6.2	18.5	11.1	0.0
45 to 49	75.0	0.0	25.0	0.0	0.0
Unknown or Not Reported Age	100.0	0.0	0.0	0.0	0.0
All Ages	78.1	2.7	13.5	5.6	0.2
<b>Asian or Pacific Islander</b>					
10 to 14	100.0	0.0	0.0	0.0	0.0
15 to 17	100.0	0.0	0.0	0.0	0.0
18 to 19	85.7	7.1	0.0	7.1	0.0
20 to 24	83.2	1.0	12.9	3.0	0.0
25 to 29	80.7	1.2	15.2	2.9	0.0
30 to 34	70.7	2.1	24.1	3.1	0.0
35 to 39	63.3	1.1	23.3	12.2	0.0
40 to 44	40.0	0.0	45.0	15.0	0.0
45 to 49	0.0	0.0	100.0	0.0	0.0
All Ages	74.2	1.5	19.4	4.9	0.0
<b>Black or African American</b>					
10 to 14	100.0	0.0	0.0	0.0	0.0
15 to 17	92.6	0.0	7.4	0.0	0.0
18 to 19	79.6	0.0	18.4	2.0	0.0
20 to 24	69.8	0.5	23.1	6.5	0.0
25 to 29	71.6	0.7	18.9	8.8	0.0
30 to 34	63.8	2.1	21.3	12.8	0.0
35 to 39	68.6	2.0	21.6	7.8	0.0
40 to 44	62.5	0.0	12.5	25.0	0.0
45 to 49	50.0	0.0	50.0	0.0	0.0
50+	100.0	0.0	0.0	0.0	0.0
All Ages	71.1	0.9	20.3	7.7	0.0
<b>Hispanic</b>					
10 to 14	87.9	0.0	12.1	0.0	0.0
15 to 17	88.2	0.0	11.5	0.3	0.0
18 to 19	83.9	0.3	13.8	2.0	0.0
20 to 24	79.6	0.6	13.9	5.8	0.0
25 to 29	73.7	1.3	16.5	8.5	0.1
30 to 34	72.7	1.7	16.2	9.4	0.0
35 to 39	63.3	1.7	24.7	10.3	0.0
40 to 44	59.3	1.6	27.9	10.9	0.4
45 to 49	50.0	0.0	33.3	16.7	0.0
Unknown or Not Reported Age	100.0	0.0	0.0	0.0	0.0
All Ages	76.1	1.0	15.9	6.9	0.0
<b>White</b>					
10 to 14	50.0	0.0	50.0	0.0	0.0
15 to 17	81.3	0.0	18.1	0.0	0.6
18 to 19	82.8	0.4	15.4	1.3	0.0
20 to 24	78.4	0.8	15.5	5.3	0.0
25 to 29	76.2	1.4	15.7	6.6	0.1
30 to 34	69.9	1.1	19.3	9.7	0.1
35 to 39	66.0	2.7	22.2	9.0	0.0
40 to 44	56.9	3.3	29.7	10.0	0.0
45 to 49	62.5	0.0	25.0	12.5	0.0
50+	0.0	0.0	80.0	20.0	0.0
Unknown or Not Reported Age	100.0	0.0	0.0	0.0	0.0
All Ages	74.1	1.3	17.7	6.9	0.1

See Technical Appendix for information on race/ethnicity and birth method.

## Natality Section

**Table N-21 Number of Births by Birth Method, County, and Health Region  
New Mexico, 2011**

	All Births	Vaginal	Vaginal birth after C-section	Primary C- section	Repeat C- section	Other and Unknown or Not Reported Birth Method
<b>New Mexico</b>	27,251	20,608	364	4,439	1,826	14
<b>County</b>						
Bernalillo	8,385	6,561	136	1,410	278	0
Catron	22	16	1	3	2	0
Chaves	929	678	6	166	79	0
Cibola	395	307	11	60	17	0
Colfax	143	92	0	29	22	0
Curry	940	688	8	138	104	2
De Baca	24	17	0	4	3	0
Dona Ana	3,240	2,284	15	605	334	2
Eddy	768	528	5	134	101	0
Grant	292	212	2	36	42	0
Guadalupe	38	31	0	6	1	0
Harding	7	4	0	1	2	0
Hidalgo	76	55	0	11	9	1
Lea	1,063	794	4	193	70	2
Lincoln	198	143	0	32	23	0
Los Alamos	153	108	4	27	14	0
Luna	357	247	2	56	52	0
McKinley	1,305	1,042	48	140	69	6
Mora	44	33	0	4	7	0
Otero	934	666	6	143	119	0
Quay	111	92	1	13	5	0
Rio Arriba	576	433	5	101	37	0
Roosevelt	282	213	1	33	35	0
Sandoval	1,554	1,182	37	283	52	0
San Juan	1,910	1,383	28	291	207	1
San Miguel	317	262	6	26	23	0
Santa Fe	1,394	1,158	18	180	38	0
Sierra	87	62	1	16	8	0
Socorro	238	180	2	38	18	0
Taos	328	241	3	51	33	0
Torrance	173	139	1	32	1	0
Union	40	28	0	11	1	0
Valencia	928	729	13	166	20	0
<b>Health Region</b>						
Northwest	3,610	2,732	87	491	293	7
Northeast	3,040	2,390	36	436	178	0
Metro	11,040	8,611	187	1,891	351	0
Southeast	4,315	3,153	25	713	420	4
Southwest	5,246	3,722	29	908	584	3

See Technical Appendix for information on health regions and birth method.

# Mortality Section




# MORTALITY SECTION

## ALL CAUSES OF DEATH

In 2011, 16,245 New Mexico resident deaths were reported. The age-adjusted death rate was 735.9 deaths per 100,000 standard population (Table M-1(b)).

The majority (68.3%) of the 2011 deaths were to individuals age 65 years or older (61.9% of male deaths and 75.3% of female deaths). A larger percentage of males died between ages 15 and 64 years (36.5%) than did females (23.2%). Females were more likely to have died at ages 85 years or older (35.0%) compared to males (21.0%). For residents under 15 years of age, the distribution of deaths for both males and females was similar (Figure M-1).

**Figure M-1, Percent Deaths by Age Group and Sex  
New Mexico, 2011**




Population Note: Death rates for years 2001-2010 differ from those shown in reports published in previous years. This reflects adjustments to 2001-2010 population estimates following the 2010 Census. See the *Technical Appendix* for more information.

## Mortality Section

In 2011, the overall age-adjusted death rate for New Mexico males was 869.1 per 100,000 population compared to 622.6 for females. The death rate for American Indian and Alaska Native males was higher than any group in the state (944.5). The death rate for Asian or Pacific Islander females (405.5) was the lowest among the racial/ethnic groups in the state (Figure M-2).

**Figure M-2, Death Rates for All Causes by Sex and Race/Ethnicity  
New Mexico, 2011**




The rates for American Indian and Alaska Native males (944.5) and Hispanic males (900.9) were higher than the overall death rate for New Mexico males. The rates for Asian or Pacific Islander males (411.6), Black or African American males (772.8), and White males (832.8) were lower than the overall rate for New Mexico males (Figure M-2).

## Mortality Section

Among New Mexico females, the death rates for Asian or Pacific Islander females (405.5) and Black or African American females (516.0) were the lowest death rates for all racial/ethnic groups in the state (Figure M-2).

American Indians/Alaska Natives and Blacks/African Americans died in New Mexico at earlier ages than other groups in 2011. Over 40% of American Indians/Alaska Natives and Blacks/African Americans died between the ages of 25 and 65 years while the percentage was less than 36% for the same age group for Asians and Pacific Islanders, Hispanics, and Whites in New Mexico (Actual number of deaths by Race are presented in (Table M-1(a)). (Actual numbers of death by Race are presented in Table M-1(a)).

**Figure M-3, Death Rates for All Causes by Race/Ethnicity  
New Mexico, 2003-2011**




The Asian or Pacific Islander population has had the lowest age-adjusted death rates for all causes of death since 2003. Due to the small number of deaths and the small population of Asian or Pacific Islanders, death rates for this group fluctuate greatly from year-to-year and should be interpreted with caution (Figure M-3).

In 2006 and 2007 New Mexico's overall age-adjusted death rates exceeded the same rates for the United States. However, in 2008 and 2009, the state's age-adjusted death rates were very close to the U.S. rates (Figure M-4).

## Mortality Section

**Figure M-4, Death Rates  
New Mexico, 2002-2011, and United States, 2002-2009**



### LEADING CAUSES OF DEATH

For New Mexico, the 2011 leading causes of death were:


- 1) Heart Disease
- 2) Malignant Neoplasms (Cancer)
- 3) Accidents (Unintentional Injuries)
- 4) Chronic Lower Respiratory Diseases
- 5) Cerebrovascular Diseases (Stroke)
- 6) Diabetes Mellitus
- 7) Chronic Liver Disease and Cirrhosis
- 8) Intentional Self-harm (Suicide)
- 9) Alzheimer's Disease
- 10) Influenza and Pneumonia

For the United States, the 2009 leading causes of death were:

- |                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1) Heart Disease</li> <li>2) Malignant Neoplasms (Cancer)</li> <li>3) Chronic Lower Respiratory Diseases</li> <li>4) Cerebrovascular Diseases (Stroke)</li> <li>5) Accidents (Unintentional Injuries)</li> <li>6) Alzheimer's Disease</li> <li>7) Diabetes Mellitus</li> <li>8) Influenza and Pneumonia</li> </ol> | <ol style="list-style-type: none"> <li>9) Nephritis, Nephrotic Syndrome, and Nephrosis (Kidney Disease)</li> <li>10) Intentional Self-harm (Suicide)</li> </ol> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Mortality Section

**Figure M-5, Leading Causes of Death  
New Mexico, 2011, and United States, 2009**




In 2009 and 2011 Heart Disease was the leading cause of death in New Mexico. In 2011, 40.3% of all deaths were attributed to Heart Disease and Malignant Neoplasm (Cancer). The proportion of accidental injury deaths (8.0) in New Mexico was notably higher than for the United States (4.8) (Figure M-5). This was also the case for Suicide, Chronic Liver Disease and Diabetes Mellitus.

Compared with 2002, New Mexico 2011 death rates for Heart Disease and Malignant Neoplasms (Cancer), Chronic Lower Respiratory Disease and Diabetes Mellitus declined while the death rates for Accidents (Unintentional Injuries) increased (Figure M-6).

## Mortality Section


**Figure M-6, Death Rates by Cause  
New Mexico, 2002-2011**




The death rates for the top three causes of death for New Mexicans have varied among the racial/ethnic groups in the state. Blacks or African Americans, Whites, and Hispanics have generally had the highest rates for Cancer and Heart Disease. American Indians or Alaska Natives have had the highest death rates for Unintentional Injuries (Accidents) (Figures M-7(a-c)).

## Mortality Section


**Figure M-7(a), Heart Disease Death Rates by Race/Ethnicity  
New Mexico, 2003-2005, 2006-2008, and 2009-2011**



**Figure M-7(b), Malignant Neoplasm Death Rates by Race/Ethnicity,  
New Mexico, 2003-2005, 2006-2008, and 2009-2011**



**Figure M-7(c), Unintentional Injury Death Rates by Race/Ethnicity  
New Mexico, 2003-2005, 2006-2008, and 2009-2011**



## SELECTED CAUSES

Among the 39 selected causes of death, more women than men died of Alzheimer’s Disease. More men than women died of Major Cardiovascular Diseases. More than twice as many men died of chronic liver disease and cirrhosis than women, and all HIV deaths were to men. More males died of cancer than females in 2011. 350 pneumonia and influenza deaths in 2011 only 19 were due to influenza (Table M-16).

## INJURY DEATHS AND ALCOHOL- AND DRUG-INDUCED DEATHS

Death rates for Unintentional Injuries (Accidents) in New Mexico were almost twice as high as the United States rates. Most notably New Mexico suicide rates were 72% higher than the U.S. rate. Homicide rates were a third higher and Motor Vehicle Accident were 23% higher than the U.S. rates (Table M-20).

In New Mexico death rates for Suicide, Homicide, and Motor Vehicle Accidents were higher for males than females. For Homicide the male-female rate ratio was 4.3 to 1, for Suicide the ratio was 3.2 to 1; and for Motor Vehicle Accidents the ratio was 2.8 to 1 (Table M-20).

Among deaths from unintentional injuries (Figure M-8), the rates for poisonings have shown an increasing trend since 2002. Much of the increase (78.0%) in the death rate from 2002 to 2011 for unintentional poisoning is the


## Mortality Section

result of prescription drug overdose

(<http://nmhealth.org/ERD/pdf/ER%20prescription%20drug%20overdose%20112009.pdf>).


Falls death rates which had been decreasing since 2007, increased for 2011 (Figure M-8).

**Figure M-8, Death Rates for Unintentional Injuries by Type, New Mexico, 2002-2011**



## Mortality Section


**Figure M-9, Death Rates for Intentional Injuries by Type,  
New Mexico, 2002-2011**



Firearm injury deaths accounted for 53.6% of all intentional injury deaths and 15.7% of all New Mexico injury deaths (intentional and unintentional) in 2011 (intentional and unintentional injuries, Table M-19 and firearm deaths, Table M-21). Figure M-10 shows the breakdown of firearm injury deaths. Over seventy-two percent of firearm deaths were suicides. Homicides accounted for 25.1%; 1.0% was Legal Intervention; 0.7% was Accidents (Unintentional Injuries). Undetermined Intent also accounted for 0.7%.

## Mortality Section

**Figure M-10, Percent of Firearm Injury Deaths by Manner  
New Mexico, 2011**



Approximately 1.8% of all injury deaths in the state occurred at work, compared to 2.2% for the United States. The total number of injury at work deaths in New Mexico was 35 in 2011, with 31 of these occurring among males (Table M-19 and Table M-21).

New Mexico's 2011 age-adjusted death rate for alcohol-induced deaths (21.0) was almost 3 times higher than the 2009 national rate (7.4). New Mexico's rate for drug-induced deaths (26.3) was twice as high as the U.S. rate (12.6) (Table M-22).

## MATERNAL MORTALITY

Maternal mortality includes deaths that were the result of, or aggravated by, pregnancy or pregnancy management, and occurred within 42 days of pregnancy and excludes all external injury deaths. (See the *Technical Appendix*.)


For the time period 2004-2007, the maternal death rate was 9.4 per 100,000 live births in New Mexico. The maternal mortality rate for 2008-2011 was 21.0 per 100,000 live births (Table M-23). The numbers of maternal deaths in New Mexico are so few each year that even with reporting 4-year totals for death counts, the rates presented in Table M-23 should be interpreted with caution.

## INFANT MORTALITY

In 2011, 143 infant deaths to New Mexico residents were reported (Table M-24(a)). Infant deaths are defined as deaths before the age of one year. The 2011 infant mortality rate was 5.2 infant deaths per 1,000 live births. This rate was a 7.1% decrease from the 2010 New Mexico rate (5.6). The 2010 and 2011 New Mexico rates were lower than the 2009 U.S. rate of 6.4.


A historical perspective is provided in Figure M-11. In 1930, New Mexico's infant mortality rate (145.4) was 125.1% higher than the national rate. By the early 1970's, however, New Mexico had achieved parity with the United States and by the 1980's the rate had dropped below the United States rate. With the exception of 1994's rate, the state's infant mortality rate has remained below the national rate every year since 1980. The historical decline in infant mortality is due to the role of public health outreach, improved education about pregnancy and childbirth, and expanded medical services, including advancements in antibiotics.

**Figure M-11, Infant Mortality Rates  
New Mexico, 1930-2011, and United States, 1930-2009**



## Mortality Section

**Figure M-12, Infant Mortality Rates by Race/Ethnicity  
New Mexico, 2011**




Infant deaths can be broken down into two age categories: (1) neonatal deaths -- less than 28 days old and (2) postneonatal deaths -- at least 28 days but less than one year old. In 2011, 61.5% of infant deaths occurred during the neonatal period, and 38.5% occurred during the postneonatal period (Table M-24(a)).

Black infants had the highest neonatal mortality rate (12.0) and the highest postneonatal mortality rate (5.2). Due to small numbers, the Asian or Pacific Islander and Black or African American rates may not be statistically reliable and should be interpreted carefully (Figure M-12 and Table M-24(b)).


Since 1995, the state's neonatal infant mortality rate, like the overall infant mortality rate, remained below the United States rate, while state and national postneonatal rates fluctuated but remained close to one another (Figure 13(a,b)).

## Mortality Section

**Figure M-13(a), Neonatal Mortality Rates  
New Mexico, 1995-2011, and United States, 1995-2009**



**Figure M-13(b), Postneonatal Mortality Rates  
New Mexico, 1995-2011, and United States, 1995-2009**




Of the 143 New Mexico infant deaths in 2011, 28 were caused by congenital malformations (birth defects), and 24 were caused by disorders related to length of gestation or birthweight. There were 5 deaths attributed to Sudden Infant Death Syndrome (SIDS) (Table M-25).

## DISPOSITION OF REMAINS

Since 2006, the percentage of persons who died in the state and then were cremated has exceeded the percentage of persons who were buried. The percent of burials declined from 49.5% in 2003 to 37.7% in 2011; whereas, cremations increased from 40.3% in 2002 to 54.4% in 2011 (Table M-26).

**Figure M-14, Percent Distribution by Method of Disposition  
New Mexico Occurrence, 2011**



## Mortality Section

**Table M-1(a) Number of Deaths by Age, Race/Ethnicity, and Sex  
New Mexico, 2011, and United States, 2009**

	All Ages	Less than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown or Not Stated
<b>All Races</b>													
Male	8,510	80	25	23	194	297	395	850	1,373	1,488	1,997	1,786	2
Female	7,735	63	26	22	74	134	233	520	835	1,199	1,923	2,706	0
Both Sexes	16,245	143	51	45	268	431	628	1,370	2,208	2,687	3,920	4,492	2
<b>American Indian or Alaska Native</b>													
Male	668	18	5	4	35	56	72	100	109	97	104	68	0
Female	525	7	3	5	15	29	41	58	64	82	119	102	0
Both Sexes	1,193	25	8	9	50	85	113	158	173	179	223	170	0
<b>Asian or Pacific Islander</b>													
Male	48	4	0	0	3	5	3	6	7	5	12	3	0
Female	59	1	0	0	1	3	1	2	10	9	18	14	0
Both Sexes	107	5	0	0	4	8	4	8	17	14	30	17	0
<b>Black or African American</b>													
Male	156	5	1	1	1	7	11	27	35	27	26	15	0
Female	108	5	2	1	1	2	3	11	16	20	31	16	0
Both Sexes	264	10	3	2	2	9	14	38	51	47	57	31	0
<b>Hispanic</b>													
Male	2,960	37	15	12	93	149	197	354	508	481	643	471	0
Female	2,392	39	18	9	36	58	87	192	275	369	603	706	0
Both Sexes	5,352	76	33	21	129	207	284	546	783	850	1,246	1,177	0
<b>White</b>													
Male	4,639	16	4	6	62	80	110	358	693	873	1,207	1,229	1
Female	4,636	11	3	7	21	41	100	253	467	716	1,149	1,868	0
Both Sexes	9,275	27	7	13	83	121	210	611	1,160	1,589	2,356	3,097	1
<b>Unknown Race/Ethnicity</b>													
Male	39	0	0	0	0	0	2	5	21	5	5	0	1
Female	15	0	0	0	0	1	1	4	3	3	3	0	0
Both Sexes	54	0	0	0	0	1	3	9	24	8	8	0	1
<b>United States</b>													
<b>All Races</b>													
Male	1,217,379	14,823	2,495	3,248	22,312	29,199	46,555	114,820	184,142	225,794	311,032	262,782	177
Female	1,219,784	11,589	1,955	2,403	8,104	13,303	28,110	72,748	119,165	175,238	316,695	470,396	78
Both Sexes	2,437,163	26,412	4,450	5,651	30,416	42,502	74,665	187,568	303,307	401,032	627,727	733,178	255

See Technical Appendix for information on race/ethnicity.

## Mortality Section

**Table M-1(b) Death Rates by Age, Race/Ethnicity, and Sex  
New Mexico, 2011, and United States, 2009**

	All Ages	Less than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>All Races</b>												
Male	869.1	563.8	42.6	16.1	130.9	216.4	317.9	605.2	1,078.5	1,879.6	4,925.7	15,262.3
Female	622.6	465.7	46.2	15.9	52.4	101.6	186.8	354.5	607.8	1,347.5	3,809.6	12,849.3
Both Sexes	735.9	515.9	44.4	16.0	92.6	160.1	252.2	477.1	834.2	1,598.0	4,306.7	13,711.2
<b>American Indian or Alaska Native</b>												
Male	944.5	901.4	60.5	20.6	175.5	366.0	569.5	679.2	1,243.8	2,110.8	5,143.1	12,190.3
Female	619.4	357.2	36.8	25.9	76.4	188.2	306.6	362.7	619.3	1,352.7	3,955.7	9,867.8
Both Sexes	764.2	631.8	48.8	23.2	126.4	276.8	434.4	514.4	905.8	1,679.6	4,433.0	10,681.9
<b>Asian or Pacific Islander</b>												
Male	411.6	1,496.1	0.0	0.0	94.9	157.8	126.3	248.7	434.1	594.0	3718.3	3767.8
Female	405.5	401.3	0.0	0.0	31.8	83.7	34.1	68.7	424.2	787.7	2956.2	9532.4
Both Sexes	415.5	968.0	0.0	0.0	63.4	118.5	75.3	150.3	428.2	705.5	3220.2	7505.9
<b>Black or African American</b>												
Male	772.8	838.4	40.5	19.0	18.0	151.4	299.9	618.3	1,273.7	1,963.4	4,572.1	10,013.8
Female	516.0	944.4	90.8	20.5	22.9	55.1	104.8	268.3	706.4	1,579.4	3,904.2	5,806.7
Both Sexes	638.5	888.3	64.2	19.7	20.1	109.1	214.3	448.8	1,017.4	1,779.4	4,182.9	7,288.4
<b>Hispanic</b>												
Male	900.9	492.1	48.2	16.4	135.8	234.8	369.9	546.0	1,239.7	1,995.2	5,238.4	14,815.1
Female	603.8	538.2	59.7	12.7	53.7	93.2	163.3	286.8	625.2	1,309.4	3,770.2	12,630.1
Both Sexes	740.5	514.7	53.9	14.6	95.2	164.7	266.6	414.3	921.6	1,625.6	4,407.8	13,422.2
<b>White</b>												
Male	832.8	420.0	25.4	14.1	121.6	157.8	210.3	661.6	946.6	1809.4	4760.5	15887.6
Female	637.5	310.5	20.4	17.4	44.5	87.1	191.2	446.0	595.4	1368.2	3820.7	13329.9
Both Sexes	726.6	367.2	22.9	15.7	84.6	123.8	200.7	551.2	765.0	1579.9	4250.6	14239.6
<b>United States</b>												
<b>All Races</b>												
Male	803.8	680.4	28.7	15.6	100.8	137.6	223.2	522.5	1,097.3	2,353.6	5,709.6	14,740.9
Female	784.1	556.4	23.5	12.1	38.7	65.4	136.0	321.6	661.8	1,564.8	4,112.7	12,224.5
Both Sexes	793.8	619.8	26.1	13.9	70.6	102.3	179.8	420.6	871.9	1,928.8	4,774.4	13,021.2

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

Age-adjusted death rates (all ages) are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and race/ethnicity. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-1(a).

## Mortality Section

**Table M-2(a) Number of Deaths by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009  
Both Sexes**

	All Ages	Less than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown or Not Stated
<b>United States</b>	2,437,163	26,412	4,450	5,651	30,416	42,502	74,665	187,568	303,307	401,032	627,727	733,178	255
<b>New Mexico</b>	16,245	143	51	45	268	431	628	1,370	2,208	2,687	3,920	4,492	2
<b>County</b>													
Bernalillo	4,976	45	5	13	71	147	188	434	624	715	1,173	1,561	0
Catron	35	0	0	0	0	0	2	3	5	10	9	6	0
Chaves	670	5	3	1	17	10	15	49	74	103	176	217	0
Cibola	237	3	0	2	3	4	13	16	30	57	57	50	2
Colfax	133	0	0	0	1	2	6	6	16	14	41	47	0
Curry	381	7	3	1	4	12	10	30	46	63	109	96	0
De Baca	22	0	0	1	0	0	0	2	0	4	10	5	0
Dona Ana	1,428	13	6	5	20	24	49	112	194	271	363	371	0
Eddy	526	6	1	3	4	8	19	42	82	83	126	152	0
Grant	337	0	1	0	2	3	13	16	42	68	88	104	0
Guadalupe	44	0	0	0	0	0	0	5	8	10	15	6	0
Harding	7	0	0	0	0	0	0	0	1	1	1	4	0
Hidalgo	53	1	0	0	0	1	3	3	6	15	15	9	0
Lea	490	4	2	2	10	13	21	42	79	88	127	102	0
Lincoln	187	1	0	1	3	2	5	10	36	41	52	36	0
Los Alamos	116	0	0	0	0	0	2	14	12	16	27	45	0
Luna	281	1	2	0	3	3	10	16	38	59	89	60	0
McKinley	495	11	3	2	22	25	37	49	69	78	102	97	0
Mora	50	1	1	1	2	1	5	1	11	12	6	9	0
Otero	550	4	1	0	13	11	19	46	82	107	155	112	0
Quay	118	0	1	0	1	1	4	3	18	29	33	28	0
Rio Arriba	381	3	1	1	9	25	21	42	54	50	80	95	0
Roosevelt	148	0	1	1	1	3	2	17	18	29	34	42	0
Sandoval	912	1	5	4	18	33	24	79	125	155	201	267	0
San Juan	892	11	5	6	23	32	47	82	110	153	211	212	0
San Miguel	261	2	1	0	3	4	11	37	45	50	52	56	0
Santa Fe	1,057	9	4	0	13	33	43	88	165	156	223	323	0
Sierra	234	1	0	1	1	4	5	15	32	46	58	71	0
Socorro	165	4	1	0	3	6	5	20	17	36	31	42	0
Taos	250	0	0	0	9	5	8	20	33	38	56	81	0
Torrance	138	3	0	0	2	2	10	13	32	26	21	29	0
Union	55	0	0	0	0	2	1	1	4	6	18	23	0
Valencia	612	7	4	0	10	14	29	56	99	98	161	134	0
Unknown County	4	0	0	0	0	1	1	1	1	0	0	0	0
<b>Health Region</b>													
Northwest	1,624	25	8	10	48	61	97	147	209	288	370	359	2
Northeast	2,354	15	7	2	37	72	97	214	349	353	519	689	0
Metro	6,638	56	14	17	101	196	251	582	880	994	1,556	1,991	0
Southeast	2,542	23	11	10	40	49	76	195	353	440	667	678	0
Southwest	3,083	24	11	6	42	52	106	231	416	612	808	775	0
Unknown Region	4	0	0	0	0	1	1	1	1	0	0	0	0

See Technical Appendix for information on health regions.

## Mortality Section

**Table M-2(b) Number of Deaths by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

**Females**

	Less												Unknown or Not Stated	
	All Ages	than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
<b>United States</b>	1,219,784	11,589	1,955	2,403	8,104	13,303	28,110	72,748	119,165	175,238	316,695	470,396	78	
<b>New Mexico</b>	7,735	63	26	22	74	134	233	520	835	1,199	1,923	2,706	0	
<b>County</b>														
Bernalillo	2,472	26	3	6	19	50	64	162	251	331	617	943	0	
Catron	9	0	0	0	0	0	0	0	1	1	3	4	0	
Chaves	332	1	1	1	4	3	9	20	34	54	88	117	0	
Cibola	110	0	0	1	2	1	6	4	15	27	26	28	0	
Colfax	64	0	0	0	0	0	1	2	7	5	20	29	0	
Curry	193	4	3	0	1	3	4	15	19	37	58	49	0	
De Baca	13	0	0	0	0	0	0	1	0	2	7	3	0	
Dona Ana	665	5	2	4	6	9	24	41	56	110	183	225	0	
Eddy	253	1	1	2	0	2	7	14	32	34	65	95	0	
Grant	167	0	0	0	0	2	7	8	14	34	42	60	0	
Guadalupe	13	0	0	0	0	0	0	0	0	4	7	2	0	
Harding	6	0	0	0	0	0	0	0	0	1	1	4	0	
Hidalgo	21	1	0	0	0	0	1	1	3	7	4	4	0	
Lea	237	2	0	1	4	3	6	16	38	36	63	68	0	
Lincoln	98	1	0	0	1	1	1	9	15	18	25	27	0	
Los Alamos	67	0	0	0	0	0	1	7	6	8	16	29	0	
Luna	126	0	0	0	1	2	4	6	13	26	43	31	0	
McKinley	207	5	2	1	6	8	14	11	19	38	54	49	0	
Mora	22	0	0	1	1	1	3	0	4	6	2	4	0	
Otero	257	2	1	0	4	4	9	17	30	43	71	76	0	
Quay	57	0	1	0	0	1	0	1	11	15	15	13	0	
Rio Arriba	169	1	0	0	3	6	2	19	21	22	37	58	0	
Roosevelt	65	0	1	0	0	0	1	4	10	11	13	25	0	
Sandoval	423	0	2	2	4	7	11	32	51	63	91	160	0	
San Juan	424	4	3	3	6	10	21	34	39	73	94	137	0	
San Miguel	112	0	1	0	1	1	3	12	14	21	24	35	0	
Santa Fe	505	4	3	0	3	7	13	38	54	62	110	211	0	
Sierra	97	0	0	0	0	2	2	6	12	17	25	33	0	
Socorro	74	3	0	0	0	2	2	9	3	18	12	25	0	
Taos	121	0	0	0	3	1	3	5	11	18	24	56	0	
Torrance	63	0	0	0	0	2	2	6	11	15	4	23	0	
Union	24	0	0	0	0	0	0	0	1	3	9	11	0	
Valencia	268	3	2	0	5	6	12	20	39	39	70	72	0	
Unknown County	1	0	0	0	0	0	0	0	1	0	0	0	0	
<b>Health Region</b>														
Northwest	741	9	5	5	14	19	41	49	73	138	174	214	0	
Northeast	1,103	5	4	1	11	16	26	83	118	150	250	439	0	
Metro	3,226	29	7	8	28	65	89	220	352	448	782	1,198	0	
Southeast	1,248	9	7	4	10	13	28	80	159	207	334	397	0	
Southwest	1,416	11	3	4	11	21	49	88	132	256	383	458	0	
Unknown Region	1	0	0	0	0	0	0	0	1	0	0	0	0	

See Technical Appendix for information on health regions.

## Mortality Section

**Table M-2(c) Number of Deaths by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

**Males**

	All Ages	Less than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown or Not Stated
United States	1,217,379	14,823	2,495	3,248	22,312	29,199	46,555	114,820	184,142	225,794	311,032	262,782	177
New Mexico	8,510	80	25	23	194	297	395	850	1,373	1,488	1,997	1,786	2
<b>County</b>													
Bernalillo	2,504	19	2	7	52	97	124	272	373	384	556	618	0
Catron	26	0	0	0	0	0	2	3	4	9	6	2	0
Chaves	338	4	2	0	13	7	6	29	40	49	88	100	0
Cibola	127	3	0	1	1	3	7	12	15	30	31	22	2
Colfax	69	0	0	0	1	2	5	4	9	9	21	18	0
Curry	188	3	0	1	3	9	6	15	27	26	51	47	0
De Baca	9	0	0	1	0	0	0	1	0	2	3	2	0
Dona Ana	763	8	4	1	14	15	25	71	138	161	180	146	0
Eddy	273	5	0	1	4	6	12	28	50	49	61	57	0
Grant	170	0	1	0	2	1	6	8	28	34	46	44	0
Guadalupe	31	0	0	0	0	0	0	5	8	6	8	4	0
Harding	1	0	0	0	0	0	0	0	1	0	0	0	0
Hidalgo	32	0	0	0	0	1	2	2	3	8	11	5	0
Lea	253	2	2	1	6	10	15	26	41	52	64	34	0
Lincoln	89	0	0	1	2	1	4	1	21	23	27	9	0
Los Alamos	49	0	0	0	0	0	1	7	6	8	11	16	0
Luna	155	1	2	0	2	1	6	10	25	33	46	29	0
McKinley	288	6	1	1	16	17	23	38	50	40	48	48	0
Mora	28	1	1	0	1	0	2	1	7	6	4	5	0
Otero	293	2	0	0	9	7	10	29	52	64	84	36	0
Quay	61	0	0	0	1	0	4	2	7	14	18	15	0
Rio Arriba	212	2	1	1	6	19	19	23	33	28	43	37	0
Roosevelt	83	0	0	1	1	3	1	13	8	18	21	17	0
Sandoval	489	1	3	2	14	26	13	47	74	92	110	107	0
San Juan	468	7	2	3	17	22	26	48	71	80	117	75	0
San Miguel	149	2	0	0	2	3	8	25	31	29	28	21	0
Santa Fe	552	5	1	0	10	26	30	50	111	94	113	112	0
Sierra	137	1	0	1	1	2	3	9	20	29	33	38	0
Socorro	91	1	1	0	3	4	3	11	14	18	19	17	0
Taos	129	0	0	0	6	4	5	15	22	20	32	25	0
Torrance	75	3	0	0	2	0	8	7	21	11	17	6	0
Union	31	0	0	0	0	2	1	1	3	3	9	12	0
Valencia	344	4	2	0	5	8	17	36	60	59	91	62	0
Unknown County	3	0	0	0	0	1	1	1	0	0	0	0	
<b>Health Region</b>													
Northwest	883	16	3	5	34	42	56	98	136	150	196	145	2
Northeast	1,251	10	3	1	26	56	71	131	231	203	269	250	0
Metro	3,412	27	7	9	73	131	162	362	528	546	774	793	0
Southeast	1,294	14	4	6	30	36	48	115	194	233	333	281	0
Southwest	1,667	13	8	2	31	31	57	143	284	356	425	317	0
Unknown Region	3	0	0	0	0	1	1	1	0	0	0	0	0

See Technical Appendix for information on health regions.

## Mortality Section

**Table M-3(a) Death Rates by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009  
Both Sexes**

	Less											
	All ages	than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>United States</b>	741.1	619.8	26.1	13.9	70.6	102.3	179.8	420.6	871.9	1,928.8	4,774.4	13,021.2
<b>New Mexico</b>	735.9	515.9	44.4	16.0	92.6	160.1	252.2	477.1	834.2	1,598.0	4,306.7	13,711.2
<b>County</b>												
Bernalillo	719.9	507.4	13.6	14.7	73.7	151.3	222.1	466.9	761.2	1,502.2	4,365.9	14,109.8
Catron	596.6	0.0	0.0	0.0	0.0	0.0	833.2	549.3	570.3	1,390.4	3,006.3	7,138.9
Chaves	888.8	488.0	70.6	10.0	173.6	124.5	204.0	579.8	980.0	2,086.2	5,483.3	16,459.0
Cibola	860.0	822.2	0.0	54.4	80.6	108.0	367.4	405.1	902.1	2,686.6	4,896.3	14,497.9
Colfax	684.1	0.0	0.0	0.0	69.0	145.2	425.0	287.4	702.7	855.4	4,613.2	14,335.5
Curry	837.1	832.6	86.0	13.3	53.2	162.6	170.4	494.4	959.7	2,037.4	5,766.6	14,071.1
De Baca	675.3	0.0	0.0	394.3	0.0	0.0	0.0	678.2	0.0	1,591.6	6,639.5	7,970.5
Dona Ana	643.9	438.0	48.7	16.6	55.2	89.0	209.0	430.7	829.8	1,451.2	3,534.1	12,526.4
Eddy	845.2	804.0	32.3	38.5	56.3	116.4	296.4	547.7	1,192.7	2,014.0	4,903.7	14,450.1
Grant	757.1	0.0	71.0	0.0	60.3	105.6	467.6	418.3	870.2	1,844.1	4,106.3	13,942.7
Guadalupe	759.8	0.0	0.0	0.0	0.0	0.0	0.0	671.2	1,358.6	2,401.0	5,913.7	8,192.6
Harding	359.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	629.6	1,045.0	1,235.8	11,588.8
Hidalgo	880.9	1,607.4	0.0	0.0	0.0	215.2	542.7	431.9	907.8	3,277.5	5,371.7	9,448.5
Lea	843.2	343.5	41.4	19.3	104.6	135.7	260.9	500.6	1,194.2	2,244.2	5,264.0	13,034.5
Lincoln	625.9	532.9	0.0	46.3	154.9	112.5	247.5	313.7	934.8	1,386.5	3,744.5	9,769.1
Los Alamos	485.2	0.0	0.0	0.0	0.0	0.0	85.7	420.1	419.1	1,056.5	3,048.0	11,062.6
Luna	831.5	284.6	137.2	0.0	89.8	113.5	377.8	535.6	1,203.9	2,146.4	5,099.3	11,800.8
McKinley	810.7	901.1	59.2	16.4	176.0	271.8	425.5	501.1	905.9	1,802.4	4,396.1	12,856.0
Mora	840.5	2,127.4	512.7	171.7	399.0	226.0	905.8	138.7	1,295.6	2,181.9	3,923.8	10,471.6
Otero	769.3	432.2	26.0	0.0	141.4	129.9	264.7	537.7	1,055.7	1,845.2	4,688.7	11,921.2
Quay	895.3	0.0	242.5	0.0	106.2	114.4	411.5	231.6	1,261.2	2,629.9	5,453.6	14,525.1
Rio Arriba	894.8	575.8	46.3	18.5	172.9	540.4	429.6	706.4	973.3	1,417.2	4,377.5	15,762.5
Roosevelt	732.9	0.0	76.4	34.9	23.6	108.9	91.2	741.2	891.9	2,133.2	4,186.4	11,888.7
Sandoval	679.7	56.4	68.0	20.0	109.8	206.4	139.2	400.1	685.9	1,412.4	4,007.4	14,161.4
San Juan	778.4	529.5	58.0	29.4	123.0	181.5	312.6	474.1	764.5	1,891.0	4,823.8	12,851.2
San Miguel	779.2	648.9	78.2	0.0	68.0	125.8	345.2	827.6	1,029.1	1,717.7	3,774.7	12,844.2
Santa Fe	629.1	567.1	60.7	0.0	82.4	198.3	237.5	401.1	670.2	1,050.7	3,308.4	13,585.2
Sierra	1,053.9	924.1	0.0	100.1	100.4	500.3	500.3	932.8	1,427.8	2,205.2	4,607.7	16,822.3
Socorro	883.4	1,733.8	104.5	0.0	103.0	284.4	259.3	807.2	723.2	2,278.8	4,039.6	16,445.7
Taos	611.7	0.0	0.0	0.0	264.6	149.4	204.9	398.1	564.0	1,023.0	3,257.2	13,214.4
Torrance	764.2	1,703.5	0.0	0.0	100.9	119.2	520.5	510.4	1,219.0	1,637.4	3,077.4	13,195.2
Union	863.9	0.0	0.0	0.0	0.0	299.9	172.2	144.2	728.5	1,382.9	6,770.8	20,462.3
Valencia	816.0	1,206.7	166.2	0.0	122.2	154.8	303.3	489.4	976.5	1,553.4	5,133.9	14,114.8
<b>Health Region</b>												
Northwest	800.7	682.5	52.6	27.6	137.5	199.8	355.7	473.8	825.1	1,980.7	4,708.3	13,059.1
Northeast	679.0	462.8	52.0	5.7	110.5	219.9	272.7	474.9	732.0	1,190.6	3,616.3	13,589.8
Metro	722.2	491.3	29.6	14.5	82.2	158.2	221.4	459.4	779.0	1,495.5	4,358.4	14,102.8
Southeast	826.0	522.8	60.2	23.8	97.0	130.8	230.0	517.9	1,054.9	2,023.7	5,115.6	14,088.6
Southwest	721.0	478.6	52.9	12.0	73.8	116.7	266.6	494.7	919.2	1,711.8	4,025.8	12,890.2

Age-specific death rates are the numbers of deaths per 100,000 in the specified age group.

Age-adjusted death rates (all ages) are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and health regions. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-2(a).

## Mortality Section

**Table M-3(b) Death Rates by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

**Females**

	All ages		Less									
		than 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>United States</b>	625.5	556.4	23.5	12.1	38.7	65.4	136.0	321.6	661.8	1,564.8	4,112.7	12,224.5
<b>New Mexico</b>	622.6	465.7	46.2	15.9	52.4	101.6	186.8	354.5	607.8	1,347.5	3,809.6	12,849.3
<b>County</b>												
Bernalillo	615.6	604.3	16.8	13.8	39.8	103.8	150.9	339.4	582.9	1,284.6	3,970.1	12,945.2
Catron	264.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235.5	314.2	2,188.8	8,033.6
Chaves	782.2	201.7	48.5	20.3	85.6	75.1	239.7	473.0	862.0	2,089.1	4,823.0	14,153.3
Cibola	737.6	0.0	0.0	56.2	106.0	59.1	382.5	207.0	896.2	2,317.9	4,085.4	13,035.9
Colfax	550.6	0.0	0.0	0.0	0.0	0.0	153.0	193.1	622.8	623.7	4,262.0	13,738.3
Curry	748.8	965.0	173.9	0.0	28.5	85.7	136.0	492.1	781.4	2,242.5	5,320.3	10,766.8
De Baca	692.5	0.0	0.0	0.0	0.0	0.0	0.0	693.3	0.0	1,652.4	8,466.8	7,107.0
Dona Ana	550.9	342.6	32.9	26.8	33.5	67.4	194.7	298.8	456.9	1,090.4	3,350.8	12,419.2
Eddy	706.3	283.5	68.1	51.5	0.0	60.6	222.2	364.3	934.4	1,575.6	4,550.2	13,410.7
Grant	686.1	0.0	0.0	0.0	0.0	138.0	483.2	400.2	551.9	1,841.7	3,755.6	12,680.1
Guadalupe	452.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,819.9	5,621.8	5,154.5
Harding	611.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2,060.2	2,906.5	22,274.6
Hidalgo	657.0	3,325.3	0.0	0.0	0.0	0.0	358.6	283.7	910.9	3,136.0	2,859.6	6,427.1
Lea	752.0	347.9	0.0	19.7	85.6	68.4	155.4	401.2	1,162.3	1,737.9	4,680.3	14,044.1
Lincoln	646.6	1,134.5	0.0	0.0	107.2	115.4	95.8	535.8	733.1	1,186.2	3,641.0	13,349.9
Los Alamos	513.6	0.0	0.0	0.0	0.0	0.0	84.5	417.4	433.4	1,057.1	3,406.3	11,812.7
Luna	711.9	0.0	0.0	0.0	60.0	157.0	299.4	384.8	803.4	1,892.4	4,833.8	10,953.0
McKinley	609.6	842.7	81.0	16.4	97.1	172.2	314.9	212.0	461.6	1,553.3	3,900.9	10,108.5
Mora	789.1	0.0	0.0	373.2	429.7	449.8	1,070.6	0.0	942.4	2,304.4	1,210.6	9,764.3
Otero	668.6	446.5	53.6	0.0	96.2	99.8	257.1	390.4	762.0	1,439.7	4,005.4	12,700.9
Quay	756.4	0.0	520.5	0.0	0.0	219.7	0.0	149.7	1,472.8	2,700.0	4,645.9	10,475.9
Rio Arriba	685.1	375.4	0.0	0.0	118.5	264.3	82.3	641.7	736.0	1,204.6	3,610.5	14,320.4
Roosevelt	562.7	0.0	164.3	0.0	0.0	0.0	94.9	343.8	971.4	1,572.4	2,914.0	11,129.2
Sandoval	552.8	0.0	56.2	20.4	49.5	85.8	124.8	315.3	528.0	1,093.7	3,186.1	13,169.8
San Juan	659.4	388.2	70.0	29.9	65.6	116.0	278.8	391.9	532.2	1,684.7	3,832.3	12,464.2
San Miguel	605.2	0.0	153.4	0.0	47.3	65.3	185.1	543.2	627.7	1,437.5	3,145.2	12,071.9
Santa Fe	524.8	505.5	91.1	0.0	39.4	86.6	144.6	333.0	412.2	780.2	2,965.2	13,326.7
Sierra	844.0	0.0	0.0	0.0	0.0	505.3	393.6	746.0	1,051.6	1,673.1	4,089.6	14,528.6
Socorro	741.6	2,597.9	0.0	0.0	0.0	203.1	206.3	707.3	266.4	2,320.1	3,072.4	15,152.2
Taos	507.7	0.0	0.0	0.0	186.8	59.2	156.2	191.4	363.0	931.7	2,479.1	14,071.6
Torrance	648.3	0.0	0.0	0.0	0.0	257.3	229.0	462.5	854.9	1,962.9	1,154.7	16,627.2
Union	624.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	387.0	1,336.0	5,809.9	15,570.2
Valencia	678.1	1,091.1	174.8	0.0	127.0	135.8	252.0	351.1	764.5	1,187.8	4,297.5	12,329.8
<b>Health Region</b>												
Northwest	656.4	498.4	66.6	27.9	81.3	127.0	302.6	310.2	556.5	1,737.1	3,889.5	11,897.6
Northeast	558.8	309.5	59.5	5.8	68.7	101.8	148.5	362.5	477.2	969.2	3,171.1	13,298.4
Metro	611.6	524.9	30.4	13.8	46.1	105.6	156.5	339.1	595.5	1,259.3	3,838.5	12,991.1
Southeast	724.8	422.5	79.0	19.4	50.5	72.5	170.9	426.4	932.6	1,822.6	4,621.2	12,942.0
Southwest	613.2	448.7	29.4	16.3	39.9	96.3	239.3	361.4	564.8	1,374.3	3,640.5	12,478.0

Age-specific death rates are the numbers of deaths per 100,000 in the specified age group.

Age-adjusted death rates (all ages) are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and health regions. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-2(b).

## Mortality Section

**Table M-3(c) Death Rates by Age, Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

**Males**

	Less than											
	All ages	1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>United States</b>	888.4	680.4	28.7	15.6	100.8	137.6	223.2	522.5	1,097.3	2,353.6	5,709.6	14,740.9
<b>New Mexico</b>	869.1	563.8	42.6	16.1	130.9	216.4	317.9	605.2	1,078.5	1,879.6	4,925.7	15,262.3
<b>County</b>												
Bernalillo	852.7	416.0	10.6	15.6	107.1	198.0	293.6	601.4	958.6	1,759.1	4,909.0	16,354.7
Catron	880.1	0.0	0.0	0.0	0.0	0.0	1,498.5	1,147.4	884.6	2,244.4	3,696.6	5,838.4
Chaves	1,028.5	756.5	91.4	0.0	253.9	173.5	166.8	686.6	1,108.9	2,083.1	6,353.0	20,335.0
Cibola	1,008.1	1,642.5	0.0	52.8	54.5	149.1	355.3	594.8	908.1	3,135.4	5,874.2	16,912.0
Colfax	816.8	0.0	0.0	0.0	128.0	278.4	659.5	380.1	780.7	1,077.9	5,006.1	15,415.0
Curry	981.2	703.9	0.0	26.0	74.7	232.1	204.9	496.7	1,143.4	1,802.8	6,374.9	20,691.7
De Baca	653.0	0.0	0.0	776.1	0.0	0.0	0.0	663.9	0.0	1,535.2	4,415.7	9,746.9
Dona Ana	748.6	530.2	64.1	6.6	76.5	110.0	224.9	578.0	1,241.0	1,875.0	3,742.2	12,695.3
Eddy	1,005.9	1,270.6	0.0	25.6	108.6	167.9	368.0	731.8	1,449.1	2,495.8	5,346.2	16,593.6
Grant	845.9	0.0	135.1	0.0	117.3	71.8	450.6	438.0	1,222.8	1,846.4	4,488.9	16,133.5
Guadalupe	1,025.9	0.0	0.0	0.0	0.0	0.0	0.0	1,196.6	2,351.4	3,050.5	6,195.3	11,615.8
Harding	106.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,221.0	0.0	0.0	0.0
Hidalgo	1,146.8	0.0	0.0	0.0	0.0	414.5	730.2	584.6	904.8	3,412.2	7,893.2	15,143.9
Lea	931.3	339.2	82.0	18.8	122.8	192.5	358.2	590.6	1,225.4	2,811.2	6,000.5	11,395.9
Lincoln	594.6	0.0	0.0	90.5	199.0	109.7	409.8	66.3	1,163.3	1,597.6	3,845.7	5,413.2
Los Alamos	448.7	0.0	0.0	0.0	0.0	0.0	86.9	423.0	405.8	1,055.9	2,643.5	9,920.8
Luna	958.7	556.4	268.9	0.0	119.3	73.0	457.8	700.3	1,625.3	2,400.3	5,375.3	12,865.2
McKinley	1,074.1	956.2	38.5	16.3	253.2	373.5	541.3	827.8	1,428.6	2,126.3	5,128.6	17,792.8
Mora	896.5	4,196.1	1,014.0	0.0	372.3	0.0	735.8	265.5	1,648.6	2,071.7	2,727.3	11,115.7
Otero	867.2	418.9	0.0	0.0	178.7	157.0	271.9	690.3	1,357.6	2,276.1	5,478.7	10,553.5
Quay	1,089.1	0.0	0.0	0.0	200.5	0.0	829.2	319.0	1,028.8	2,558.7	6,377.6	21,841.9
Rio Arriba	1,137.4	785.6	94.9	36.8	224.3	806.5	772.9	770.5	1,224.6	1,645.2	5,356.7	18,717.1
Roosevelt	927.2	0.0	0.0	68.5	46.1	209.9	87.8	1,150.4	809.2	2,727.6	5,737.1	13,214.8
Sandoval	836.0	109.0	79.0	19.6	168.2	332.1	154.4	489.8	863.9	1,764.4	5,093.6	15,958.0
San Juan	917.9	668.4	46.2	29.0	178.0	244.3	346.5	556.8	1,005.6	2,128.9	6,089.7	13,624.0
San Miguel	972.8	1,320.0	0.0	0.0	87.1	182.0	511.0	1,105.5	1,447.0	2,000.0	4,556.5	14,377.0
Santa Fe	746.0	628.3	30.4	0.0	122.6	303.7	329.0	475.0	963.6	1,362.2	3,728.6	14,100.3
Sierra	1,266.0	1,806.6	0.0	190.4	197.6	495.4	610.8	1,119.6	1,817.9	2,710.6	5,096.9	19,495.2
Socorro	1,036.6	867.8	209.7	0.0	183.7	355.5	312.9	912.7	1,143.5	2,239.0	5,042.2	18,806.6
Taos	717.4	0.0	0.0	0.0	334.4	241.4	252.0	622.1	779.8	1,121.9	4,260.2	11,627.6
Torrance	840.2	3,558.9	0.0	0.0	182.0	0.0	763.4	560.0	1,569.0	1,335.4	5,059.6	7,366.5
Union	1,125.3	0.0	0.0	0.0	0.0	418.0	260.8	237.4	1,032.1	1,433.2	8,112.5	28,739.8
Valencia	975.3	1,310.9	158.4	0.0	117.7	173.0	354.0	626.6	1,191.1	1,950.1	6,037.8	16,967.2
<b>Health Region</b>												
Northwest	978.0	861.4	39.0	27.2	192.1	269.8	408.1	643.5	1,113.7	2,274.2	5,790.4	15,257.4
Northeast	808.7	615.1	44.6	5.6	148.9	329.0	393.1	590.9	1,006.7	1,432.6	4,159.0	14,133.6
Metro	860.3	459.7	28.8	15.1	117.3	210.1	286.7	585.6	980.5	1,767.4	5,049.3	16,196.6
Southeast	946.3	616.9	42.6	28.0	139.9	184.3	288.2	608.9	1,182.0	2,243.7	5,730.4	16,104.4
Southwest	839.7	507.2	75.4	7.8	105.8	136.1	295.4	639.8	1,297.6	2,079.0	4,450.4	13,536.2

Age-specific death rates are the numbers of deaths per 100,000 in the specified age group.

Age-adjusted death rates (all ages) are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and health regions. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-2(c).

## Mortality Section

**Table M-4(a) Number of Deaths Ranked by Leading Causes of Death by County and Health Region  
New Mexico, 2011, and United States, 2009**

	1	2	3	4	5	6	7	8	9	10	
<b>United States</b>	2,437,163	599,413	567,628	118,021	137,353	128,842	68,705	30,558	36,909	79,003	53,692
<b>New Mexico</b>	16,245	3,275	3,260	1,296	1,022	704	594	461	419	417	350
<b>County</b>											
Bernalillo	4,976	1,032	962	396	293	249	170	144	141	145	101
Catron	35	7	11	3	4	0	0	0	0	0	1
Chaves	670	153	117	48	61	30	25	17	13	22	14
Cibola	237	53	38	22	10	3	14	8	4	2	9
Collax	133	34	24	8	6	5	7	1	3	2	1
Curry	381	63	80	31	38	13	11	10	5	26	11
De Baca	22	6	4	3	2	0	0	0	0	0	2
Dona Ana	1,428	271	286	80	95	64	51	34	42	33	36
Eddy	526	129	104	30	44	17	18	12	9	12	8
Grant	337	77	77	14	27	15	7	10	7	4	8
Guadalupe	44	11	10	3	5	0	3	1	1	0	0
Harding	7	1	0	1	0	1	0	0	0	0	0
Hidalgo	53	13	15	4	0	3	0	1	1	0	0
Lea	490	113	106	34	34	23	8	5	7	8	10
Lincoln	187	41	46	13	11	5	6	3	2	7	4
Los Alamos	116	17	29	5	4	3	2	0	3	3	4
Luna	281	82	56	16	18	11	5	7	3	9	9
McKinley	495	70	82	55	8	12	37	28	18	3	14
Mora	50	9	14	5	2	2	4	0	1	1	0
Otero	550	119	136	28	28	19	23	11	20	7	10
Quay	118	26	19	8	9	6	3	5	0	3	5
Rio Arriba	381	74	61	50	13	20	16	26	12	6	7
Roosevelt	148	47	22	8	7	3	10	2	3	6	7
Sandoval	912	169	189	79	47	54	36	23	34	24	15
San Juan	177	159	177	97	69	24	27	24	24	39	21
San Miguel	261	46	50	31	10	9	12	9	6	6	7
Santa Fe	1,057	179	242	97	65	45	43	38	29	23	17
Sierra	234	50	41	19	25	18	4	4	4	3	11
Socorro	165	31	34	13	11	8	7	7	2	5	3
Taos	250	37	57	23	19	9	13	8	8	6	5
Torrance	138	26	36	12	11	7	1	3	2	2	1
Union	55	12	11	3	5	0	3	0	2	1	0
Valencia	612	118	121	56	41	26	27	20	13	9	9
Unknown County	4	0	1	1	0	0	0	0	0	0	0
<b>Health Region</b>											
Northwest	1,624	282	299	174	87	39	78	60	46	44	44
Northeast	2,354	420	498	226	129	94	104	83	65	48	41
Metro	6,638	1,345	1,308	543	392	336	234	190	190	180	126
Southeast	2,542	578	498	175	206	97	81	54	39	84	61
Southwest	3,083	650	656	177	208	138	97	74	79	61	78
Unknown Region	4	0	1	1	0	0	0	0	0	0	0

See Technical Appendix for information on health regions. Table is ranked by number of deaths for New Mexico.

# Mortality Section

**Table M-4(b) Death Rates for Ranked Leading Causes by County and Health Region  
New Mexico, 2011, and United States, 2009**

	1	2	3	4	5	6	7	8	9	10
<b>All Causes</b>	<b>Respiratory, Heart disease (ICD10: I00-109, I11, I13, I20-I51)</b>	<b>Neoplasm, malignant (ICD10: C00-C97)</b>	<b>Injury, Unintentional Injuries (ICD10: V01-V89, Y85-Y86)</b>	<b>Respiratory, Chronic lower respiratory diseases (ICD10: J40-J47)</b>	<b>Cerebrovascular diseases (ICD10: I60-I69)</b>	<b>Diabetes mellitus (ICD10: E10-E14)</b>	<b>Chronic liver disease and cirrhosis (ICD10: K70, K73-K74)</b>	<b>Injury, Intentional self-harm (suicide) (ICD10: X60-X84, Y87.0, *U03) (ICD10: G30)</b>	<b>Alzheimer's disease (ICD10: J09-J18)</b>	<b>Respiratory, Influenza and pneumonia (ICD10: J09-J18)</b>
<b>United States</b>	741.1	180.1	173.2	37.3	42.3	20.9	9.2	11.8	23.5	16.2
<b>New Mexico</b>	735.9	147.3	141.7	62.6	32.5	26.2	20.4	20.3	19.7	16.3
<b>County</b>										
Bernalillo	719.9	147.9	137.8	58.1	36.6	24.4	20.6	20.8	21.2	14.8
Catron	596.6	75.8	193.2	102.4	0.0	0.0	0.0	0.0	0.0	15.0
Chaves	888.8	195.5	156.6	69.5	39.6	31.6	24.0	20.7	26.8	18.3
Chibola	860.0	199.4	130.3	82.8	11.8	46.4	22.9	10.8	8.4	39.2
Colfax	684.1	170.5	115.3	63.5	32.8	32.8	5.0	19.2	9.5	4.7
Curry	837.1	142.4	173.4	66.8	30.1	24.7	20.1	9.6	60.2	25.2
De Baca	675.3	161.5	131.6	132.9	0.0	0.0	0.0	0.0	0.0	54.5
Doña Ana	643.9	120.8	123.9	38.9	30.0	22.3	15.2	19.4	16.1	16.3
Eddy	845.2	201.2	160.1	53.2	28.2	29.9	19.2	18.6	18.5	13.0
Grant	757.1	155.6	162.3	46.4	30.4	15.7	25.8	28.0	8.3	19.3
Guadalupe	759.8	198.2	169.5	53.9	0.0	48.4	15.9	14.8	0.0	0.0
Harding	359.1	44.9	0.0	54.9	69.0	55.4	0.0	0.0	0.0	0.0
Hidalgo	880.9	198.8	233.7	92.4	46.8	0.0	29.4	29.4	0.0	0.0
Lea	843.2	200.5	177.4	55.1	42.4	13.7	8.1	11.5	15.4	18.1
Lincoln	625.9	122.6	143.1	64.0	19.1	17.5	10.7	5.5	24.6	19.3
Los Alamos	485.2	76.7	119.5	25.2	12.7	9.4	0.0	10.1	12.7	16.7
Luna	831.5	235.9	151.6	62.2	30.9	18.6	21.1	18.6	25.5	27.2
McKinley	810.7	123.3	134.5	83.7	22.5	62.8	44.7	25.9	6.2	27.0
Mora	840.5	121.4	176.3	131.8	30.0	83.6	0.0	30.6	18.0	0.0
Otero	769.3	166.4	181.4	181.4	28.1	31.6	15.8	29.6	9.6	15.6
Quay	895.3	184.7	128.8	83.4	43.7	24.1	45.4	0.0	23.5	36.3
Rio Arriba	894.8	178.7	132.4	127.5	44.2	34.1	56.8	30.6	14.3	17.6
Roosevelt	732.9	227.4	113.0	36.7	15.9	52.4	9.2	16.7	27.4	34.3
Sandoval	679.7	130.2	134.2	59.4	41.9	25.8	14.4	25.5	19.8	11.6
San Juan	778.4	140.2	151.1	82.4	22.8	24.2	19.7	19.8	36.6	18.5
San Miguel	779.2	133.4	139.9	100.9	30.8	32.7	22.6	19.5	19.8	23.0
Santa Fe	629.1	107.1	129.3	66.5	28.2	23.5	21.0	18.7	14.6	10.5
Sierra	1,053.9	178.4	159.6	131.4	79.0	13.7	19.7	45.5	10.8	39.2
Socorro	883.4	167.2	161.8	76.1	45.6	37.6	45.2	21.3	29.9	20.9
Taos	611.7	86.7	129.9	66.2	21.8	32.6	17.1	27.0	15.3	11.9
Torrance	764.2	131.0	185.5	63.0	42.4	7.1	10.0	15.5	14.1	5.3
Union	863.9	176.2	176.6	53.1	0.0	50.6	0.0	34.1	16.9	0.0
Valencia	816.0	154.2	152.5	80.7	34.4	32.5	23.8	17.9	12.1	12.1
<b>Health Region</b>										
Northwest	800.7	143.9	144.0	83.2	21.1	38.5	27.8	20.5	24.2	23.3
Northeast	679.0	120.2	130.9	75.8	27.4	28.4	22.6	21.0	14.3	12.2
Metrol	722.2	145.8	139.5	59.9	37.4	25.0	19.7	21.1	20.3	13.9
Southeast	826.0	185.5	157.2	60.9	32.3	25.8	17.4	14.7	27.5	20.3
Southwest	721.0	147.8	146.1	47.8	32.8	22.2	18.2	21.3	14.7	19.1

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population. See Technical Appendix for information on rates and health regions. Table is ranked by number of deaths for New Mexico. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-4(a).

## Mortality Section

**Table M-5 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, All Ages**

	Male	Female	Both Sexes
<b>All Races</b>			
All Causes	869.1	622.6	735.9
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	185.0	116.3	147.3
Neoplasm, malignant ( C00-C97)	168.3	122.4	141.7
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	83.0	43.3	62.6
Respiratory, Chronic lower respiratory diseases ( J40-J47)	53.6	40.1	45.6
Circulatory, Cerebrovascular diseases ( I60-I69)	32.4	32.1	32.5
<b>American Indian and Alaska Native</b>			
All Causes	944.5	619.4	764.2
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	128.1	45.9	84.9
Neoplasm, malignant ( C00-C97)	126.9	77.0	97.4
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	162.8	66.0	106.3
Diabetes mellitus ( E10-E14)	83.3	59.2	69.8
Chronic liver disease and cirrhosis (ICD10: K70, K73-K74)	58.3	41.0	48.0
<b>Asian or Pacific Islander</b>			
All Causes	411.6	405.5	415.5
Neoplasm, malignant ( C00-C97)	143.4	83.8	107.6
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	41.0	81.5	66.0
Circulatory, Cerebrovascular diseases ( I60-I69)	62.0	27.5	39.9
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	36.3	16.1	26.3
Respiratory, Influenza and pneumonia (ICD10: J09-J18)	52.9	7.4	23.8
Injury, Intentional self-harm (suicide) (ICD10: X60-X84, Y87.0, *U03)	18.6	4.4	11.1
Diabetes mellitus ( E10-E14)	19.3	7.4	11.8
Circulatory, Essential (primary) hypertension and hypertensive renal disease (ICD10: I10, I15)	0.0	24.8	15.9
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	0.0	20.5	13.0
<b>Black or African American</b>			
All Causes	772.8	516.0	638.5
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	225.9	78.4	148.4
Neoplasm, malignant ( C00-C97)	124.5	130.6	130.0
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	29.0	32.0	31.2
Respiratory, Chronic lower respiratory diseases ( J40-J47)	60.8	22.3	39.2
Diabetes mellitus ( E10-E14)	37.4	24.2	30.1
Circulatory, Cerebrovascular diseases ( I60-I69)	23.1	40.6	32.7
<b>Hispanic</b>			
All Causes	900.9	603.8	740.5
Neoplasm, malignant ( C00-C97)	177.4	114.0	140.8
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	176.0	111.6	140.7
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	89.3	41.3	64.7
Diabetes mellitus ( E10-E14)	43.0	34.0	38.0
Circulatory, Cerebrovascular diseases ( I60-I69)	36.9	34.1	35.7
<b>White</b>			
All Causes	832.8	637.5	726.6
Circulatory, Heart disease ( I00-I09, I11, I13, I20-I51)	192.0	124.5	155.1
Neoplasm, malignant ( C00-C97)	168.0	135.8	148.9
Respiratory, Chronic lower respiratory diseases ( J40-J47)	60.6	51.8	55.2
Injury, Unintentional injuries ( V01-X59, Y85-Y86)	70.0	44.9	57.0
Circulatory, Cerebrovascular diseases ( I60-I69)	29.6	31.5	30.8

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-6 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 1 to 4 Years**

<b>All Races</b>	<b>Male</b>	<b>Female</b>	<b>Both Sexes</b>
All Causes	42.6	46.2	44.4
Injury, Unintentional injuries (V01-X59, Y85-Y86)	18.7	16.0	17.4
Injury, Assault (homicide) (ICD10: X85-Y09, Y87.1, U01-U02)	5.1	3.6	4.4
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1.7	7.1	4.4
<b>American Indian and Alaska Native</b>			
All Causes	60.5	36.8	48.8
Injury, Unintentional injuries (V01-X59, Y85-Y86)	36.3	12.3	24.4
<b>Asian or Pacific Islander</b>			
All Causes	0.0	0.0	0.0
<b>Black or African American</b>			
All Causes	40.5	90.8	64.2
<b>Hispanic</b>			
All Causes	48.2	59.7	53.9
Injury, Unintentional injuries (V01-X59, Y85-Y86)	16.1	23.2	19.6
Injury, Assault (homicide) (ICD10: X85-Y09, Y87.1, U01-U02)	9.6	6.6	8.2
<b>White</b>			
All Causes	25.4	20.4	22.9
Injury, Unintentional injuries (V01-X59, Y85-Y86)	19.0	0.0	9.8

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-7 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 5 to 14 Years**

<b>All Races</b>	<b>Male</b>	<b>Female</b>	<b>Both Sexes</b>
All Causes	16.1	15.9	16.0
Injury, Unintentional injuries (V01-X59, Y85-Y86)	5.6	3.6	4.6
Neoplasm, malignant (C00-C97)	2.1	2.2	2.1
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1.4	2.2	1.8
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	1.4	1.4	1.4
Injury, Intentional self-harm (suicide) (ICD10: X60-X84, Y87.0, *U03)	1.4	0.7	1.1
<b>American Indian and Alaska Native</b>			
All Causes	20.6	25.9	23.2
Injury, Unintentional injuries (V01-X59, Y85-Y86)	0.0	15.5	7.7
<b>Asian or Pacific Islander</b>			
All Causes	0.0	0.0	0.0
<b>Black or African American</b>			
All Causes	19.0	20.5	19.7
<b>Hispanic</b>			
All Causes	16.4	12.7	14.6
Injury, Unintentional injuries (V01-X59, Y85-Y86)	5.5	1.4	3.5
Neoplasm, malignant (C00-C97)	4.1	2.8	3.5
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1.4	2.8	2.1
<b>White</b>			
All Causes	14.1	17.4	15.7
Injury, Unintentional injuries (V01-X59, Y85-Y86)	9.4	2.5	6.0

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-8 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 15 to 24 Years**

<b>All Races</b>	<b>Male</b>	<b>Female</b>	<b>Both Sexes</b>
All Causes	130.9	52.4	92.6
Injury, Unintentional injuries (V01-X59, Y85-Y86)	58.7	22.6	41.1
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	33.1	7.8	20.7
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	16.9	5.0	11.0
Neoplasm, malignant (C00-C97)	4.7	4.2	4.5
Pregnancy, childbirth and the puerperium (ICD10: O00-O99)	0.0	3.5	1.7
<b>American Indian and Alaska Native</b>			
All Causes	175.5	76.4	126.4
Injury, Unintentional injuries (V01-X59, Y85-Y86)	70.2	30.6	50.6
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	50.2	10.2	30.3
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	20.1	10.2	15.2
Neoplasm, malignant (C00-C97)	15.0	10.2	12.6
<b>Asian or Pacific Islander</b>			
All Causes	94.9	31.8	63.4
Injury, Unintentional injuries (V01-X59, Y85-Y86)	63.3	31.8	47.6
<b>Black or African American</b>			
All Causes	18.0	22.9	20.1
<b>Hispanic</b>			
All Causes	135.8	53.7	95.2
Injury, Unintentional injuries (V01-X59, Y85-Y86)	67.2	23.9	45.8
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	24.8	10.4	17.7
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	23.4	3.0	13.3
Neoplasm, malignant (C00-C97)	4.4	3.0	3.7
<b>White</b>			
All Causes	121.6	44.5	84.6
Injury, Unintentional injuries (V01-X59, Y85-Y86)	53.0	21.2	37.7
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	39.2	2.1	21.4
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	7.8	6.4	7.1
Neoplasm, malignant (C00-C97)	2.0	4.2	3.1

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-9 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 25 to 44 Years**

All Races	Male	Female	Both Sexes
All Causes	264.6	143.0	204.4
Injury, Unintentional injuries (V01-X59, Y85-Y86)	91.8	47.9	70.0
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	44.7	14.0	29.5
Neoplasm, malignant (C00-C97)	12.2	20.6	16.4
Chronic liver disease and cirrhosis (K70, K73-K74)	14.9	12.5	13.7
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	22.9	3.9	13.5
<b>American Indian and Alaska Native</b>			
All Causes	458.1	243.2	349.0
Injury, Unintentional injuries (V01-X59, Y85-Y86)	168.2	59.1	112.8
Chronic liver disease and cirrhosis (K70, K73-K74)	46.5	66.0	56.4
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	53.7	20.8	37.0
Neoplasm, malignant (C00-C97)	32.2	20.8	26.4
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	39.4	3.5	21.2
<b>Asian or Pacific Islander</b>			
All Causes	144.4	61.4	99.5
Injury, Unintentional injuries (V01-X59, Y85-Y86)	72.2	15.3	41.4
<b>Black or African American</b>			
All Causes	217.1	77.0	155.6
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	84.4	15.4	54.1
Injury, Unintentional injuries (V01-X59, Y85-Y86)	36.2	30.8	33.8
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	36.2	0.0	20.3
<b>Hispanic</b>			
All Causes	296.5	125.5	211.4
Injury, Unintentional injuries (V01-X59, Y85-Y86)	107.1	46.7	77.1
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	42.8	9.5	26.3
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	24.0	6.1	15.1
Chronic liver disease and cirrhosis (K70, K73-K74)	18.0	7.8	12.9
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	18.0	5.2	11.6
<b>White</b>			
All Causes	184.4	141.9	163.5
Injury, Unintentional injuries (V01-X59, Y85-Y86)	59.2	49.3	54.4
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	46.6	19.1	33.1
Neoplasm, malignant (C00-C97)	11.6	29.2	20.3
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	12.6	2.0	7.4
Injury, Assault (homicide) (X85-Y09, Y87.1, U01-U02)	12.6	1.0	6.9

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-10 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 45 to 64 Years**

	Male	Female	Both Sexes
<b>All Races</b>			
All Causes	830.2	477.0	648.4
Neoplasm, malignant (C00-C97)	175.2	146.8	160.6
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	158.7	59.1	107.5
Injury, Unintentional injuries (V01-X59, Y85-Y86)	105.7	34.8	69.2
Chronic liver disease and cirrhosis (K70, K73-K74)	68.3	33.1	50.2
Diabetes mellitus (E10-E14)	29.5	21.8	25.6
<b>American Indian and Alaska Native</b>			
All Causes	889.9	463.4	664.5
Neoplasm, malignant (ICD10: C00-C97)	136.2	95.0	114.4
Injury, Unintentional injuries (ICD10: V01-X59, Y85-Y86)	140.5	22.8	78.3
Chronic liver disease and cirrhosis (ICD10: K70, K73-K74)	93.7	64.6	78.3
Circulatory, Heart disease (ICD10: I00-I09, I11, I13, I20-I51)	127.7	34.2	78.3
Diabetes mellitus (ICD10: E10-E14)	59.6	30.4	44.2
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	25.6	22.8	24.1
Injury, Assault (homicide) (ICD10: X85-Y09, Y87.1, *U01-*U02)	29.8	0.0	14.0
Respiratory, Influenza and pneumonia (ICD10: J09-J18)	17.0	11.4	14.0
Circulatory, Cerebrovascular diseases (ICD10: I60-I69)	21.3	7.6	14.0
<b>Asian or Pacific Islander</b>			
All Causes	323.0	227.8	269.0
Neoplasm, malignant (C00-C97)	149.1	132.9	139.9
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	74.5	0.0	32.3
<b>Black or African American</b>			
All Causes	871.4	424.2	660.3
Circulatory, Heart disease (ICD10: I00-I09, I11, I13, I20-I51)	295.2	47.1	178.0
Neoplasm, malignant (ICD10: C00-C97)	182.7	157.1	170.6
Injury, Unintentional injuries (ICD10: V01-X59, Y85-Y86)	84.3	31.4	59.4
Respiratory, Chronic lower respiratory diseases (ICD10: J40-J47)	56.2	15.7	37.1
Diabetes mellitus (ICD10: E10-E14)	42.2	31.4	37.1
Circulatory, Cerebrovascular diseases (ICD10: I60-I69)	14.1	31.4	22.3
Viral hepatitis (ICD10: B15-B19)	28.1	15.7	22.3
<b>Hispanic</b>			
All Causes	814.6	421.0	613.2
Neoplasm, malignant (C00-C97)	168.2	118.1	142.6
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	130.4	49.6	89.0
Injury, Unintentional injuries (V01-X59, Y85-Y86)	109.6	34.2	71.0
Chronic liver disease and cirrhosis (K70, K73-K74)	100.2	38.8	68.7
Diabetes mellitus (E10-E14)	29.3	30.6	30.0
<b>White</b>			
All Causes	825.5	532.7	674.7
Neoplasm, malignant (C00-C97)	186.1	179.8	182.9
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	180.6	72.5	125.0
Injury, Unintentional injuries (V01-X59, Y85-Y86)	93.5	39.2	65.5
Injury, Intentional self-harm (suicide) (X60-X84, Y87.0, U03)	51.0	24.4	37.3
Respiratory, Chronic lower respiratory diseases (J40-J47)	31.4	38.5	35.0

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-11 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 65 to 84 Years**

	Male	Female	Both Sexes
<b>All Races</b>			
All Causes	2,911.2	2,238.6	2,549.3
Neoplasm, malignant (C00-C97)	798.6	573.6	677.6
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	671.6	408.0	529.8
Respiratory, Chronic lower respiratory diseases (J40-J47)	255.6	210.8	231.5
Diabetes mellitus (E10-E14)	137.8	105.4	120.4
Circulatory, Cerebrovascular diseases (I60-I69)	119.5	120.5	120.0
<b>American Indian and Alaska Native</b>			
All Causes	3,037.4	2,216.0	2,562.5
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	604.4	286.6	420.7
Neoplasm, malignant (C00-C97)	483.6	341.8	401.6
Diabetes mellitus (E10-E14)	408.0	297.7	344.2
Injury, Unintentional injuries (V01-X59, Y85-Y86)	241.8	99.2	159.4
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	120.9	121.3	121.1
<b>Asian or Pacific Islander</b>			
All Causes	1,459.9	1,541.6	1,508.9
Neoplasm, malignant (C00-C97)	601.1	342.6	445.8
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	257.6	399.7	342.9
Circulatory, Cerebrovascular diseases (I60-I69)	257.6	114.2	171.5
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	0.0	171.3	102.9
Respiratory, Influenza and pneumonia (ICD10: J09-J18)	171.8	57.1	102.9
<b>Black or African American</b>			
All Causes	2,726.6	2,475.4	2,597.3
Neoplasm, malignant (C00-C97)	617.4	679.5	649.3
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	823.1	339.8	574.4
Respiratory, Chronic lower respiratory diseases (J40-J47)	308.7	97.1	199.8
Circulatory, Cerebrovascular diseases (I60-I69)	102.9	291.2	199.8
Diabetes mellitus (E10-E14)	154.3	97.1	124.9
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	154.3	0.0	74.9
Circulatory, Essential (primary) hypertension and hypertensive renal disease (ICD10: I10, I12)	51.4	97.1	74.9
Alzheimer's disease (ICD10: G30)	51.4	97.1	74.9
<b>Hispanic</b>			
All Causes	3,089.4	2,200.4	2,601.9
Neoplasm, malignant (C00-C97)	821.8	552.4	674.1
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	692.6	393.9	528.8
Diabetes mellitus (E10-E14)	222.6	149.4	182.5
Respiratory, Chronic lower respiratory diseases (J40-J47)	208.9	138.1	170.1
Circulatory, Cerebrovascular diseases (I60-I69)	126.4	133.6	130.3
<b>White</b>			
All Causes	2,826.0	2,263.3	2,528.8
Neoplasm, malignant (C00-C97)	822.0	612.8	711.5
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	667.1	428.4	541.0
Respiratory, Chronic lower respiratory diseases (J40-J47)	297.6	275.5	285.9
Circulatory, Cerebrovascular diseases (I60-I69)	112.8	114.1	113.5
Injury, Unintentional injuries (V01-X59, Y85-Y86)	74.7	66.8	70.5

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-12 Death Rates by Race/Ethnicity and Sex for Ranked Causes of Death  
New Mexico, 2011, Ages 85 Plus Years**

All Races	Male	Female	Both Sexes
All Causes	15262.3	12849.3	13711.2
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	4298.4	3528.1	3803.2
Neoplasm, malignant (C00-C97)	2204.8	1201.4	1559.8
Respiratory, Chronic lower respiratory diseases (J40-J47)	1153.6	731.3	882.1
Circulatory, Cerebrovascular diseases (I60-I69)	803.3	921.2	879.1
Alzheimer's disease (G30)	658.0	930.7	833.3
<b>American Indian and Alaska Native</b>			
All Causes	12190.3	9867.8	10681.9
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	3226.8	1451.2	2073.5
Respiratory, Influenza and pneumonia (J10-J18)	1434.2	967.4	1131.0
Diabetes mellitus (ICD10: E10-E14)	896.3	967.4	942.5
Neoplasm, malignant (C00-C97)	1613.4	483.7	879.7
Circulatory, Cerebrovascular diseases (ICD10: I60-I69)	358.5	580.5	502.7
<b>Asian or Pacific Islander</b>			
All Causes	3767.8	9532.4	7505.9
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	0.0	2042.6	1324.6
<b>Black or African American</b>			
All Causes	10013.8	5806.7	7288.4
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	3337.9	1814.6	2351.1
Neoplasm, malignant (C00-C97)	667.6	1088.8	940.4
Nephritis, nephrotic syndrome and nephrosis (ICD10: N00-N07, N17-N19, N25-N27)	1335.2	362.9	705.3
<b>Hispanic</b>			
All Causes	14815.1	12630.1	13422.2
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	3743.1	3309.6	3466.8
Neoplasm, malignant (C00-C97)	2547.8	1180.7	1676.4
Circulatory, Cerebrovascular diseases (I60-I69)	817.8	930.3	889.5
Respiratory, Chronic lower respiratory diseases (J40-J47)	1100.9	590.4	775.5
Alzheimer's disease (G30)	629.1	805.0	741.2
<b>White</b>			
All Causes	15887.6	13329.9	14239.6
Circulatory, Heart disease (I00-I09, I11, I13, I20-I51)	4666.7	3817.7	4119.7
Neoplasm, malignant (C00-C97)	2145.9	1270.2	1581.7
Respiratory, Chronic lower respiratory diseases (J40-J47)	1253.9	856.3	997.7
Alzheimer's disease (G30)	736.8	1034.7	928.8
Circulatory, Cerebrovascular diseases (I60-I69)	827.3	963.4	915.0

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

See Technical Appendix for information on rates and race/ethnicity. Causes are the five leading causes of death for both sexes combined within each racial/ethnic category. Due to small numbers, causes are only shown if there are 3 or more deaths.

## Mortality Section

**Table M-13(a) Number of Deaths by Race/Ethnicity and Sex  
New Mexico, 2007-2011, and United States, 2007-2009**

	2007	2008	2009	2010	2011
<b>All Races</b>					
Male	8,233	8,008	8,094	8,299	8,510
Female	7,167	7,392	7,298	7,567	7,735
Both Sexes	15,400	15,400	15,392	15,866	16,245
<b>American Indian or Alaska Native</b>					
Male	657	648	629	649	668
Female	485	569	507	532	525
Both Sexes	1,142	1,217	1,136	1,181	1,193
<b>Asian or Pacific Islander</b>					
Male	36	31	40	52	48
Female	54	46	33	62	59
Both Sexes	90	77	73	114	107
<b>Black or African American</b>					
Male	163	160	142	156	156
Female	85	112	118	137	108
Both Sexes	248	272	260	293	264
<b>Hispanic</b>					
Male	2,788	2,660	2,750	2,766	2,960
Female	2,136	2,192	2,208	2,218	2,392
Both Sexes	4,924	4,852	4,958	4,984	5,352
<b>White</b>					
Male	4,553	4,476	4,487	4,640	4,639
Female	4,401	4,458	4,416	4,601	4,636
Both Sexes	8,954	8,934	8,903	9,241	9,275
<b>Other and Unknown Race/Ethnicity</b>					
Male	36	33	46	36	39
Female	6	15	16	17	15
Unknown Sex	0	0	0	0	0
Both Sexes	42	48	62	53	54
<b>United States</b>					
<b>All Races</b>					
Male	1,203,968	1,226,197	1,217,379	N/A	N/A
Female	1,219,744	1,245,787	1,219,784	N/A	N/A
Both Sexes	2,423,712	2,471,984	2,437,163	N/A	N/A

See Technical Appendix for information on race/ethnicity.

## Mortality Section

**Table M-13(b) Death Rates by Race/Ethnicity and Sex  
New Mexico, 2007-2011, and United States, 2007-2009**

	2007	2008	2009	2010	2011
<b>All Races</b>					
Male	926.7	883.2	873.7	870.8	869.1
Female	635.8	642.1	623.0	626.7	622.6
Both Sexes	770.7	756.2	738.7	742.1	735.9
<b>American Indian or Alaska Native</b>					
Male	1000.0	957.2	922.1	954.0	944.5
Female	647.3	718.3	630.2	657.6	619.4
Both Sexes	809.0	830.2	760.9	791.0	764.2
<b>Asian or Pacific Islander</b>					
Male	434.0	337.8	418.6	502.1	411.6
Female	440.4	376.5	238.8	424.9	405.5
Both Sexes	438.7	363.1	309.7	459.3	415.5
<b>Black or African American</b>					
Male	952.0	916.2	809.9	784.6	772.8
Female	475.4	615.1	600.8	681.4	516.0
Both Sexes	710.2	764.5	700.9	744.9	638.5
<b>Hispanic</b>					
Male	947.2	880.8	885.0	866.7	900.9
Female	617.3	618.0	599.7	581.7	603.8
Both Sexes	771.2	742.3	731.1	714.2	740.5
<b>White</b>					
Male	889.2	858.3	848.7	858.8	832.8
Female	649.7	643.6	635.2	648.9	637.5
Both Sexes	759.7	745.0	733.7	749.2	726.6
<b>United States</b>					
<b>All Races</b>					
Male	905.6	900.6	888.4	N/A	N/A
Female	643.4	643.4	625.5	N/A	N/A
Both Sexes	760.2	758.3	741.1	N/A	N/A

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and race/ethnicity. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-13(a).

## Mortality Section

**Table M-14(a) Number of Deaths for Leading Causes of Death  
New Mexico, 2002-2011**

Rank in 2002		Rank in 2011		Cause of death	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
1	1	1	1		Diseases of heart	3,148	3,146	3,161	3,376	3,331	3,263	3,174	3,152	3,186
2	2	2	2	Malignant neoplasms (cancer)	3,036	3,045	3,020	3,145	3,136	3,210	3,245	3,141	3,328	3,260
3	3	3	3	Accidents (unintentional injuries)	1,040	1,129	1,138	1,192	1,267	1,277	1,298	1,227	1,208	1,296
4	4	4	4	Chronic lower respiratory diseases	873	958	759	866	911	897	965	970	1,015	1,022
5	5	5	5	Cerebrovascular diseases (stroke)	687	724	609	625	632	649	714	714	798	704
6	6	6	6	Diabetes mellitus	585	639	637	623	560	642	562	592	636	594
10	7	7	7	Chronic liver disease and cirrhosis	295	307	278	286	322	383	367	360	372	461
8	8	8	8	Intentional self-harm (suicide)	348	343	359	341	347	400	406	372	410	419
9	9	9	9	Alzheimer's disease	335	383	343	345	358	324	359	369	339	417
7	10	10	10	Influenza and pneumonia	367	325	299	351	357	349	341	337	288	350
12	11	11	11	Nephritis, nephrotic syndrome and nephrosis	229	200	244	248	266	249	276	270	276	271
16	12	12	12	Septicemia	114	109	117	130	174	177	155	197	184	205
15	13	13	13	Parkinson's disease	125	166	145	153	173	164	158	161	171	169
13	14	14	14	Assault (homicide)	157	157	175	151	137	164	144	174	149	146
11	15	15	15	Essential primary hypertension and hypertensive renal disease	233	227	200	169	232	200	125	115	125	127
<b>ALL CAUSES</b>					14,114	14,493	14,197	14,866	15,231	15,400	15,400	15,392	15,866	16,245

Table is ranked by number of deaths for New Mexico.

## Mortality Section

**Table M-14(b) Death Rates for Leading Causes of Death  
New Mexico, 2002-2011**

Rank in 2002	Rank in 2011	Cause of death	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
1	1	Diseases of heart	178.7	174.5	170.9	178.1	171.9	163.6	155.4	150.7	148.7	147.3
2	2	Malignant neoplasms (cancer)	167.9	163.5	157.9	160.0	156.5	155.9	154.6	146.4	150.2	141.7
3	3	Accidents (unintentional injuries)	57.1	61.1	60.6	62.6	66.0	65.1	65.7	61.1	59.3	62.6
4	4	Chronic lower respiratory diseases	49.4	53.1	41.0	45.6	47.0	45.4	47.7	46.5	47.1	45.6
5	5	Cerebrovascular diseases (stroke)	39.5	40.7	33.5	33.4	33.0	33.0	35.8	34.7	37.8	32.5
6	6	Diabetes mellitus	32.5	34.6	33.6	32.2	28.0	31.6	27.2	28.0	29.2	26.2
10	7	Chronic liver disease and cirrhosis	15.8	16.2	14.4	14.5	15.6	18.6	17.7	16.8	16.7	20.4
8	8	Intentional self-harm (suicide)	19.0	18.4	18.9	17.8	17.7	20.3	20.3	18.1	19.9	20.3
9	9	Alzheimer's disease	19.8	22.1	19.3	19.0	19.2	17.0	18.4	18.4	16.6	19.7
7	10	Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis	21.2	18.3	16.4	18.8	18.8	17.9	16.9	16.4	13.8	16.3
12	11		13.0	11.0	13.1	13.2	13.4	12.6	13.5	13.0	13.0	12.1
16	12	Septicemia	6.4	6.0	6.2	6.7	8.9	8.8	7.6	9.3	8.3	9.3
15	13	Parkinson's disease	7.3	9.5	8.1	8.3	9.2	8.6	8.1	8.1	8.3	7.8
13	14	Assault (homicide)	8.5	8.4	9.3	7.9	7.2	8.5	7.5	8.8	7.4	7.4
11	15	Essential primary hypertension and hypertensive renal disease	13.4	12.9	11.0	9.0	12.1	10.1	6.3	5.4	5.7	5.8
<b>ALL CAUSES</b>			<b>792.7</b>	<b>795.1</b>	<b>760.1</b>	<b>778.0</b>	<b>780.1</b>	<b>770.7</b>	<b>756.2</b>	<b>738.7</b>	<b>742.1</b>	<b>735.9</b>

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates. Table is ranked by number of deaths for New Mexico. See numbers in Table M-14(a).

## Mortality Section

**Table M-15(a) Number of Deaths for 39 Selected Causes by Age**

**New Mexico, 2011**

Cause of Death – (ICD-10 Code)	0-4 Years	5-24 Years	25-64 Years	65+ Years	Unknown Age	All Ages
Tuberculosis (A16-A19)	0	0	1	5	0	6
Syphilis (A50-A53)	0	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	18	1	0	19
Malignant neoplasms (C00-C97)	3	19	971	2,267	0	3,260
Malignant neoplasm of stomach (C16)	0	0	33	56	0	89
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	1	101	230	0	332
Malignant neoplasm of pancreas (C25)	0	0	68	152	0	220
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	181	508	0	689
Malignant neoplasm of breast (C50)	0	0	104	144	0	248
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	0	0	62	102	0	164
Malignant neoplasm of prostate (C61)	0	0	13	171	0	184
Malignant neoplasms of urinary tract (C64-C68)	0	0	45	157	0	202
Non-Hodgkin's lymphoma (C82-C85)	0	1	31	81	0	113
Leukemia (C91-C95)	2	7	20	71	0	100
Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52,C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)	1	10	313	595	0	919
Diabetes mellitus (E10-E14)	0	4	157	433	0	594
Alzheimer's disease (G30)	0	0	5	412	0	417
Major cardiovascular diseases (I00-I78)	6	9	795	3,427	0	4,237
Diseases of heart (I00-I09, I11, I13, I20-I51)	4	7	645	2,619	0	3,275
Hypertensive heart disease with or without renal disease (I11,I13)	0	0	57	168	0	225
Ischemic heart diseases (I20-I25)	0	0	467	1,739	0	2,206
Other diseases of heart (I00-I09,I26-I51)	4	7	121	712	0	844
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	0	0	20	107	0	127
Cerebrovascular diseases (I60-I69)	2	2	101	599	0	704
Atherosclerosis (I70)	0	0	4	25	0	29
Other diseases of circulatory system (I71-I78)	0	0	25	77	0	102
Influenza and pneumonia (J10-J18)	4	3	64	279	0	350
Chronic lower respiratory diseases (J40-J47)	1	2	130	889	0	1,022
Peptic ulcer (K25-K28)	0	0	7	17	0	24
Chronic liver disease and cirrhosis (K70,K73-K74)	0	1	348	111	1	461
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	0	0	50	221	0	271
Pregnancy, childbirth and the puerperium (O00-O99)	0	5	6	0	0	11
Certain conditions originating in the perinatal period (P00-P96)	75	1	2	1	0	79
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	33	6	15	5	0	59
Sudden infant death syndrome (R95)	5	0	0	0	0	5
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94,R96-R99)	8	7	92	109	0	216
All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07,E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72,K75-M99,N10-N15,N20-N23,N28-N98)	22	24	807	2,434	0	3,287
Motor vehicle accidents (V02-V04,V090,V092,V12-V14,V190-V192,V194-V196,V20-V79,V803-V805,V810-V811,V820-V821,V83-V86,V870-V878,V880-V888,V890,V892)	16	64	187	33	0	300
All other and unspecified accidents and adverse effects (V01,V05-V06,V091,V093-V099,V10-V11,V15-V18,V193,V198-V199,V800-V802,V806-V809,V812-V819,V822-V829,V879,V889,V891,V893,V899,V90-X59,Y40-Y86,Y88)	14	68	562	380	0	1,024
Intentional self-harm (suicide) (X60-X84,Y870)	0	63	291	64	1	419
Assault (homicide) (X85-Y09,Y871)	7	32	99	8	0	146
All other external (injury) causes (Y10-Y36,Y872,Y89)	0	5	30	3	0	38

## Mortality Section

**Table M-15(b) Death Rates for 39 Selected Causes by Age**  
**New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	0-4 Years	5-24 Years	25-64 Years	65+ Years	All Ages
Tuberculosis (A16-A19)	0.0	0.0	0.1	1.7	0.3
Syphilis (A50-A53)	0.0	0.0	0.0	0.0	0.0
Human immunodeficiency virus (HIV) disease (B20-B24)	0.0	0.0	1.7	0.3	1.0
Malignant neoplasms (C00-C97)	2.1	3.4	90.7	776.6	141.7
Malignant neoplasm of stomach (C16)	0.0	0.0	3.1	19.2	4.0
Malignant neoplasms of colon, rectum and anus (C18-C21)	0.0	0.2	9.4	78.8	14.6
Malignant neoplasm of pancreas (C25)	0.0	0.0	6.4	52.1	9.4
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0.0	0.0	16.9	174.0	29.6
Malignant neoplasm of breast (C50)	0.0	0.0	9.7	49.3	11.1
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	0.0	0.0	5.8	34.9	7.0
Malignant neoplasm of prostate (C61)	0.0	0.0	1.2	58.6	8.4
Malignant neoplasms of urinary tract (C64-C68)	0.0	0.0	4.2	53.8	8.9
Non-Hodgkin's lymphoma (C82-C85)	0.0	0.2	2.9	27.8	5.0
Leukemia (C91-C95)	1.4	1.2	1.9	24.3	4.4
Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52,C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)	0.7	1.8	29.2	203.8	39.4
Diabetes mellitus (E10-E14)	0.0	0.7	14.7	148.3	26.2
Alzheimer's disease (G30)	0.0	0.0	0.5	141.1	19.7
Major cardiovascular diseases (I00-I78)	4.2	1.6	74.3	1,173.9	191.5
Diseases of heart (I00-I09, I11, I13, I20-I51)	2.8	1.2	60.3	897.1	147.3
Hypertensive heart disease with or without renal disease (I11,I13)	0.0	0.0	5.3	57.6	10.1
Ischemic heart diseases (I20-I25)	0.0	0.0	43.6	595.7	98.5
Other diseases of heart (I00-I09,I26-I51)	2.8	1.2	11.3	243.9	38.6
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	0.0	0.0	1.9	36.6	5.8
Cerebrovascular diseases (I60-I69)	1.4	0.4	9.4	205.2	32.5
Atherosclerosis (I70)	0.0	0.0	0.4	8.6	1.3
Other diseases of circulatory system (I71-I78)	0.0	0.0	2.3	26.4	4.6
Influenza and pneumonia (J10-J18)	2.8	0.5	6.0	95.6	16.3
Chronic lower respiratory diseases (J40-J47)	0.7	0.4	12.2	304.5	45.6
Peptic ulcer (K25-K28)	0.0	0.0	0.6	5.8	1.1
Chronic liver disease and cirrhosis (K70,K73-K74)	0.0	0.2	32.5	38.0	20.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	0.0	0.0	4.7	75.7	12.1
Pregnancy, childbirth and the puerperium (O00-O99)	0.0	0.9	0.6	0.0	0.6
Certain conditions originating in the perinatal period (P00-P96)	52.6	0.2	0.2	0.3	3.9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23.1	1.0	1.4	1.7	2.8
Sudden infant death syndrome (R95)	3.5	0.0	0.0	0.0	0.2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94,R96-R99)	5.6	1.2	8.6	37.3	9.7
All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07,E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72,K75-M99,N10-N15,N20-N23,N28-N98)	15.4	4.2	75.4	833.8	149.3
Motor vehicle accidents (V02-V04,V090,V092,V12-V14,V190-V192,V194-V196,V20-V79,V803-V805,V810-V811,V820-V821,V83-V86,V870-V878,V880-V888,V890,V892)	11.2	11.2	17.5	11.3	14.4
All other and unspecified accidents and adverse effects (V01,V05-V06,V091,V093-V099,V10-V11,V15-V18,V193,V198-V199,V800-V802,V806-V809,V812-V819,V822-V829,V879,V889,V891,V893,V899,V90-X59,Y40-Y86,Y88)	9.8	11.9	52.5	130.2	49.4
Intentional self-harm (suicide) (X60-X84,Y870)	0.0	11.0	27.2	21.9	20.3
Assault (homicide) (X85-Y09,Y871)	4.9	5.6	9.2	2.7	7.4
All other external (injury) causes (Y10-Y36,Y872,Y89)	0.0	0.9	2.8	1.0	1.9

Age-specific death rates are the numbers of deaths per 100,000 in specified age group.

Age-adjusted death rates (all ages) are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-15(a).

## Mortality Section

**Table M-16(a) Number of Deaths for 39 Selected Causes by Sex  
New Mexico, 2011**

Cause of Death – (ICD-10 Code)	Male	Female	Both Sexes
Tuberculosis (A16-A19)	2	4	6
Syphilis (A50-A53)	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	19	0	19
Malignant neoplasms (C00-C97)	1,726	1,534	3,260
Malignant neoplasm of stomach (C16)	51	38	89
Malignant neoplasms of colon, rectum and anus (C18-C21)	182	150	332
Malignant neoplasm of pancreas (C25)	113	107	220
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	381	308	689
Malignant neoplasm of breast (C50)	1	247	248
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	0	164	164
Malignant neoplasm of prostate (C61)	184	0	184
Malignant neoplasms of urinary tract (C64-C68)	137	65	202
Non-Hodgkin's lymphoma (C82-C85)	65	48	113
Leukemia (C91-C95)	57	43	100
Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52,C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)	555	364	919
Diabetes mellitus (E10-E14)	306	288	594
Alzheimer's disease (G30)	126	291	417
Major cardiovascular diseases (I00-I78)	2,201	2,036	4,237
Diseases of heart (I00-I09, I11, I13, I20-I51)	1,782	1,493	3,275
Hypertensive heart disease with or without renal disease (I11,I13)	103	122	225
Ischemic heart diseases (I20-I25)	1,302	904	2,206
Other diseases of heart (I00-I09,I26-I51)	377	467	844
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	53	74	127
Cerebrovascular diseases (I60-I69)	299	405	704
Atherosclerosis (I70)	11	18	29
Other diseases of circulatory system (I71-I78)	56	46	102
Influenza and pneumonia (J10-J18)	170	180	350
Chronic lower respiratory diseases (J40-J47)	510	512	1,022
Peptic ulcer (K25-K28)	10	14	24
Chronic liver disease and cirrhosis (K70,K73-K74)	300	161	461
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	140	131	271
Pregnancy, childbirth and the puerperium (O00-O99)	0	11	11
Certain conditions originating in the perinatal period (P00-P96)	40	39	79
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	29	30	59
Sudden infant death syndrome (R95)	3	2	5
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94,R96-R99)	124	92	216
All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07,E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72,K75-M99,N10-N15,N20-N23,N28-N98)	1,511	1,776	3,287
Motor vehicle accidents (V02-V04,V090,V092,V12-V14,V190-V192,V194-V196,V20-V79,V803-V805,V810-V811,V820-V821,V83-V86,V870-V878,V880-V888,V890,V892)	220	80	300
All other and unspecified accidents and adverse effects (V01,V05-V06,V091,V093-V099,V10-V11,V15-V18,V193,V198-V199,V800-V802,V806-V809,V812-V819,V822-V829,V879,V889,V891,V893,V899,V90-X59,Y40-Y86,Y88)	617	407	1,024
Intentional self-harm (suicide) (X60-X84,Y870)	314	105	419
Assault (homicide) (X85-Y09,Y871)	118	28	146
All other external (injury) causes (Y10-Y36,Y872,Y89)	24	14	38

## Mortality Section

**Table M-16(b) Death Rates for 39 Selected Causes by Sex  
New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	Male	Female	Both Sexes
Tuberculosis (A16-A19)	0.2	0.3	0.3
Syphilis (A50-A53)	0.0	0.0	0.0
Human immunodeficiency virus (HIV) disease (B20-B24)	1.9	0.0	1.0
Malignant neoplasms (C00-C97)	168.3	122.4	141.7
Malignant neoplasm of stomach (C16)	5.0	3.2	4.0
Malignant neoplasms of colon, rectum and anus (C18-C21)	17.8	11.9	14.6
Malignant neoplasm of pancreas (C25)	11.0	8.2	9.4
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	36.3	24.3	29.6
Malignant neoplasm of breast (C50)	0.1	20.5	11.1
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	0.0	13.0	7.0
Malignant neoplasm of prostate (C61)	20.1	0.0	8.4
Malignant neoplasms of urinary tract (C64-C68)	13.6	5.1	8.9
Non-Hodgkin's lymphoma (C82-C85)	6.3	3.9	5.0
Leukemia (C91-C95)	5.6	3.4	4.4
Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52,C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)	52.4	29.0	39.4
Diabetes mellitus (E10-E14)	30.4	22.9	26.2
Alzheimer's disease (G30)	15.4	22.5	19.7
Major cardiovascular diseases (I00-I78)	230.1	159.1	191.5
Diseases of heart (I00-I09, I11, I13, I20-I51)	185.0	116.3	147.3
Hypertensive heart disease with or without renal disease (I11,I13)	10.4	9.5	10.1
Ischemic heart diseases (I20-I25)	133.2	70.2	98.5
Other diseases of heart (I00-I09,I26-I51)	41.4	36.6	38.6
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	5.8	5.7	5.8
Cerebrovascular diseases (I60-I69)	32.4	32.1	32.5
Atherosclerosis (I70)	1.2	1.4	1.3
Other diseases of circulatory system (I71-I78)	5.6	3.7	4.6
Influenza and pneumonia (J10-J18)	18.9	14.4	16.3
Chronic lower respiratory diseases (J40-J47)	53.6	40.1	45.6
Peptic ulcer (K25-K28)	1.1	1.1	1.1
Chronic liver disease and cirrhosis (K70,K73-K74)	27.2	14.1	20.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	15.0	10.2	12.1
Pregnancy, childbirth and the puerperium (O00-O99)	0.0	1.2	0.6
Certain conditions originating in the perinatal period (P00-P96)	3.9	4.0	3.9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2.8	2.9	2.8
Sudden infant death syndrome (R95)	0.3	0.2	0.2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94,R96-R99)	12.4	7.5	9.7
All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07,E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72,K75-M99,N10-N15,N20-N23,N28-N98)	157.5	141.0	149.3
Motor vehicle accidents (V02-V04,V090,V092,V12-V14,V190-V192,V194-V196,V20-V79,V803-V805,V810-V811,V820-V821,V83-V86,V870-V878,V880-V888,V890,V892)	21.4	7.7	14.4
All other and unspecified accidents and adverse effects (V01,V05-V06,V091,V093-V099,V10-V11,V15-V18,V193,V198-V199,V800-V802,V806-V809,V812-V819,V822-V829,V879,V889,V891,V893,V899,V90-X59,Y40-Y86,Y88)	62.8	36.8	49.4
Intentional self-harm (suicide) (U03,X60-X84,Y870)	31.3	9.9	20.3
Assault (homicide) (U01-U02,X85-Y09,Y871)	12.1	2.8	7.4
All other external (injury) causes (Y10-Y36,Y872,Y89)	2.4	1.4	1.9

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-16(a).

## Mortality Section

**Table M-17 (a) Number of Deaths for 39 Selected Causes by Health Region  
New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	Northwest	Northeast	Metro	Southeast	Southwest	Unknown	
						Region	All Regions
Tuberculosis (A16-A19)	0	2	1	1	2	0	6
Syphilis (A50-A53)	0	0	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	2	5	10	1	1	0	19
Malignant neoplasms (C00-C97)	299	498	1,308	498	656	1	3,260
Malignant neoplasm of stomach (C16)	12	12	38	10	17	0	89
Malignant neoplasms of colon, rectum and anus (C18-C21)	32	48	131	52	69	0	332
Malignant neoplasm of pancreas (C25)	21	36	87	33	43	0	220
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	56	103	277	95	158	0	689
Malignant neoplasm of breast (C50)	22	44	95	33	54	0	248
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	17	26	62	32	27	0	164
Malignant neoplasm of prostate (C61)	24	30	63	31	36	0	184
Malignant neoplasms of urinary tract (C64-C68)	16	24	88	32	42	0	202
Non-Hodgkin's lymphoma (C82-C85)	9	9	65	13	16	1	113
Leukemia (C91-C95)	9	17	35	23	16	0	100
Other malignant neoplasms (C00-C15, C17, C22-C24, C26-C32, C37-C49, C51-C52, C57-C60, C62-C63, C69-C81, C88, C90, C96-C97)	81	149	367	144	178	0	919
Diabetes mellitus (E10-E14)	78	104	234	81	97	0	594
Alzheimer's disease (G30)	44	48	180	84	61	0	417
Major cardiovascular diseases (I00-I78)	346	555	1,775	719	842	0	4,237
Diseases of heart (I00-I09, I11, I13, I20-I51)	282	420	1,345	578	650	0	3,275
Hypertensive heart disease with or without renal disease (I11, I13)	13	30	137	21	24	0	225
Ischemic heart diseases (I20-I25)	165	277	872	421	471	0	2,206
Other diseases of heart (I00-I09, I26-I51)	104	113	336	136	155	0	844
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	12	25	49	15	26	0	127
Cerebrovascular diseases (I60-I69)	39	94	336	97	138	0	704
Atherosclerosis (I70)	2	2	2	10	13	0	29
Other diseases of circulatory system (I71-I78)	11	14	43	19	15	0	102
Influenza and pneumonia (J10-J18)	44	41	126	61	78	0	350
Chronic lower respiratory diseases (J40-J47)	87	129	392	206	208	0	1,022
Peptic ulcer (K25-K28)	0	7	10	6	1	0	24
Chronic liver disease and cirrhosis (K70, K73-K74)	60	83	190	54	74	0	461
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	34	33	100	46	58	0	271
Pregnancy, childbirth and the puerperium (O00-O99)	1	1	3	2	4	0	11
Certain conditions originating in the perinatal period (P00-P96)	7	12	32	13	15	0	79
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	16	4	25	8	6	0	59
Sudden infant death syndrome (R95)	1	0	3	1	0	0	5
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94, R96-R99)	18	13	43	89	53	0	216
All other diseases (Residual) (A00-A09, A20-A49, A54-B19, B25-B99, D00-E07, E15-G25, G31-H93, I80-J06, J20-J39, J60-K22, K29-K66, K71-K72, K75-M99, N10-N15, N20-N23, N28-N98)	331	496	1,397	423	639	1	3,287
Motor vehicle accidents (V02-V04, V090, V092, V12-V14, V190-V192, V194-V196, V20-V79, V803-V805, V810-V811, V820-V821, V83-V86, V870-V878, V880-V888, V890, V892)	51	53	103	54	38	1	300
All other and unspecified accidents and adverse effects (V01, V05-V06, V091, V093-V099, V10-V11, V15-V18, V193, V198-V199, V800-V802, V806-V809, V812-V819, V822-V829, V879, V889, V891, V893, V899, V90-X59, Y40-Y86, Y88)	128	177	452	123	144	0	1,024
Intentional self-harm (suicide) (X60-X84, Y870)	46	65	190	39	79	0	419
Assault (homicide) (X85-Y09, Y871)	24	25	48	32	16	1	146
All other external (injury) causes (Y10-Y36, Y872, Y89)	7	3	16	1	11	0	38

See Technical Appendix for information on health regions.

## Mortality Section

**Table M-17(b) Death Rates for 39 Selected Causes by Health Region  
New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	Northwest	Northeast	Metro	Southeast	Southwest	All Regions
Tuberculosis (A16-A19)	0.0	0.6	0.1	0.3	0.4	0.3
Syphilis (A50-A53)	0.0	0.0	0.0	0.0	0.0	0.0
Human immunodeficiency virus (HIV) disease (B20-B24)	0.8	1.8	1.2	0.4	0.4	1.0
Malignant neoplasms (C00-C97)	144.0	130.9	139.5	157.2	146.1	141.7
Malignant neoplasm of stomach (C16)	5.8	3.2	4.0	3.3	4.4	4.0
Malignant neoplasms of colon, rectum and anus (C18-C21)	15.8	13.2	14.0	16.5	15.6	14.6
Malignant neoplasm of pancreas (C25)	10.3	8.5	9.2	10.3	9.6	9.4
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	26.6	27.4	29.5	29.6	33.8	29.6
Malignant neoplasm of breast (C50)	10.2	11.8	10.2	11.2	13.2	11.1
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	7.9	7.0	6.6	10.2	5.8	7.0
Malignant neoplasm of prostate (C61)	13.0	8.4	7.0	10.0	7.8	8.4
Malignant neoplasms of urinary tract (C64-C68)	7.1	6.1	9.7	10.2	9.1	8.9
Non-Hodgkin's lymphoma (C82-C85)	4.8	2.1	7.1	3.9	3.5	5.0
Leukemia (C91-C95)	4.2	4.6	3.8	7.2	3.7	4.4
Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52,C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)	38.3	38.5	38.5	44.7	39.7	39.4
Diabetes mellitus (E10-E14)	38.5	28.4	25.0	25.8	22.2	26.2
Alzheimer's disease (G30)	24.2	14.3	20.3	27.5	14.7	19.7
Major cardiovascular diseases (I00-I78)	177.6	159.8	193.2	232.1	193.5	191.5
Diseases of heart (I00-I09, I11, I13, I20-I51)	143.9	120.2	145.8	185.5	147.8	147.3
Hypertensive heart disease with or without renal disease (I11,I13)	6.9	8.5	14.9	6.6	5.3	10.1
Ischemic heart diseases (I20-I25)	82.2	78.6	94.1	134.8	106.3	98.5
Other diseases of heart (I00-I09,I26-I51)	54.7	33.1	36.8	44.0	36.2	38.6
Essential (primary) hypertension and hypertensive renal disease (I10,I12)	6.0	7.7	5.2	4.9	6.3	5.8
Cerebrovascular diseases (I60-I69)	21.1	27.4	37.4	32.3	32.8	32.5
Atherosclerosis (I70)	1.1	0.6	0.2	3.0	3.2	1.3
Other diseases of circulatory system (I71-I78)	5.5	3.8	4.6	6.4	3.3	4.6
Influenza and pneumonia (J10-J18)	23.3	12.2	13.9	20.3	19.1	16.3
Chronic lower respiratory diseases (J40-J47)	45.2	36.0	42.8	66.1	45.9	45.6
Peptic ulcer (K25-K28)	0.0	1.8	1.1	2.0	0.3	1.1
Chronic liver disease and cirrhosis (K70,K73-K74)	27.8	22.6	19.7	17.4	18.2	20.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16.8	9.1	10.8	15.0	13.1	12.1
Pregnancy, childbirth and the puerperium (O00-O99)	0.4	0.4	0.3	0.7	1.3	0.6
Certain conditions originating in the perinatal period (P00-P96)	2.7	5.1	3.9	4.1	4.2	3.9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6.2	1.3	2.8	2.5	1.7	2.8
Sudden infant death syndrome (R95)	0.4	0.0	0.4	0.3	0.0	0.2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94,R96-R99)	8.1	3.7	4.7	28.4	13.4	9.7
All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07,E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72,K75-M99,N10-N15,N20-N23,N28-N98)	164.5	143.1	152.7	137.0	148.5	149.3
Motor vehicle accidents (V02-V04,V090,V092,V12-V14,V190-V192,V194-V196,V20-V79,V803-V805,V810-V811,V820-V821,V83-V86,V870-V878,V880-V888,V890,V892)	23.2	18.4	11.3	18.2	10.2	14.4
All other and unspecified accidents and adverse effects (V01,V05-V06,V091,V093-V099,V10-V11,V15-V18,V193,V198-V199,V800-V802,V806-V809,V812-V819,V822-V829,V879,V889,V891,V893,V899,V90-X59,Y40-Y86,Y88)	62.5	58.4	49.9	43.4	38.6	49.4
Intentional self-harm (suicide) (X60-X84,Y870)	20.5	21.0	21.1	14.7	21.3	20.3
Assault (homicide) (X85-Y09,Y871)	10.9	9.5	5.6	12.1	4.6	7.4
All other external (injury) causes (Y10-Y36,Y872,Y89)	3.0	0.6	1.9	0.5	3.3	1.9

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and health regions. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-17(a).

## Mortality Section

**Table M-18(a) Number of Deaths for 39 Selected Causes by Race/Ethnicity  
New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	American Indian or Alaska Native	Asian or Pacific Islander	Black or African American	Hispanic	White	Unknown Race/Ethnicity	All Races
Tuberculosis (A16-A19)	1	0	0	5	0	0	6
Syphilis (A50-A53)	0	0	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	3	0	3	9	4	0	19
Malignant neoplasms (C00-C97)	154	31	53	1,038	1,979	5	3,260
Malignant neoplasm of stomach (C16)	10	4	2	47	26	0	89
Malignant neoplasms of colon, rectum and anus (C18-C21)	22	0	7	111	192	0	332
Malignant neoplasm of pancreas (C25)	13	4	2	77	123	1	220
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	6	5	17	191	470	0	689
Malignant neoplasm of breast (C50)	7	3	7	76	155	0	248
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	11	2	1	50	100	0	164
Malignant neoplasm of prostate (C61)	9	0	0	53	121	1	184
Malignant neoplasms of urinary tract (C64-C68)	15	0	1	74	112	0	202
Non-Hodgkin's lymphoma (C82-C85)	12	2	1	36	61	1	113
Leukemia (C91-C95)	4	2	3	30	61	0	100
Other malignant neoplasms (C00-C15, C17, C22-C24, C26-C32, C37-C49, C51-C52, C57-C60, C62-C63, C69-C81, C88, C90, C96-C97)	45	9	12	293	558	2	919
Diabetes mellitus (E10-E14)	98	3	12	272	208	1	594
Alzheimer's disease (G30)	5	1	5	110	296	0	417
Major cardiovascular diseases (I00-I78)	193	28	80	1,277	2,646	13	4,237
Diseases of heart (I00-I09, I11, I13, I20-I51)	147	15	59	956	2,086	12	3,275
Hypertensive heart disease with or without renal disease (I11, I13)	5	2	8	75	134	1	225
Ischemic heart diseases (I20-I25)	92	9	40	648	1,406	11	2,206
Other diseases of heart (I00-I09, I26-I51)	50	4	11	233	546	0	844
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	6	3	5	45	68	0	127
Cerebrovascular diseases (I60-I69)	32	9	12	239	411	1	704
Atherosclerosis (I70)	0	0	0	6	23	0	29
Other diseases of circulatory system (I71-I78)	8	1	4	31	58	0	102
Influenza and pneumonia (J10-J18)	42	5	2	104	197	0	350
Chronic lower respiratory diseases (J40-J47)	10	1	16	230	757	8	1,022
Peptic ulcer (K25-K28)	1	0	1	7	14	1	24
Chronic liver disease and cirrhosis (K70, K73-K74)	87	1	3	231	138	1	461
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	36	3	7	91	134	0	271
Pregnancy, childbirth and the puerperium (O00-O99)	2	0	1	6	2	0	11
Certain conditions originating in the perinatal period (P00-P96)	11	2	6	42	18	0	79
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	1	3	31	16	0	59
Sudden infant death syndrome (R95)	1	0	0	3	1	0	5
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94, R96-R99)	18	0	4	74	117	3	216
All other diseases (Residual) (A00-A09, A20-A49, A54-B19, B25-B99, D00-E07, E15-G25, G31-H93, I80-J06, J20-J39, J60-K22, K29-K66, K71-K72, K75-M99, N10-N15, N20-N23, N28-N98)	282	16	35	1,070	1,871	13	3,287
Motor vehicle accidents (V02-V04, V090, V092, V12-V14, V190-V192, V194-V196, V20-V79, V803-V805, V810-V811, V820-V821, V83-V86, V870-V878, V880-V888, V890, V892)	58	4	4	138	94	2	300
All other and unspecified accidents and adverse effects (V01, V05-V06, V091, V093-V099, V10-V11, V15-V18, V193, V198-V199, V800-V802, V806-V809, V812-V819, V822-V829, V879, V889, V891, V893, V899, V90-X59, Y40-Y86, Y88)	108	5	14	394	499	4	1,024
Intentional self-harm (suicide) (X60-X84, Y870)	41	5	5	124	242	2	419
Assault (homicide) (X85-Y09, Y871)	28	1	10	74	33	0	146
All other external (injury) causes (Y10-Y36, Y872, Y89)	6	0	0	22	9	1	38

See Technical Appendix for information on race/ethnicity.

## Mortality Section

**Table M-18(b) Death Rates for 39 Selected Causes by Race/Ethnicity  
New Mexico, 2011**

Cause of Death -- (ICD-10 Code)	American Indian or Alaska Native	Asian or Pacific Islander	Black or African American	Hispanic	White	All Races
Tuberculosis (A16-A19)	0.9	0.0	0.0	0.7	0.0	0.3
Syphilis (A50-A53)	0.0	0.0	0.0	0.0	0.0	0.0
Human immunodeficiency virus (HIV) disease (B20-B24)	1.5	0.0	6.0	1.1	0.5	1.0
Malignant neoplasms (C00-C97)	97.4	107.6	130.0	140.8	148.9	141.7
Malignant neoplasm of stomach (C16)	7.8	18.5	3.3	6.3	1.9	4.0
Malignant neoplasms of colon, rectum and anus (C18-C21)	12.8	0.0	14.2	15.3	14.3	14.6
Malignant neoplasm of pancreas (C25)	8.5	17.3	5.4	10.4	8.9	9.4
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	3.7	14.7	40.6	26.1	34.8	29.6
Malignant neoplasm of breast (C50)	3.8	11.8	20.1	10.0	13.0	11.1
Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)	7.1	4.4	1.7	6.7	7.6	7.0
Malignant neoplasm of prostate (C61)	7.6	0.0	0.0	7.9	8.9	8.4
Malignant neoplasms of urinary tract (C64-C68)	9.1	0.0	1.7	10.4	8.3	8.9
Non-Hodgkin's lymphoma (C82-C85)	8.2	7.4	2.5	4.9	4.6	5.0
Leukemia (C91-C95)	1.5	5.2	8.3	4.0	4.4	4.4
Other malignant neoplasms (C00-C15, C17, C22-C24, C26-C32, C37-C49, C51-C52, C57-C60, C62-C63, C69-C81, C88, C90, C96-C97)	27.2	28.4	32.1	38.6	42.1	39.4
Diabetes mellitus (E10-E14)	69.8	11.8	30.1	38.0	16.0	26.2
Alzheimer's disease (G30)	4.3	6.8	17.2	18.1	21.8	19.7
Major cardiovascular diseases (I00-I78)	139.8	123.7	204.0	188.4	197.1	191.5
Diseases of heart (I00-I09, I11, I13, I20-I51)	106.3	66.0	148.4	140.7	155.1	147.3
Hypertensive heart disease with or without renal disease (I11, I13)	3.6	9.6	22.4	10.9	10.4	10.1
Ischemic heart diseases (I20-I25)	66.6	42.4	98.3	94.8	104.3	98.5
Other diseases of heart (I00-I09, I26-I51)	36.1	14.0	27.7	35.0	40.4	38.6
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	3.9	15.9	12.8	6.8	5.0	5.8
Cerebrovascular diseases (I60-I69)	23.6	39.9	32.7	35.7	30.8	32.5
Atherosclerosis (I70)	0.0	0.0	0.0	1.1	1.6	1.3
Other diseases of circulatory system (I71-I78)	5.9	2.0	10.1	4.2	4.4	4.6
Influenza and pneumonia (J10-J18)	32.2	23.8	4.1	15.6	15.2	16.3
Chronic lower respiratory diseases (J40-J47)	7.2	3.3	39.2	34.7	55.2	45.6
Peptic ulcer (K25-K28)	0.4	0.0	2.5	0.9	1.1	1.1
Chronic liver disease and cirrhosis (K70, K73-K74)	48.0	2.2	6.5	27.0	11.7	20.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	25.3	13.0	21.0	12.6	10.2	12.1
Pregnancy, childbirth and the puerperium (O00-O99)	1.0	0.0	1.4	0.7	0.3	0.6
Certain conditions originating in the perinatal period (P00-P96)	4.5	5.4	7.4	3.9	3.4	3.9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2.8	2.7	4.6	3.0	1.9	2.8
Sudden infant death syndrome (R95)	0.4	0.0	0.0	0.3	0.2	0.2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94, R96-R99)	10.7	0.0	8.3	9.4	10.0	9.7
All other diseases (Residual) (A00-A09, A20-A49, A54-B19, B25-B99, D00-E07, E15-G25, G31-H93, I80-J06, J20-J39, J60-K22, K29-K66, K71-K72, K75-M99, N10-N15, N20-N23, N28-N98)	196.2	75.7	91.1	154.1	143.7	149.3
Motor vehicle accidents (V02-V04, V090, V092, V12-V14, V190-V192, V194-V196, V20-V79, V803-V805, V810-V811, V820-V821, V83-V86, V870-V878, V880-V888, V890, V892)	27.1	10.1	5.6	15.5	10.5	14.4
All other and unspecified accidents and adverse effects (V01, V05-V06, V091, V093-V099, V10-V11, V15-V18, V193, V198-V199, V800-V802, V806-V809, V812-V819, V822-V829, V879, V889, V891, V893, V899, V90-X59, Y40-Y86, Y88)	59.6	16.1	28.0	50.2	47.9	49.4
Intentional self-harm (suicide) (X60-X84, Y870)	19.6	11.1	11.4	14.4	26.0	20.3
Assault (homicide) (X85-Y09, Y871)	13.2	2.0	20.4	8.4	4.1	7.4
All other external (injury) causes (Y10-Y36, Y872, Y89)	2.5	0.0	0.0	2.5	1.1	1.9

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and race/ethnicity. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

See numbers in Table M-18(a).

# Mortality Section

**Table M-19 Number of Injury Deaths by Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

	Total Injuries		Accidents (Unintentional Injuries)		All other accidents		Intentional self-harm (suicide)		Assault (homicide)		Other Injury								
	(Unintentional and Intentional)		Motor Vehicle Accidents		Both		Intentional self-harm (suicide)		Assault (homicide)		Both								
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female							
<b>United States</b>	121,931	57,839	179,770	25,430	10,786	36,216	49,592	32,213	81,805	29,089	7,820	36,909	13,126	3,673	16,799	4,694	3,347	8,041	
<b>New Mexico</b>	1,293	634	1,927	220	80	300	604	392	996	314	105	419	118	28	146	37	29	66	
<b>County</b>																			
Bernalillo	398	197	595	47	19	66	203	127	330	105	36	141	28	8	36	15	7	22	
Blanco	3	0	3	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	
Catron	43	27	70	8	4	12	22	14	36	7	6	13	6	1	7	0	2	2	
Chaves	18	12	30	3	2	5	7	10	17	4	0	4	3	0	3	1	0	1	
Cibola	8	4	12	2	0	2	3	3	6	2	1	3	0	0	0	1	0	1	
Colfax	27	13	40	9	4	13	10	8	18	5	0	5	3	1	4	0	0	0	
Curry	2	1	3	2	0	2	0	1	1	0	0	0	0	0	0	0	0	0	
De Baca	91	48	139	11	5	16	36	28	64	32	10	42	7	1	8	5	4	9	
Dona Ana	32	11	43	6	0	6	14	10	24	9	0	9	3	1	4	0	0	0	
Eddy	16	9	25	3	0	3	5	6	11	5	2	7	3	1	4	0	0	0	
Grant	4	0	4	0	0	0	0	0	3	0	0	1	0	0	0	0	0	0	
Guadalupe	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	
Harding	3	3	6	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	
Hidalgo	32	19	51	9	2	10	6	15	24	5	2	7	9	1	10	0	0	1	
Lea	14	5	19	4	1	6	6	1	7	2	0	2	2	0	3	0	0	0	
Lincoln	4	4	8	0	0	0	2	3	5	2	1	3	0	0	0	0	0	0	
Los Alamos	13	10	23	2	0	2	5	9	14	3	0	3	1	0	1	1	2	3	
Luna	65	24	89	14	7	21	27	17	34	11	7	18	10	1	11	3	2	5	
McKinley	4	2	6	1	0	1	3	1	4	0	1	1	0	0	0	0	0	0	
Mora	37	15	52	8	1	9	11	8	19	15	5	20	2	0	2	1	1	2	
Otero	9	2	11	3	1	4	4	0	4	0	0	0	2	1	3	0	0	0	
Quay	53	16	69	8	5	13	29	8	37	11	1	12	5	2	7	0	0	0	
Rio Arriba	8	4	12	1	0	1	3	4	7	3	0	3	1	0	1	0	0	0	
Roosevelt	84	39	123	15	3	18	39	22	61	22	12	34	7	1	8	1	1	2	
Sandoval	91	46	137	18	7	25	40	32	72	21	3	24	8	2	10	4	2	6	
San Juan	28	13	41	8	1	9	13	9	22	4	2	6	3	1	4	0	0	0	
San Miguel	95	46	141	11	7	18	53	26	79	21	8	29	8	3	11	2	2	4	
Santa Fe	14	10	24	2	0	2	10	7	17	2	2	4	0	0	0	0	1	1	
Sierra	10	6	16	5	1	6	4	3	7	1	1	2	0	0	0	0	0	0	
Socorro	26	10	36	7	2	9	9	5	14	5	3	8	3	0	3	2	0	2	
Taos	8	7	15	3	0	3	3	3	6	2	0	2	0	0	0	0	0	0	
Torrance	4	1	5	1	0	1	1	1	2	2	2	2	0	0	0	0	0	0	
Union	46	30	76	8	8	16	25	15	40	11	0	13	2	2	4	0	0	3	
Unknown County	2	0	2	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	
<b>Health Region</b>																			
Northwest	174	82	256	35	16	51	74	49	123	36	10	46	21	3	24	8	4	12	
Northwest	227	96	323	38	15	53	117	56	173	48	17	65	19	6	25	5	2	7	
Metropolitan	536	273	809	73	30	103	270	170	440	140	50	190	37	11	48	16	12	28	
Southeast	167	82	249	42	12	54	68	53	121	31	8	39	26	6	32	0	3	3	
Southwest	187	101	288	31	7	38	75	64	139	59	20	79	14	2	16	8	3	16	
Unknown Region	2	0	2	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	

See Technical Appendix for information on health regions. Total injuries include unintentional, intentional, and other injuries. Other injury includes legal intervention; operations of war; complications of medical and surgical care; and events of undetermined intent.

# Mortality Section

**Table M-20 Death Rates for Injury by Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

	Total Injuries (Unintentional and Intentional)		Accidents (Unintentional Injuries)										Intentional Injuries						Other Injury			
			Motor Vehicle Accidents					All other accidents					Intentional self-harm (suicide)			Assault (homicide)			Other			
	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both	
<b>United States</b>	N/A	N/A	56.3	16.8	6.8	11.7	N/A	N/A	N/A	N/A	N/A	19.2	4.9	11.8	8.6	2.4	5.5	N/A	N/A	N/A	N/A	
<b>New Mexico</b>	130.0	58.6	93.5	21.4	7.7	14.4	61.6	35.6	48.2	31.3	9.9	20.3	12.1	2.8	7.4	3.6	2.7					
<b>County</b>																						
Bernalillo	125.0	54.4	87.8	13.6	5.4	9.4	65.3	34.5	48.7	32.4	10.1	20.8	8.8	2.4	5.6	4.7	1.9					
Catron	192.7	0.0	192.7	0.0	0.0	0.0	192.7	0.0	192.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
Chaves	132.4	80.2	105.8	24.2	10.8	17.7	67.9	37.3	51.8	19.1	22.3	20.7	21.2	3.0	12.0	0.0	6.9					
Chibola	126.6	90.5	109.9	21.7	16.0	19.6	52.8	74.5	63.2	22.1	0.0	10.8	23.2	0.0	12.8	6.7	0.0					
Colfax	126.7	37.7	86.7	30.6	0.0	16.0	59.2	29.9	47.4	29.0	7.8	19.2	0.0	0.0	0.0	7.9	0.0					
Curry	122.6	50.1	85.0	39.0	14.5	26.0	52.4	31.6	40.8	18.4	0.0	9.6	12.8	4.0	8.6	0.0	0.0					
De Baca	202.5	54.2	132.9	10.2	4.3	7.2	103.1	0.0	54.2	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
Dona Ana	89.6	45.9	66.7	10.2	4.3	9.4	37.8	26.8	31.8	30.4	9.4	19.4	6.2	1.3	3.7	5.0	4.1					
Eddy	125.5	37.9	80.1	21.7	0.0	9.4	54.0	34.2	43.7	37.2	0.0	18.6	12.5	3.8	8.2	0.0	0.0					
Grant	128.3	60.3	93.8	17.9	0.0	8.7	46.7	28.5	37.7	36.0	20.6	28.0	27.7	11.2	19.4	0.0	0.0					
Guadalupe	124.9	0.0	68.7	0.0	0.0	0.0	99.3	0.0	53.9	25.6	0.0	14.8	0.0	0.0	0.0	0.0	0.0					
Harding	106.5	0.0	54.9	0.0	0.0	0.0	106.5	0.0	54.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
Hidalgo	143.7	126.1	136.3	0.0	0.0	0.0	56.2	126.1	92.4	59.4	0.0	29.4	28.2	0.0	14.4	0.0	0.0					
Lea	99.6	62.7	83.5	27.5	2.7	15.7	27.0	50.6	39.4	16.5	6.1	11.5	28.7	3.3	16.9	0.0	0.0					
Lincoln	123.9	53.1	87.2	28.3	22.9	25.3	62.9	15.6	38.6	11.2	0.0	5.5	21.5	8.0	14.5	0.0	6.5					
Los Alamos	31.8	36.8	35.3	0.0	0.0	0.0	20.0	28.8	25.2	11.8	8.0	10.1	0.0	0.0	0.0	0.0	0.0					
Luna	98.2	83.9	90.4	12.2	0.0	6.2	38.5	73.2	56.0	21.6	0.0	10.1	12.4	0.0	6.1	13.5	10.6					
McKinley	200.6	69.3	132.0	41.4	19.2	29.8	90.0	20.9	54.0	31.0	21.2	25.9	29.4	2.2	14.9	8.8	5.8					
Mora	203.3	120.6	162.5	59.8	0.0	29.5	143.5	59.6	102.4	0.0	61.0	30.6	0.0	0.0	0.0	0.0	0.0					
Otero	109.2	43.5	77.6	23.1	4.6	14.2	33.3	23.4	28.2	44.6	12.8	29.6	5.8	0.0	3.1	2.4	2.5					
Quay	198.8	58.6	121.7	51.9	28.8	40.1	100.4	0.0	43.2	0.0	0.0	0.0	46.5	29.8	38.4	0.0	0.0					
Rio Arriba	287.6	78.2	179.2	42.9	25.6	34.2	155.5	38.1	93.4	58.6	3.1	30.6	30.5	11.4	21.0	0.0	0.0					
Roosevelt	83.3	30.8	58.2	6.4	0.0	3.3	31.1	30.8	33.4	36.3	0.0	16.7	9.5	0.0	4.9	0.0	0.0					
Sandoval	132.4	53.2	92.6	23.1	5.0	13.7	61.4	28.3	45.6	35.8	16.7	25.5	10.8	1.8	6.3	1.3	1.3					
San Juan	153.6	74.5	115.0	27.4	12.3	20.0	70.6	51.5	62.4	36.3	4.6	19.8	12.5	3.0	7.8	6.9	3.0					
San Miguel	184.8	79.8	133.6	53.3	8.5	31.0	79.8	57.4	70.0	29.4	10.0	19.5	22.3	3.9	13.1	0.0	0.0					
Santa Fe	137.3	58.8	96.1	14.6	10.6	12.5	78.8	32.9	54.0	29.3	8.8	18.7	12.5	4.5	8.6	2.2	2.0					
Sierra	215.0	152.8	185.3	55.1	0.0	28.5	118.9	85.0	102.9	41.0	51.0	45.5	0.0	0.0	0.0	0.0	16.8					
Socorro	121.6	71.7	92.9	60.9	16.8	37.6	48.7	33.8	38.6	11.9	10.6	11.3	0.0	0.0	0.0	0.0	10.6					
Taos	155.1	57.1	105.9	41.9	12.0	26.6	52.6	26.1	39.6	34.8	19.0	27.0	18.9	0.0	9.4	6.8	0.0					
Torrance	83.8	80.7	86.5	30.0	0.0	16.0	25.6	63.2	47.0	28.1	0.0	15.5	0.0	0.0	0.0	0.0	17.4					
Union	123.8	29.0	87.2	28.3	0.0	20.3	30.0	29.0	32.8	65.5	0.0	34.1	0.0	0.0	0.0	0.0	0.0					
Valencia	132.0	87.2	108.8	25.6	25.3	25.4	69.8	42.8	55.4	29.8	5.8	17.9	6.8	5.2	6.0	0.0	8.2					
<b>Health Region</b>																						
Northwest	164.6	75.1	120.1	31.1	15.2	23.2	73.9	44.6	60.0	32.6	9.4	20.5	19.6	2.4	10.9	7.4	3.5					
Northeast	156.0	60.8	107.9	26.0	10.8	18.4	80.7	35.1	57.3	32.6	9.6	21.0	14.4	4.4	9.5	2.4	1.0					
Metro	125.3	56.9	89.8	16.2	6.6	11.3	64.1	34.8	48.6	32.5	10.5	21.1	8.8	2.5	5.6	3.8	2.5					
Southeast	123.0	55.7	88.9	29.1	7.6	18.2	50.7	35.3	42.8	23.3	6.6	14.7	19.9	4.0	12.1	0.0	2.2					
Southwest	102.3	54.7	78.0	16.5	4.0	10.2	41.8	33.7	37.6	32.2	11.0	21.3	7.7	1.6	4.6	4.2	4.5					

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates and health regions. Total injuries include unintentional, intentional, and other injuries. Other injury includes legal intervention, operations of war, complications of medical and surgical care, and events of undetermined intent. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-20.

## Mortality Section

**Table M-21 Number of Deaths due to Firearms, Alcohol, Drugs, and Injury at Work  
by Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

	Firearms			Alcohol-Induced			Drug-Induced			Injury at Work		
	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes
<b>United States</b>	26,921	4,426	31,347	18,088	6,430	24,518	24,015	15,132	39,147	3,601	318	3,919
<b>New Mexico</b>	260	43	303	337	126	463	306	223	529	31	4	35
<b>County</b>												
Bernalillo	81	14	95	86	48	134	124	79	203	7	1	8
Catron	0	0	0	0	0	0	3	0	3	0	0	0
Chaves	13	2	15	13	2	15	9	11	20	1	0	1
Cibola	3	0	3	4	2	6	1	1	2	0	0	0
Colfax	2	0	2	1	0	1	0	1	1	1	0	1
Curry	6	1	7	4	1	5	2	2	4	0	0	0
De Baca	0	0	0	0	0	0	0	0	0	0	0	0
Dona Ana	27	5	32	24	1	25	18	20	38	2	1	3
Eddy	7	0	7	3	3	6	3	5	8	2	0	2
Grant	6	2	8	8	2	10	4	1	5	0	0	0
Guadalupe	0	0	0	0	0	0	0	0	0	0	0	0
Harding	0	0	0	0	0	0	0	0	0	0	0	0
Hidalgo	2	0	2	1	0	1	1	3	4	0	0	0
Lea	8	1	9	0	1	1	5	10	15	3	0	3
Lincoln	4	0	4	1	2	3	3	1	4	0	0	0
Los Alamos	1	1	2	3	1	4	2	1	3	0	0	0
Luna	2	0	2	2	2	4	2	4	6	1	0	1
McKinley	6	0	6	30	8	38	4	4	8	0	1	1
Mora	0	0	0	0	0	0	2	2	4	0	0	0
Otero	11	2	13	12	4	16	6	7	13	0	0	0
Quay	2	0	2	2	1	3	2	0	2	0	0	0
Rio Arriba	10	1	11	18	7	25	23	7	30	1	0	1
Roosevelt	3	0	3	2	0	2	0	0	0	0	0	0
Sandoval	19	4	23	12	8	20	18	9	27	2	0	2
San Juan	18	1	19	36	13	49	10	11	21	4	1	5
San Miguel	3	1	4	7	5	12	7	5	12	3	0	3
Santa Fe	10	6	16	38	8	46	32	12	44	3	0	3
Sierra	0	0	0	1	1	2	5	3	8	0	0	0
Socorro	0	0	0	7	2	9	1	3	4	0	0	0
Taos	6	1	7	7	0	7	5	4	9	0	0	0
Torrance	1	0	1	3	0	3	1	5	6	0	0	0
Union	2	0	2	0	0	0	0	0	0	0	0	0
Valencia	7	1	8	12	4	16	13	12	25	1	0	1
<b>Health Region</b>												
Northwest	27	1	28	70	23	93	15	16	31	4	2	6
Northeast	34	10	44	74	21	95	71	32	103	8	0	8
Metro	108	19	127	113	60	173	156	105	261	10	1	11
Southeast	43	4	47	25	10	35	24	29	53	6	0	6
Southwest	48	9	57	55	12	67	40	41	81	3	1	4

See Technical Appendix for information on health regions, firearm deaths, alcohol-induced deaths, drug-induced deaths, and injury at work. The categories presented are not mutually exclusive. Injury at work deaths include all deaths (ages 15 and over) due to external causes that occurred while the decedent was working.

## Mortality Section

**Table M-22 Death Rates due to Firearms, Alcohol, Drugs, and Injury at Work  
by Sex, County, and Health Region  
New Mexico, 2011, and United States, 2009**

	Firearms			Alcohol-Induced			Drug-Induced			Injury at Work		
	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes
<b>United States</b>	17.7	2.8	10.1	11.4	3.8	7.4	15.6	9.6	12.6	3.0	0.3	1.6
<b>New Mexico</b>	25.8	4.0	14.6	31.0	11.9	21.0	30.2	22.4	26.3	3.1	0.4	1.7
<b>County</b>												
Bernalillo	25.2	4.0	14.2	24.9	13.9	19.1	36.8	23.2	29.9	2.3	0.3	1.2
Catron	0.0	0.0	0.0	0.0	0.0	0.0	192.7	0.0	102.4	0.0	0.0	0.0
Chaves	40.3	6.2	23.0	39.2	6.4	22.2	30.8	37.3	34.3	3.2	0.0	1.4
Cibola	14.4	0.0	6.8	25.6	15.6	19.8	6.7	10.4	8.0	0.0	0.0	0.0
Colfax	15.5	0.0	7.9	21.4	0.0	11.5	0.0	13.0	6.5	12.8	0.0	6.5
Curry	24.2	4.0	14.5	17.2	4.4	10.6	9.0	10.0	9.6	0.0	0.0	0.0
De Baca	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dona Ana	24.4	4.6	14.1	23.6	1.0	11.5	18.3	22.1	20.3	1.9	1.0	1.4
Eddy	26.3	0.0	13.2	9.6	11.7	10.7	12.5	23.2	17.8	6.3	0.0	3.2
Grant	44.1	22.4	33.2	35.0	14.8	24.4	48.8	3.4	25.2	0.0	0.0	0.0
Guadalupe	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harding	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Hidalgo	87.5	0.0	43.8	39.4	0.0	19.4	56.2	126.1	92.4	0.0	0.0	0.0
Lea	26.6	3.1	15.2	0.0	4.2	2.0	16.0	33.1	24.2	9.0	0.0	4.7
Lincoln	32.7	0.0	15.8	4.6	16.1	10.7	35.3	15.6	25.1	0.0	0.0	0.0
Los Alamos	5.9	8.0	7.1	24.4	8.0	16.2	20.0	13.8	17.0	0.0	0.0	0.0
Luna	12.1	0.0	5.6	11.3	20.8	16.2	13.9	45.6	29.5	12.4	0.0	6.1
McKinley	15.6	0.0	7.8	93.3	24.0	55.7	13.2	11.6	12.1	0.0	2.6	1.4
Mora	0.0	0.0	0.0	0.0	0.0	0.0	87.4	120.6	104.6	0.0	0.0	0.0
Otero	32.7	4.4	19.2	31.6	12.8	21.7	17.7	21.4	19.6	0.0	0.0	0.0
Quay	46.5	0.0	22.8	55.2	11.7	33.2	55.2	0.0	27.1	0.0	0.0	0.0
Rio Arriba	57.0	5.5	31.2	84.5	29.4	55.4	115.8	33.2	74.7	5.8	0.0	2.9
Roosevelt	35.8	0.0	16.7	18.8	0.0	9.2	0.0	0.0	0.0	0.0	0.0	0.0
Sandoval	31.2	4.3	17.0	16.0	10.2	13.0	28.7	11.7	20.1	2.7	0.0	1.3
San Juan	30.5	1.6	15.4	65.7	20.9	41.5	17.4	19.1	18.2	5.8	2.2	4.0
San Miguel	19.0	3.9	11.4	42.3	27.4	34.2	43.2	35.6	39.3	20.2	0.0	10.3
Santa Fe	15.8	7.7	11.6	43.8	9.3	26.0	46.3	17.1	31.9	4.3	0.0	2.2
Sierra	0.0	0.0	0.0	16.8	7.3	12.0	74.2	58.7	66.3	0.0	0.0	0.0
Socorro	0.0	0.0	0.0	75.6	30.5	53.1	11.9	35.0	23.2	0.0	0.0	0.0
Taos	40.0	5.2	23.0	33.0	0.0	16.1	32.7	18.9	25.9	0.0	0.0	0.0
Torrance	12.6	0.0	7.0	41.8	0.0	22.2	12.6	60.8	37.2	0.0	0.0	0.0
Union	65.5	0.0	34.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Valencia	18.9	3.5	11.2	26.6	9.2	17.8	34.3	35.8	35.0	3.4	0.0	1.7
<b>Health Region</b>												
Northwest	24.2	0.8	12.1	68.1	21.1	43.0	14.6	15.5	14.9	3.2	2.0	2.6
Northeast	24.4	6.3	15.3	43.1	11.7	27.1	49.0	22.0	35.7	5.6	0.0	2.8
Metro	25.2	4.0	14.2	24.0	12.7	18.1	34.7	23.0	28.8	2.5	0.2	1.3
Southeast	31.8	2.8	17.2	16.7	7.4	12.0	18.6	23.0	20.8	4.1	0.0	2.0
Southwest	25.0	5.0	14.8	27.3	7.1	16.7	23.1	25.2	24.2	1.8	0.6	1.2

Age-adjusted death rates are the numbers of deaths per 100,000 U.S. standard population.

See Technical Appendix for information on rates, health regions, firearm deaths, alcohol-induced deaths, drug-induced deaths, and injury at work. The categories presented are not mutually exclusive. Injury at work deaths include all deaths (ages 15 and over) due to external causes that occurred while the decedent was working. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-21.

## Mortality Section

**Table M-23 Maternal Mortality: Number of Deaths and Death Rates**  
**New Mexico, 2004-2007 and 2008-2011**

Maternal Cause of Death (ICD-10 Code) <i>10th Revision International Classification of Diseases</i>	2004-2007		2008-2011	
	(4-year) Total	Average Rate	(4-year) Total	Average Rate
<b>Total Maternal Causes (A34, O00-O95, O98-O99)</b>	<b>11</b>	<b>9.4</b>	<b>24</b>	<b>21.0</b>
Pregnancy with abortive outcomes (O00-O08)	0	0.0	2	1.8
Ectopic pregnancy (O00)	0	0.0	0	0.0
Spontaneous abortion (O03)	0	0.0	0	0.0
Medical abortion (O04)	0	0.0	1	0.9
Other abortion (O05)	0	0.0	0	0.0
Other & unspecified pregnancy with abortive outcomes (O01-O02, O06-O07)	0	0.0	1	0.9
Complications following abortion and ectopic and molar pregnancy (O08)	0	0.0	0	0.0
<b>Other direct obstetric causes (A34, O10-O92)</b>	<b>9</b>	<b>7.7</b>	<b>17</b>	<b>14.9</b>
Eclampsia and pre-eclampsia (O11, O13-O16)	0	0.0	4	3.5
Hemorrhage of pregnancy and childbirth and placenta previa (O20, O44-O46, O67, O72)	2	1.7	1	0.9
Complications predominantly related to puerperium (A34, O85-O92)	4	3.4	4	3.5
Obstetrical tetanus (A34)	0	0.0	0	0.0
Obstetrical embolism (O88)	2	1.7	4	3.5
Other complications predominantly related to the puerperium (O85-O87, O89-O92)	2	1.7	0	0.0
All other direct obstetric causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	3	2.6	8	7.0
Obstetric death of unspecified cause (O95)	1	0.9	1	0.9
<b>Indirect obstetric causes (O98-O99)</b>	<b>1</b>	<b>0.9</b>	<b>4</b>	<b>3.5</b>

Maternal mortality rates are the numbers of maternal deaths per 100,000 live births.

See Technical Appendix for information on maternal mortality. Rate numerators are total maternal deaths for the specified 4-year period divided by 4. Rate denominators are total births for the specified 4-year period divided by 4. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

## Mortality Section

**Table M-24(a) Number of Infant Deaths by Sex and Race/Ethnicity  
New Mexico, 2011**

Race/Ethnicity	Both Sexes	2011 Male	Female
<b>All Races</b>			
Infant Deaths	143	80	63
Neonatal Deaths	88	42	46
Postneonatal Deaths	55	38	17
<b>American Indian or Alaska Native</b>			
Infant Deaths	25	18	7
Neonatal Deaths	13	10	3
Postneonatal Deaths	12	8	4
<b>Asian or Pacific Islander</b>			
Infant Deaths	5	4	1
Neonatal Deaths	2	2	0
Postneonatal Deaths	3	2	1
<b>Black or African American</b>			
Infant Deaths	10	5	5
Neonatal Deaths	7	5	2
Postneonatal Deaths	3	0	3
<b>Hispanic</b>			
Infant Deaths	76	37	39
Neonatal Deaths	49	17	32
Postneonatal Deaths	27	20	7
<b>White</b>			
Infant Deaths	27	16	11
Neonatal Deaths	17	8	9
Postneonatal Deaths	10	8	2

See Technical Appendix for information on infant mortality and race/ethnicity.

## Mortality Section

**Table M-24(b) Infant Death Rates by Sex and Race/Ethnicity  
New Mexico, 2011**

Race/Ethnicity	Both Sexes	2011 Male	Female
<b>All Races</b>			
Infant Deaths	5.2	5.8	4.6
Neonatal Deaths	3.2	3.1	3.4
Postneonatal Deaths	2.0	2.8	1.2
<b>American Indian or Alaska Native</b>			
Infant Deaths	6.8	9.6	3.8
Neonatal Deaths	3.5	5.4	1.6
Postneonatal Deaths	3.2	4.3	2.2
<b>Asian or Pacific Islander</b>			
Infant Deaths	8.4	12.9	3.5
Neonatal Deaths	3.4	6.4	0.0
Postneonatal Deaths	5.0	6.4	3.5
<b>Black or African American</b>			
Infant Deaths	17.2	17.9	16.6
Neonatal Deaths	12.0	17.9	6.6
Postneonatal Deaths	5.2	0.0	10.0
<b>Hispanic</b>			
Infant Deaths	5.3	5.2	5.4
Neonatal Deaths	3.4	2.4	4.5
Postneonatal Deaths	1.9	2.8	1.0
<b>White</b>			
Infant Deaths	3.4	4.0	2.8
Neonatal Deaths	2.2	2.0	2.3
Postneonatal Deaths	1.3	2.0	0.5

Infant death rates are numbers of infant deaths under 1 year of age per 1,000 live births. Neonatal deaths=under 28 days. Postneonatal deaths= 28 days to under 1 year. See Technical Appendix for information on infant mortality and race/ethnicity. Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution. See numbers in Table M-24(a).

## Mortality Section

**Table M-25 Number of Infant Deaths by Cause  
New Mexico, 2011, and United States, 2009**

Cause of Death	ICD-10 Code -- 10th Revision	United States	New Mexico
All Causes		26,412	143
Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	5,319	28
Disorders related to short gestation and low birthweight, not classified elsewhere	P07	4,538	24
Sudden infant death syndrome	R95	2,226	5
Newborn affected by maternal complications of pregnancy	P01	1,608	17
Accidents (unintentional injuries)	V01-X59	1,181	10
Newborn affected by complications of placenta, cord, and membranes	P02	1,064	5
Bacterial sepsis of newborn	P36	652	3
Respiratory distress of newborn	P22	595	3
Diseases of the circulatory system	I00-I99	581	5
Neonatal hemorrhage	P50-P52, P54	517	3
Assault	X85-Y09, Y871	317	2
All other causes	residual	7,814	38

See Technical Appendix for information on infant mortality.

**Table M-26 Method of Final Disposition for Deaths Occurring in New Mexico  
2002-2011**

Year	Total	Burial		Cremation		Removal		Other and Unspecified	
	Number	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2011	15,982	6,024	37.7	8,699	54.4	633	4.0	626	3.9
2010	15,511	5,997	38.7	8,320	53.6	619	4.0	575	3.7
2009	15,197	6,132	40.4	8,062	53.0	634	4.2	369	2.4
2008	15,594	6,539	41.9	8,067	51.7	635	4.1	353	2.3
2007	15,160	6,815	45.0	7,454	49.2	599	4.0	292	1.9
2006	15,044	7,021	46.7	7,169	47.7	597	4.0	257	1.7
2005	14,755	6,786	46.0	6,787	46.0	973	6.6	209	1.4
2004	14,046	6,556	44.4	6,193	42.0	1,073	7.3	224	1.5
2003	14,548	6,955	49.5	6,305	44.9	1,039	7.4	249	1.8
2002	14,175	7,038	48.4	5,867	40.3	1,070	7.4	200	1.4

Removal refers to removal of remains from New Mexico to another state or country. Other and Unspecified includes donation, entombment, and all other and unspecified means of disposition.


# Fetal Mortality Section



## FETAL MORTALITY SECTION

A fetal death, sometimes referred to as a “stillbirth,” is defined as a death in utero. By New Mexico statute, all fetal deaths in which the fetus weighs 500 or more grams must be reported. In 2011, there were 68 reported fetal deaths, and the fetal mortality rate was 2.5 fetal deaths per 1,000 live births plus fetal deaths (Table F-1).


**Figure F-1, Fetal Mortality Rates  
New Mexico, 1997-2011, United States, 1997-2006**



New Mexico’s fetal mortality rate has remained well below the United States’ rate of 6.8 in 1997 to 6.1 fetal deaths per 1,000 live births plus fetal deaths in 2006 (Figure F-1).

## Fetal Mortality Section

**Figure F-2, Fetal Mortality Rates by Mother's Age  
New Mexico, 2011, and United States, 2006**



In New Mexico, for mothers ages 40 years and older, there was a higher rate of fetal death than for mothers in younger age groups. Fetal mortality rates by mother's age category in the state were consistently below national rates. The U.S. fetal death rate was highest among mothers under age 15 years. There were no fetal deaths reported in New Mexico to mothers in this age category (Figure F-2).

From 2009-2011, the three leading causes of fetal death were: Fetus affected by complications of placenta, cord and membranes; Congenital malformation, deformation and chromosomal abnormalities; and Fetus affected by maternal complications of pregnancy. The number of unspecified causes of fetal death remained high, with 36% of fetal death reports listing this as the cause of fetal death (Table F-2).

## Fetal Mortality Section

**Table F-1 Number of Fetal Deaths and Fetal Death Rates by Mother's Race/Ethnicity**

**New Mexico, 2011, and United States, 2006**

Mother's Race/ Ethnicity	Mother's Age													
	All Ages		Under 15 Years		15 to 19 Years		20 to 24 Years		25 to 29 Years		30 to 39 Years		40 to 49 Years	
	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate	#	Rate
<b>New Mexico</b>														
All Races	68	2.5	0	0.0	9	2.6	18	2.3	20	2.6	17	2.3	4	6.5
American Indian or Alaska Native	12	3.2	0	0.0	4	7.4	0	0.0	4	4.2	4	4.7	0	0.0
Asian or Pacific Islander	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0
Black or African American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic	35	2.4	0	0.0	3	1.4	13	2.9	8	2.0	8	2.3	3	11.1
White	20	2.5	0	0.0	2	3.3	5	2.7	8	3.2	4	1.5	1	4.5
<b>United States</b>														
All Races	25,972	6.1	85	13.1	3,153	7.2	6,444	5.9	6,557	5.5	8,595	5.9	1,138	10.1

See Technical Appendix for information on race/ethnicity.

Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

U.S. Data Source: CDC, National Center for Health Statistics (NCHS). 2006 U.S. data are the latest available at time of publication.

## Fetal Mortality Section

**Table F-2 Number of Fetal Deaths and Fetal Death Rates by Cause  
New Mexico, 2009-2011**

	2009-2011	
	Number	Rate
All fetal death causes	225	2.7
Congenital malformation, deformation and chromosomal abnormalities (Q00-Q99)	26	0.3
Fetus affected by maternal conditions that may be unrelated to present pregnancy (P00)	9	0.1
- Maternal hypertensive disorders (P00.0)	8	0.1
- All other and unspecified maternal conditions unrelated to present pregnancy (P00.1 - P00.9)	1	0.0
Fetus affected by maternal complications of pregnancy (P01)	11	0.1
Fetus affected by complications of placenta, cord and membranes (P02)	58	0.7
Fetus affected by other complications of labor and delivery (P03)	4	0.0
Disorders related to short gestation and low birthweight (P07)	7	0.1
Intrauterine hypoxia and birth asphyxia (P20 - P21)	2	0.0
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0 - P70.2)	7	0.1
Fetal death of unspecified cause (P95)	81	1.0
All other causes	20	0.2

Rates based on fewer than 20 events may be statistically unreliable and should be interpreted with caution.

Intentionally Left Blank


# Abortion Section



## ABORTION SECTION


In New Mexico, reporting of legal induced abortion became law in 1977, and 1978 was the first full year of reporting. The number of abortions in New Mexico in 2011 was 3,761. This is a 16.0% decrease from the 2010 number (Table A-1).

**Figure A-1, Percent Distribution of Induced Abortions by Weeks Gestation  
New Mexico Occurrence, 2011  
(New Mexico Residents Only)**



In 2011, 61.8% of abortions in New Mexico were to women who were less than nine weeks pregnant. Also 80.3% of the abortions in the state occurred within the first twelve weeks of pregnancy (Figure A-1).

**Figure A-2, Ratio of Induced Abortions  
New Mexico Occurrence, 2003-2011  
(New Mexico Residents Only)**



The abortion ratio is the number of abortions reported for every 1,000 live births. From 2003 to 2011, New Mexico’s abortion ratio ranged from the lowest value of 138.0 to the highest value of 200.8 (Figure A-2). The national ratio for 2009, the most recent year available, was 213.0. New Mexico’s 2011 ratio was 35.2% lower than the national rate. Since 2004, New Mexico’s ratio decreased by 31.3%.

For all races and ethnicities in 2011, 20-29 year-olds accounted for over half of abortions (52.8%) in New Mexico.

## Abortion Section

**Table A-1 Number and Percent of Induced Abortions by Woman's Age and Race/Ethnicity  
New Mexico Residents, 2007-2011, and United States, 2007-2009**

Year	All Ages		Under 15 Years		15 to 19 Years		20 to 24 Years		25 to 29 Years		30 to 34 Years		35 to 39 Years		40 Plus Years		Unknown Age		
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	
<b>United States - All Races</b>																			
2009	690,419	99.4	3,377	0.5	107,325	15.5	225,585	32.7	168,758	24.4	101,818	14.7	60,993	8.8	22,541	3.3	-	-	
2008	728,604	99.3	3,721	0.5	117,725	16.2	238,645	32.8	177,517	24.4	104,447	14.3	64,085	8.8	22,464	3.1	-	-	
2007	723,771	99.4	3,859	0.5	119,339	16.5	236,466	32.7	175,063	24.2	102,228	14.1	63,981	8.8	22,826	3.2	-	-	
<b>New Mexico - All Races</b>																			
2011	3,761	100.0	24	0.6	533	14.2	1,182	31.4	809	21.5	513	13.6	259	6.9	133	3.5	308	8.2	
2010	4,478	100.0	19	0.4	774	17.3	1,495	33.4	1,014	22.6	624	13.9	331	7.4	136	3.0	85	1.9	
2009	4,771	100.0	37	0.8	863	18.1	1,595	33.4	1,111	23.3	597	12.5	340	7.1	137	2.9	91	1.9	
2008	5,136	100.0	32	0.6	932	18.1	1,833	35.7	1,147	22.3	621	12.1	335	6.5	137	2.7	99	1.9	
2007	5,724	100.0	37	0.6	1,077	18.8	2,006	35.0	1,243	21.7	654	11.4	420	7.3	148	2.6	139	2.4	
<b>American Indian or Alaska Native</b>																			
2011	525	100.0	4	0.8	75	14.3	174	33.1	112	21.3	65	12.4	49	9.3	16	3.0	30	5.7	
2010	585	100.0	3	0.5	120	20.5	190	32.5	119	20.3	89	15.2	49	8.4	14	2.4	1	0.2	
2009	615	100.0	3	0.5	108	17.6	198	32.2	166	27.0	79	12.8	41	6.7	18	2.9	2	0.3	
2008	670	100.0	8	1.2	109	16.3	222	33.1	175	26.1	99	14.8	42	6.3	14	2.1	1	0.1	
2007	728	100.0	3	0.4	118	16.2	262	36.0	166	22.8	105	14.4	54	7.4	19	2.6	1	0.1	
<b>Asian or Pacific Islander</b>																			
2011	72	100.0	0	0.0	5	6.9	26	36.1	10	13.9	16	22.2	9	12.5	2	2.8	4	5.6	
2010	81	100.0	0	0.0	9	11.1	19	23.5	16	19.8	11	13.6	15	18.5	11	13.6	0	0.0	
2009	82	100.0	0	0.0	8	9.8	32	39.0	9	11.0	14	17.1	14	17.1	5	6.1	0	0.0	
2008	84	100.0	0	0.0	6	7.1	22	26.2	22	26.2	16	19.0	13	15.5	5	6.0	0	0.0	
2007	100	100.0	0	0.0	13	13.0	29	29.0	28	28.0	14	14.0	11	11.0	5	5.0	0	0.0	
<b>Black or African American</b>																			
2011	121	100.0	0	0.0	17	14.0	38	31.4	27	22.3	19	15.7	7	5.8	0	0.0	13	10.7	
2010	156	100.0	2	1.3	35	22.4	39	25.0	45	28.8	19	12.2	12	7.7	3	1.9	1	0.6	
2009	135	100.0	2	1.5	30	22.2	47	34.8	25	18.5	25	18.5	2	1.5	3	2.2	1	0.7	
2008	175	100.0	1	0.6	31	17.7	67	38.3	40	22.9	21	12.0	12	6.9	0	0.0	3	1.7	
2007	168	100.0	3	1.8	40	23.8	60	35.7	37	22.0	15	8.9	13	7.7	0	0.0	0	0.0	
<b>Hispanic</b>																			
2011	1,767	100.0	14	0.8	287	16.2	586	33.2	396	22.4	228	12.9	95	5.4	48	2.7	113	6.4	
2010	625	100.0	3	0.5	91	14.6	220	35.2	153	24.5	105	16.8	39	6.2	13	2.1	1	0.2	
2009	546	100.0	7	1.3	84	15.4	185	33.9	144	26.4	71	13.0	39	7.1	14	2.6	2	0.4	
2008	1,144	100.0	7	0.6	206	18.0	424	37.1	275	24.0	145	12.7	57	5.0	24	2.1	6	0.5	
2007	2,564	100.0	23	0.9	531	20.7	991	38.7	559	21.8	269	10.5	149	5.8	35	1.4	7	0.3	
<b>White</b>																			
2011	1,005	100.0	5	0.5	112	11.1	292	29.1	220	21.9	150	14.9	83	8.3	63	6.3	80	8.0	
2010	1,077	100.0	2	0.2	156	14.5	351	32.6	257	23.9	158	14.7	99	9.2	50	4.6	4	0.4	
2009	1,201	100.0	7	0.6	203	16.9	392	32.6	298	24.8	142	11.8	105	8.7	51	4.2	3	0.2	
2008	1,318	100.0	3	0.2	226	17.1	454	34.4	270	20.5	178	13.5	118	9.0	66	5.0	3	0.2	
2007	1,582	100.0	4	0.3	270	17.1	499	31.5	345	21.8	194	12.3	162	10.2	76	4.8	32	2.0	

See Technical Appendix for information on race/ethnicity and induced abortions. Unknown race is included in All Races.

Due to rounding percents may not add to 100.

2007--2009 United States, All Races, Unknown Age: Abortions for women of unknown age were distributed among women of known ages.

U.S. Data Source: CDC, Abortion Surveillance Reports. U.S. 2009 data are latest available at publication time.

# Technical Appendix



# TECHNICAL APPENDIX

## DATA SOURCES

### Birth Data

Natality data are derived from items reported on the birth certificate and include demographic information on the mother and father; geographic information on place of birth and mother's residence; information on medical risk factors, labor, and delivery; and newborn health. Most birth certificate records are transmitted electronically from hospitals. Some paper birth certificates are completed by midwives and birthing centers.

To reflect the health status of New Mexicans, most of the data in this report are presented by New Mexico residence, rather than by occurrence. To facilitate reporting by residence, states, territories and other jurisdictions engage in an inter-jurisdictional exchange process. When births to New Mexico resident mothers occur out of state, abstracts or copies of the birth certificate are transmitted to New Mexico's Bureau of Vital Records and Health Statistics (NMVRHS) for statistical reporting.

### Death Data

Mortality statistics are based on items reported on the death certificate and include demographic, geographic, injury, medical, and cause-of-death information on the decedent. In most cases, funeral directors work with an informant for the decedent (usually a relative or friend) to collect demographic and geographic information. The medical and cause-of-death section of the death certificate is completed by the attending physician or the Office of the Medical Investigator (OMI). Except for deaths occurring on tribal or military lands, the Office of the Medical Investigator has jurisdiction in determining cause-of-death for all unexpected and unattended deaths in New Mexico. When deaths to New Mexico residents occur out of state, information from the death certificate (or a shortened version of the death certificate) is transmitted to NMVRSH for statistical reporting.

### Fetal Death Data

Fetal death information is obtained from the New Mexico Report of Fetal Death. A fetal death, sometimes referred to as a "stillbirth," is defined as a death in utero. Until 1980, New Mexico statute had required reporting of all fetal deaths of 20 weeks or more gestation. As of 1980, the statute requires that such deaths be reported if the fetus weighs 500 grams or more, regardless of the length of gestation. The fetal death report contains much of the same information as the birth certificate plus information on the cause of fetal death. States vary in their requirements for reporting fetal deaths. The majority of states require reporting of a fetal death if the fetus is delivered at 20 weeks or more gestation.

### Abortion Data

Induced Terminations of Pregnancy (abortions) are reported to NMVRHS by medical providers. Only limited data are collected on the Report of Induced Termination of Pregnancy. The identities of the patient and provider are not collected. Because receipt of abortion data from other states is incomplete, abortion statistics presented in this report are for New Mexico residents who had an abortion in New Mexico.

### Statistical File Timeline

To allow sufficient time to receive as many vital records as possible, including those that occur out of state, NMVRHS keeps the statistical files open for approximately 4 to 6 months after the end of the calendar data year. At that time, the statistical file is closed so that statistics for that year can be consistently generated in subsequent years.

### **Standard Certificates**

In 2008, New Mexico adopted a new birth certificate, based on the 2003 revision of the United States Standard Birth Certificate. Information on the changes made in the 2003 U.S. revision is available at [http://www.cdc.gov/nchs/nvss/vital\\_certificate\\_revisions.htm](http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm). *The Revised Birth Certificate: Changes to the New Mexico Birth File*, in the *New Mexico Selected Health Statistics, Annual Report, 2008* at [http://www.vitalrecordsnm.org/reports/2008\\_AR.pdf](http://www.vitalrecordsnm.org/reports/2008_AR.pdf)

In addition to the information collected for the U.S. standard certificate, New Mexico collects and reports on some state-specific birth information.

New Mexico adopted the 2003 revision of the United States Standard Death Certificate, with the addition of some state-specific items, in 2006.

### **National Vital Statistics Data**

National vital statistics data are produced by the United States Centers for Disease Control's National Center for Health Statistics (NCHS). As part of the national vital statistics system, states, territories, and other jurisdictions provide birth, death, and fetal death data to NCHS.

### **Population Data**

Population estimates used as the denominators in calculating birth and death rates in this report were produced by the University of New Mexico's Geospatial and Population Studies (GPS) for years 2000 to 2010, and by the United States Census Bureau, in collaboration with NCHS, for previous years. National vital statistics data use population estimates and census counts produced by the Census Bureau.

Prior to the production of this report, GPS refined its population estimates based on the decennial census. The population numbers and birth and death rates reflect the estimates in GPS' August 24, 2012 release. In this release, GPS recalculated its inter-censal county-level estimates for the years 2001-2010 and released new 2011 post-censal estimates. Those recalculations are reflected in this report.

Population estimates for 2001 to 2011 included new NCHS bridged-race information that GPS used to update prior estimates. For this reason birth and death rate trends presented in this report differ from previous annual reports.

## **CALCULATIONS**

For the figures and tables shown in this report, the numerators of the rates are events occurring to New Mexico residents, unless otherwise specified. The denominators are the resident population figures, including all races and both sexes, unless otherwise specified.

### **Rates and Ratios for Natality**

This report uses crude birth rates (also termed birth rates), age-specific birth rates, fertility rates, and ratios to measure natality. Birth rates, fertility rates, and ratios in this report are per 1,000 population.

#### **Crude Birth Rate**

Crude birth rates, called birth rates in this report, are the easiest to understand and are computed by dividing the number of births in a given year by the total population (including both males and females), and multiplying by 1,000. Since most of the rates in this report are calculated by residence, the New Mexico crude birth rate is the number of births to New Mexico residents divided by the population of New Mexico and multiplied by 1,000. Similar rates are calculated by county, region, or other specified area.

### Age-specific Birth Rate

Age-specific birth rates limit the rate to females in a specified age group. These rates are calculated by dividing the number of births to females in a specific age group by the number of females in that age group and multiplying by 1,000. A teen birth rate, age 15-19, is an example of an age-specific birth rate.

### Fertility Rate

While the crude birth rate measures the number of births to the total population, the fertility rate limits the rate to women of child-bearing age. NMVRHS uses the NCHS fertility rate definition. The fertility rate, which is also called the general fertility rate, is the number of births to mothers of all ages divided by the numbers of females in the 15-44 age group, multiplied by 1,000.

### Ratio

A rate measures the risk of an event happening by comparing a subset of a group to the larger group. A ratio compares one group to another group. An example of a ratio is the sex ratio, which compares the number of males to the number of females. Like a rate, a ratio may be multiplied by a constant, such as 1,000.

### Rates for Fetal Mortality

A fetal death or "stillbirth" is defined as a death in utero. Fetal mortality rates are calculated by dividing the number of fetal deaths by the sum of the number of live births and fetal deaths and then multiplying by 1,000 or 100,000.

### Abortion Ratios

Abortion ratios, used to compare abortions to live births, are calculated by dividing the number of abortions by the number of live births for the same period and multiplying by 1,000.

### Rates for Mortality

In addition to maternal mortality rates and infant mortality rates, this publication uses crude death rates, age-specific death rates, and age-adjusted death rates to measure mortality. Except for maternal and infant mortality rates, which use live births as the denominator, death rates in this report are per 100,000 population.

### Crude Death Rate

Crude death rates are the easiest to understand and are computed by dividing the number of deaths by the population, and multiplying by 100,000. Most of the rates in this report are calculated by residence. The New Mexico crude death rate is the number of deaths to New Mexico residents divided by the population of New Mexico and multiplied by 100,000. Similar rates are calculated by county, region, or other specified area.

### Age-specific Death Rate

Age-specific death rates limit the rate to a specific age category. For example, the age-specific death rate for 15-19 year-olds is calculated by dividing the number of deaths to people who were age 15-19 by the number of 15-19 year-olds in the population and multiplying by 100,000.

### Age-adjusted Death Rate

Because crude death rates are influenced by the age composition of the population, comparisons over time or between groups may be misleading. To account for differences in population age distributions, the age-adjusted death rate is used to compare relative mortality risks between groups and over time. This rate should be viewed as an index for comparison, rather than as a direct or actual measure of mortality risk. It is calculated by weighting the age-specific death rates and summing the products. The weights represent the proportion of the population in

each age group. Beginning with 1999 data, NMVRHS joined NCHS and other agencies in using the 2000 United States standard population. For more information on age adjustment, see <http://ibis.health.state.nm.us/docs/PHStatistics/statnt20.pdf>.

### GENERAL NOTES

#### **Race and Ethnicity**

Following the United States standard birth and death certificates, race and Hispanic origin are collected as separate data items on New Mexico's birth and death certificates, reports of spontaneous fetal death, and reports of induced terminations of pregnancy (abortions). For birth certificates and fetal death reports, race and Hispanic origin of the infant's mother and father (when available) are provided by the mother. For death certificates, decedent's race, Hispanic origin, and tribal affiliation are provided by an informant (usually a relative or a friend) for the deceased.

Federal reports frequently present race and ethnicity (Hispanic origin) separately. Persons of Hispanic origin may be of any race. In the New Mexico Department of Health (DOH), race and ethnicity are presented as a single social and cultural construct. The categories used by DOH and used in the figures and tables in this report, are: American Indian or Alaska Native, Asian or Pacific Islander, Black or African American, Hispanic, and White. A person is counted as Hispanic if ethnicity indicates a Hispanic origin and race was reported as White, Other or Unknown. If a person's race is reported as American Indian or Alaska Native, Asian or Pacific Islander, or Black or African American, race is reported as such regardless of Hispanic origin. This report follows the New Mexico Department of Health race and ethnicity guidelines in effect through the end of December 2012.

Beginning in early 2013, DOH will implement modified guidelines for race and ethnicity data. These changes will be reflected in the *New Mexico Selected Health Statistics Annual Report 2012*.

#### **Geography**

##### State Health Regions

In addition to county level data, this publication also reports data by New Mexico Health Regions. The State Health Regions include the following counties:

Northwest Region: Cibola, McKinley, and San Juan;

Northeast Region: Colfax, Guadalupe, Los Alamos, Mora, Rio Arriba, San Miguel, Santa Fe, Taos, Union, and Harding;

Metro Region: Bernalillo, Sandoval, Torrance, and Valencia;

Southeast Region: Chaves, Curry, De Baca, Eddy, Lea, Lincoln, Quay, and Roosevelt; and

Southwest Region: Catron, Doña Ana, Grant, Hidalgo, Luna, Otero, Sierra, and Socorro.

#### **Residence Data**

Residence data are presented by the place where the person normally resided, regardless of where the event occurred. Except where specified, all data presented in this report are residence data.

#### **Occurrence Data**

Occurrence data refers to the place where the event occurred, regardless of the usual residence of the person involved.

### NOTES ON NATALITY DATA

#### **Paternity**

By statute, if the mother was married at the time of either conception or birth, her husband is recorded as the infant's father. If the mother is not married, the father's name and demographic information may be recorded if the mother and father sign an Acknowledgment of Paternity. If a determination of paternity has been made by a court, the name of the father as determined by the court is entered along with his demographic information. Birth records where the mother is unmarried and no acknowledgement of paternity has been signed will have missing demographic data for the father.

#### **Birth Order**

Birth order is the order in which this child (of all the children born to the mother) was born. As a fertility indicator, it is used to measure how many children a mother has.

#### **Multiple Births**

Twins and triplets are examples of multiple births. The multiple birth rate is defined as the number of twins, triplets, or higher-order multiple births per 1,000 live births. It is calculated by dividing the number of live births in multiple deliveries by the number of total live births and multiplying by 1,000.

#### **Birthweight**

In New Mexico, birthweight is reported in grams. Low birthweight infants weigh less than 2,500 grams (5 pounds, 9 ounces) at birth, while very low birthweight infants weigh less than 1,500 grams (3 pounds, 5 ounces). High birthweight infants weigh 4,000 grams (8 pounds, 14 ounces) or more at birth.

#### **Gestational Age**

The interval between the first day of mother's last normal menstrual period (LMP) and the date of birth is the primary method used to calculate gestational age. However, LMP is subject to error because of maternal recall or misidentification of the LMP due to other factors such as post-conception bleeding. Additionally, LMP may be unreported on the birth record. For records where LMP is missing or the computed gestation is inconsistent with the infant's birthweight (taking into account multiple births), the clinical estimate of gestation is used. The clinical estimate of gestation is recorded on the birth record based on what is reported in the mother's medical record by the mother's physician or other health professional. The final result is the calculated (also called combined) gestational age. To enable comparability with United States figures, NMVRHS calculates gestational age (presented in weeks) consistent with the imputation procedure of the National Center for Health Statistics (NCHS). NCHS revised the methodology with the 2003 revision to the U.S. Standard Birth Certificate, implemented in New Mexico starting with 2008 birth data.

#### **Measures of Prenatal Care**

There are two primary ways that New Mexico reports on prenatal care: (1) the trimester prenatal care began and (2) the Kessner Index. Both rely heavily on when prenatal care was initiated.

#### **Kessner Index**

New Mexico's traditional measure of prenatal care is the modified Kessner Index. Level of prenatal care is defined using a combination of the month prenatal care began and the number of prenatal visits. Low level of care is defined as care that either begins in the third trimester, consists of less than five prenatal care visits, or no prenatal care. Mid level of care is defined as care that begins during the first trimester with five to eight total prenatal visits or care beginning in the fourth to sixth month of pregnancy with five or more visits. High (optimum) level of care is defined as care that begins during the first trimester with a total of nine or more prenatal care visits during that period.

## Technical Appendix

---

### Method of Delivery

Methods of delivery may be reported as vaginal birth, vaginal birth after previous cesarean-section, primary cesarean-section, and repeat cesarean-section.

### Birth Attendant

Except in rare cases, newborns in New Mexico are delivered by the following birth attendants: Medical Doctor or Doctor of Osteopathy, Licensed Midwife, Certified Nurse Midwife, or Registered Nurse.

Definitions of midwives and nurses licensed in New Mexico are below:

**Licensed Midwife (LM).** A Licensed Midwife is a person who has successfully completed the prescribed course of studies in midwifery and has acquired the requisite qualifications to be registered and/or legally licensed to practice midwifery.

**Certified Nurse Midwife (CNM).** A Certified Nurse-Midwife (CNM) is an individual educated in the two disciplines of nursing and midwifery and who possesses evidence of certification according to the requirements of the American College of Nurse-Midwives. A certified nurse-midwife must be licensed in New Mexico as a registered nurse.

**Registered Nurse (RN).** A Registered Nurse (RN) is a nurse who has graduated from a formal program of nursing education (diploma school, associate degree or baccalaureate program) and is licensed by the appropriate New Mexico state authority.

## NOTES ON MORTALITY DATA

### Cause of Death

#### ICD Classification

Beginning with 1999 data, cause of death has been coded according to the tenth revision of the World Health Organization's International Classification of Diseases (ICD-10). The International Classification of Diseases (ICD) is a system of classification developed in partnership with the World Health Organization (WHO) and WHO Collaborating Centers. (The North American Collaborating Center is housed at NCHS in Hyattsville, Maryland.) WHO member nations are required to use this classification system for comparability in the collection and classification of health statistics (<http://www.who.int/classifications/icd/en/>).

New Mexico began systematic record keeping of causes of death and disease morbidity in 1929 and became part of the United States Vital Statistics System in the same year. Revisions to the ICD have occurred almost every ten years since the first version went into effect in 1900. The tenth revision is the exception, going into effect 20 years after the 1979 implementation of the ninth revision. Revisions to the ICD are necessary to keep up with advances in medical science. Changes in classification due to revision may lead to discontinuities in cause of death trends. To account for differences between revisions, comparability ratios have been applied to statistics of deaths occurring from 1978-1998 ([http://www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49\\_02.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49_02.pdf)).

In addition to serving as a classification system, the ICD also includes coding rules that allow the nosologist (person who codes cause of death) to select the underlying cause of death - the single condition on the death certificate that is considered most informative from a public health point of view. Also included are definitions (such as "maternal death"), regulations on the compilation and publication of statistics, a prescribed format of the medical certification of death (part of the death certificate), and tabulation lists that indicate cause-of-death groupings that should be used to present comparable mortality data.

## Technical Appendix

---

### Leading Cause of Death

Causes of death are ranked following procedures that are consistent with the recommendations of the 1951 Public Health Conference on Records and Statistics, where causes are ranked by the number of deaths in each rankable cause category. With each ICD revision, the list of rankable causes has been revised. The current rankable cause list is based on the cause of death lists produced by NCHS ([http://www.cdc.gov/nchs/data/dvs/im9\\_2002.pdf](http://www.cdc.gov/nchs/data/dvs/im9_2002.pdf)).

### Alcohol-induced Deaths

Causes of death and corresponding ICD-10 codes used by NMVRHS for alcohol-induced deaths are: Alcohol-induced pseudo-Cushing's syndrome, E24.4; Mental and behavioral disorders due to alcohol use, F10; Degeneration of nervous system due to alcohol, G31.2; Alcoholic polyneuropathy, G62.1; Alcoholic myopathy, G72.1; Alcoholic cardiomyopathy, I42.6; Alcoholic gastritis, K29.2; Alcoholic liver disease, K70; Alcohol-induced chronic pancreatitis, K86.0; Finding of alcohol in blood, R78.0; Accidental poisoning by and exposure by alcohol, X45; Intentional self poisoning by and exposure to alcohol, X65; Poisoning by and exposure to alcohol, undetermined intent, Y15. Alcohol-induced causes exclude other unintentional injuries, including motor vehicle accidents; homicides; and other causes indirectly related to alcohol use. Infant deaths associated with maternal alcohol use are also excluded.

### Drug-induced Deaths

This category includes Drug-induced folate deficiency anemia, D52.1; Drug-induced hemolytic anemia, D59.0; Drug-induced nonautoimmune hemolytic anemia, D59.2; Drug-induced aplastic anemia, D61.1; Secondary sideroblastic anemia due to drugs and toxins, D64.2; Drug-induced thyroiditis, E06.4; Drug-induced hypoglycemia without coma, E16.0; Drug-induced hypopituitarism, E23.1; Drug-induced Cushing's syndrome, E24.2; Drug-induced adrenocortical insufficiency, E27.3; Drug-induced obesity, E66.1; Mental and behavioral disorders due to psychoactive substance use (F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, and F19.7-F19.9); Other drug-induced secondary parkinsonism, G21.1; Drug-induced dystonia, G24.0; Drug-induced tremor, G25.1; Drug-induced chorea, G25.4; Drug-induced tics and other tics of organic origin, G25.6; Drug-induced headache, not elsewhere classified, G44.4; Drug-induced polyneuropathy, G62.0; Drug-induced myopathy, G72.0; Hypotension due to drugs, I95.2; Acute drug-induced interstitial lung disorders, J70.2; Chronic drug-induced interstitial lung disorders, J70.3; Drug-induced interstitial lung disorder, unspecified, J70.4; Drug-induced pemphigus, L10.5; Generalized skin eruption due to drugs and medicaments, L27.0; Localized skin eruption due to drugs and medicaments, L27.1; Drug-induced gout, M10.2; Drug-induced systemic lupus erythematosus, M32.0; Drug-induced osteoporosis with pathological fracture, M80.4; Drug-induced osteoporosis, M81.4; Other drug-induced osteomalacia in adults, M83.5; Osteonecrosis due to drugs, M87.1; Finding of opiate drug in blood, R78.1; Finding of cocaine in blood, R78.2; Finding of hallucinogen in blood, R78.3; Finding of other drugs of addictive potential in blood, R78.4; and Finding of psychotropic drug in blood, R78.5; Accidental poisoning by and exposure to drugs, medicaments and biological substances, X40-X44; Intentional self-poisoning (suicide) by and exposure to drugs, medicaments and biological substances, X60-X64; Assault (homicide) by drugs, medicaments and biological substances, X85; and Poisoning by and exposure to drugs, medicaments and biological substances, undetermined intent, Y10-Y14. Other unintentional injuries, homicides, and other causes indirectly related to drug use are excluded from this category. Infant deaths due to mother's drug use are also excluded.

### Firearm Deaths

Mortality due to firearm use includes suicide, homicide, unintentional injury, legal intervention and undetermined deaths. This category excludes firearm injury deaths due to explosives and other causes indirectly related to firearms. The specific causes of death and ICD-10 codes included in this category are: Accidental discharge of firearms, W32-W34; Intentional self-harm (suicide) by discharge of firearms, X72-X74; Assault (homicide) by discharge of firearms, X93-X95; Discharge of firearms, undetermined intent, Y22-Y24; and Legal intervention involving firearm discharge, Y35.0

### Unintentional Injury Deaths

Unintentional injury deaths are those with ICD-10 codes V01-X59 and Y85-Y86. Categories of unintentional injury deaths are: Motor vehicle crash injuries, V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2; Fall injuries, W00-W19; Poisonings, X40-X49; and all other unintentional injuries, V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W20-W99, X00-X39, X50-X59, Y85-Y86. The "other" category includes such injuries as accidental drowning and submersion; accidental exposure to smoke, fire, and flames; accidental firearm discharge; water, air, and space and other land transport accidents; and other/unspecified non-transport accidents.

### Injury at Work

Information on deaths due to injuries sustained at work is from the injury at work check box on the death certificate. Except for deaths occurring on tribal lands or military facilities, the Office of the Medical Investigator investigates injury at work deaths that occur in New Mexico.

### Maternal Mortality

Maternal deaths are defined by WHO as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes." ICD-10 codes used to capture maternal deaths are: A34, O00-O95, and O98-O99.

Maternal mortality rates are calculated by dividing the number of deaths due to maternal causes by the number of live births for the same period and multiplying by 100,000. Maternal mortality rates are presented as the number of maternal deaths per 100,000 live births. Because only pregnant women are at risk of maternal mortality, live births are used as the denominator to approximate the population of pregnant women.

### Infant Mortality

Infant mortality is defined as the death of an infant under one year of age and is often separated into two age groups: neonatal and postneonatal. The neonatal period represents infants less than 28 days old. Postneonatal infants are 28 days to one year of age. The infant mortality rate is one of the most widely used health indicators and is computed by dividing the number of infant deaths by the number of live births in a period and multiplying by a constant (1,000 or 100,000). Neonatal and postneonatal mortality rates also use the total number of live births as the denominator. Another measure of infant mortality is the infant death rate, which uses the population of infants as the denominator rather than the number of live births. In this report, only infant mortality rates are used.

Infant mortality rates by race/ethnicity are calculated by using the decedent's (the infant's) race/ethnicity reported on the death certificate and the mother's race/ethnicity reported on the birth certificate.

## THE NEW MEXICO REVISED BIRTH CERTIFICATE

Beginning January 1, 2008, New Mexico adopted a new birth certificate based on the 2003 U.S. standard certificate of live birth. Before 2008, the New Mexico birth certificate was based on the 1989 U.S. standard.

The 2003 revision of the U.S. standard certificate of live birth introduced a number of changes to data content and quality. A number of items (e.g. maternal age, birth order, marital status, attendant at birth, birthweight, gestational age) are common to both the old and new certificates and are considered compatible. However, several other items (educational attainment, tobacco use during pregnancy, month prenatal care began, and type of vaginal or cesarean delivery), although collected on both certificate revisions, were modified and are not considered comparable. For this reason, care should be taken when comparing numbers and rates related to those

## Technical Appendix

---

items between those stated for years 2008 and after and those stated for years 2007 and prior. For more information, see the Special Feature, *The Revised Birth Certificate: Changes to the New Mexico Birth File*, in the *New Mexico Selected Health Statistics, Annual Report, 2008* at [http://www.vitalrecordsnm.org/reports/2008\\_AR.pdf](http://www.vitalrecordsnm.org/reports/2008_AR.pdf).

Intentionally Left Blank

The Bureau of Vital Records and Health Statistics is located in the Public Health Nurse Memorial Bldg.  
1105 St. Francis Drive  
Santa Fe, NM 87505

For information on obtaining New Mexico birth and death certificates, please visit us on the web at [www.vitalrecordsnm.org](http://www.vitalrecordsnm.org) or call 866-534-0051.



### **ADMINISTRATION**

Tony Ortiz, Acting Bureau Chief and Acting Director, State Center for Health Statistics  
Liz Padilla, Financial Specialist  
Lisa Sandoval, Administrative Secretary

### **STATISTICS AND EPIDEMIOLOGY**

Camille Clifford, Epidemiologist  
Patricia Drypolcher, Statistician  
Irma Montoya, Management Analyst

Tony Ortiz, Epidemiologist  
Rosemary Perez-Mendoza, Statistician  
Anne Worthington, Epidemiologist

### **BIRTH AND DEATH REGISTRATION**

Renee Valencia, Deputy New Mexico State Registrar, Registration Manager, and Nosologist  
Martha Lucero, Office Clerk  
Melinda Roybal, Statistician  
Jessica Sosaya, Office Clerk  
Peter Varela, Statistician

### **VITAL RECORDS**

Mary Anne Escudero, New Mexico State Registrar and Records Unit Manager  
Hector Cruz, Records Unit Supervisor  
Rita Encinias, Customer Service Representative Unit Supervisor  
Guadalupe Archuleta, Customer Service Representative Unit  
Percy Armijo, Order Processing & Amendment Clerk Specialist  
Peggy Armijo, Order Processing & Amendment Clerk Specialist  
Amber Beauchamp, Order Processing & Amendment Clerk Specialist  
Nancy Blake, Training and Development  
Genoveva Garcia, Order Processing & Amendment Clerk Specialist  
Natasha Krohn Order Processing & Amendment Clerk Specialist  
Debbie Laemmle, Customer Service Representative Unit  
Michelle Montoya-Griego Order Processing & Amendment Clerk Specialist  
Monika Romero, Deposit/Audit & Security Paper Management  
Rebecca Ulibarri, Order Processing & Permits  
Valerie Voight Sanchez, Order Processing & Amendment Clerk Specialist

