

SANDOVAL COUNTY HEALTH PROFILE

2003 NEW MEXICO COUNTY HEALTH PROFILES NEW MEXICO DEPARTMENT OF HEALTH PUBLIC HEALTH DIVISION OFFICE OF NEW MEXICO VITAL RECORDS AND HEALTH STATISTICS

Welcome to the fifth update of the New Mexico County Health Profiles. This publication is dedicated to users of county-level data as well as to those who contributed data, suggestions, interpretations, and comments. Thanks to so many of you, there are many improvements in this year's version. Some of you work in the Department of Health, but a great many of you work in other agencies and it is gratifying to be able to have collaborated with you.

As in prior versions, the latest data available from each source is used. Questions about the data, their collection, limitations, or interpretation should be directed to the appropriate data source. To aid in this, a source is listed at the bottom of each table throughout the profile.

The compilation of the Profiles is possible because of assistance and contributions from many agencies and data providers: NM Department of Health, District Health Offices, Diabetes Prevention and Control Program, Family Food and Nutrition Services, Family Health Bureau, Infectious Disease Bureau, Injury Prevention and EMS Bureau, Long Term Services Division, Family Infant Toddler Program, Behavioral Health, and Office of Epidemiology; NM Children, Youth and Families Department, Child Protective Services; NM Commission on Higher Education; NM Department of Education; NM Department of Labor; NM Health Policy Commission; NM Department of Transportation, Traffic Safety Bureau; NM Human Services Department, Income Support Division, Medical Assistance Division; University of New Mexico's Bureau of Business and Economic Research (BBER) and New Mexico Tumor Registry; Center for Disease Control's National Center for Health Statistics; US Department of Commerce, Bureau of the Census and Bureau of Economic Analysis; and US Bureau of Labor Statistics.

Without outstanding assistance from the entire staff at the Office of New Mexico Vital Records and Health Statistics, these profiles would not have been produced and we especially wish to thank: Mary M. Gonzales, John Hedrick, Brad Whorton, Brian Woods, Radha S. Biswas, Tony Ortiz, Renee Valencia, Michael Patterson, Veronica Tapia, Pete Varela, Rebecca Rodriguez, and Melinda Roybal.

Your comments are welcome. You may call 827-0167 to provide comments or suggestions for future reports.

Celine Sanchez
State Registrar and Acting Chief
Office of New Mexico Vital Records and Health Statistics

Kimberley Peters
Director, Designated State Center for Health Statistics

Mary Houdek
Manager, Information Systems and GIS

Mary Anne Escudero
Manager, Fraud Program & Deputy State Registrar

Copyright 2003 Office of New Mexico Vital Records and Health Statistics.
Permission to quote from or reproduce materials from this report is granted
with attributions.



**Office of New Mexico Vital Records & Health Statistics
County Health Profile Team**

Mary M. Gonzales	Management Analyst & Co-editor
Jonathan Hedrick	Statistician & Co-editor
Radha S. Biswas	Epidemiologist
Tony Ortiz	Epidemiologist
Michael Patterson	Statistician
Rebecca Rodriguez	Statistician
Melinda Roybal	Statistician
Veronica Tapia	Clerk Specialist
Renee Valencia	Nosologist
Pete Varela	Statistician
Brad Whorton	Epidemiologist
Brian Woods	Epidemiologist

TABLE OF CONTENTS


Population	5
Growth and Change	
Distribution by Age and Gender	
Distribution by Race/Ethnicity	
Distribution by Hispanic Ethnicity	
Special Populations	
Socio-Economic	8
Per Capita Income / Average Wages / Total Personal Income	
Unemployment / TANF & Food Stamps / Medicaid / Poverty	
Maternal and Infant Health	10
Live Births / Crude Birth Rates / Fertility Rates	
Number of Births and Birth Rates by Age of Mother	
Percent of Total Births to Teen Mothers / Single Mothers	
Percent of Births to Mothers with < 12 Years Education / First Trimester Prenatal Care	
Prenatal Care – Modified Kessner Index	
Adequacy of Prenatal Care Utilization - Kotelchuck Index	
Live Births by Type of Attendant	
Low Birth Weight Births / Very Low Birth Weight Births / High Birth Weight	
Supplemental Programs / Births Paid by Medicaid / Female Population Age 15-44	
Number Infant, Neonatal and Postneonatal Deaths / Infant Mortality - SIDS Deaths/Birth Defects	
Child Health (1-14) Years of Age	20
Children’s Chronic Conditions Registry Data / Child Abuse	
Family Infant Toddler (FIT) Data	
School Enrollment	
Mortality – Deaths / Death Rates / Childhood Leading Causes	
Adolescent / Youth (15-19) Years of Age	24
High School Enrollment / Drop-out Rate / College Enrollment	
Motor Vehicle Crashes	
Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes	
Infectious / Communicable Disease	27
Gastrointestinal Disease	
Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis	
Bloodborne Diseases	
Hepatitis B / HIV/AIDS	
Respiratory Diseases	
Pertussis / Tuberculosis	
Sexually Transmitted Diseases	
Chlamydia / Gonorrhea / Syphilis	

TABLE OF CONTENTS cont'd

Injury	30
Motor Vehicle Crashes	
Injuries by Category	
Chronic Disease	33
Cancer Incidence - Male	
Cancer Incidence - Female	
Inpatient Hospitalization	
Hospital Discharge by Payer / Asthma	
Diabetes	
Aging	38
Inpatient Hospitalization / Discharge Status	
Adult Abuse / Deaths / Death Rates / Leading Causes of Death	
General Mortality	40
Deaths / Death Rates / Leading Causes of Death	
Environmental Health	41
Lead Poisoning	
Community Resources	42
Hospitals and Primary Care Facilities / Health Care Clinics	
Selected Community Partners to Public Health / Licensed Health Professionals	
Active Emergency Medical Services	
Glossary	44

SANDOVAL COUNTY POPULATION / AGE AND GENDER

**POPULATION GROWTH
1970 TO 2000**




SOURCE: U.S. Bureau of the Census

**2002 POPULATION ESTIMATES
BY AGE AND GENDER**

Age Groups	Sandoval County			New Mexico		
	Male	Female	Both	Male	Female	Both
Less than 1 yr	668	664	1,332	13,746	13,361	27,107
1 to 4 years	2,722	2,681	5,403	53,236	51,780	105,016
5 to 9 years	3,743	3,583	7,326	67,768	65,647	133,415
10 to 14 years	4,155	3,993	8,148	74,247	71,746	145,993
15 to 19 years	3,929	3,818	7,747	76,356	72,288	148,644
20 to 24 years	3,004	2,812	5,816	67,182	64,847	132,029
25 to 29 years	2,567	2,670	5,237	56,796	56,273	113,069
30 to 34 years	3,062	3,229	6,291	59,596	59,961	119,557
35 to 39 years	3,556	3,757	7,313	64,222	65,623	129,845
40 to 44 years	4,036	4,354	8,390	70,951	73,496	144,447
45 to 49 years	3,642	3,999	7,641	66,325	70,011	136,336
50 to 54 years	3,177	3,234	6,411	60,317	63,383	123,700
55 to 59 years	2,307	2,584	4,891	47,075	50,411	97,486
60 to 64 years	1,750	1,878	3,628	36,530	40,431	76,961
65 to 69 years	1,290	1,552	2,842	30,979	34,231	65,210
70 to 74 years	1,176	1,383	2,559	26,175	29,427	55,602
75 to 79 years	936	1,289	2,225	19,298	25,786	45,084
80 to 84 years	676	907	1,583	12,434	17,304	29,738
85 and over	416	872	1,288	8,926	16,894	25,820
All Ages	46,812	49,259	96,071	912,159	942,900	1,855,059

Source: U.S. Bureau of the Census

**2002 POPULATION ESTIMATES
BY AGE GROUP**




SOURCE: U.S. Bureau of the Census

SANDOVAL COUNTY POPULATION / AGE AND RACE/ETHNICITY

2002 POPULATION ESTIMATES BY AGE AND RACE/ETHNICITY							
Age Groups	ONE RACE					Total Population	Hispanic or Latino Ethnicity Any Race ^{/1}
	White	Black	American Indian / Alaska Native	Asian / Pacific Islander	Two or More Races		
Under 5 years	4,901	137	1,388	99	210	6,735	2,602
5 to 9 years	5,331	175	1,496	105	219	7,326	2,723
10 to 14 years	5,981	177	1,656	123	211	8,148	2,864
15 to 19 years	5,750	168	1,551	102	176	7,747	2,652
20 to 24 years	4,194	137	1,296	75	114	5,816	2,165
25 to 29 years	3,890	108	1,085	77	77	5,237	1,993
30 to 34 years	4,862	137	1,078	115	99	6,291	2,240
35 to 39 years	5,782	169	1,148	109	105	7,313	2,382
40 to 44 years	6,935	159	1,068	116	112	8,390	2,513
45 to 49 years	6,389	155	901	101	95	7,641	2,020
50 to 54 years	5,428	103	726	79	75	6,411	1,575
55 to 59 years	4,144	75	577	37	58	4,891	1,055
60 to 64 years	3,081	45	434	32	36	3,628	771
65 to 69 years	2,431	41	320	28	22	2,842	640
70 to 74 years	2,192	58	266	24	19	2,559	502
75 to 79 years	1,977	37	185	11	15	2,225	395
80 to 84 years	1,432	38	94	7	12	1,583	269
85 and over	1,162	24	83	8	11	1,288	197
All Ages	75,862	1,943	15,352	1,248	1,666	96,071	29,558


^{/1} Hispanic or Latino origin may be of any race. Adding the Hispanic or Latino population to the racial categories will result in double counting.

SOURCE: U.S. Bureau of the Census




UNDER 20 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
Under 5 years	6,589	6,603	6,735
5 to 9 years	7,638	7,439	7,326
10 to 14 years	7,885	8,011	8,148
15 to 19 years	6,776	7,403	7,747
Under 20 years	28,888	29,456	29,956
County Population	89,908	92,980	96,071

Source: U.S. Bureau of the Census




20 TO 64 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
20 to 24 years	4,463	5,100	5,816
25 to 29 years	5,293	5,215	5,237
30 to 34 years	6,107	6,206	6,291
35 to 39 years	7,723	7,525	7,313
40 to 44 years	7,939	8,155	8,390
45 to 49 years	6,988	7,339	7,641
50 to 54 years	5,679	6,067	6,411
55 to 59 years	4,164	4,505	4,891
60 to 64 years	3,122	3,330	3,628
20 to 64 years	51,478	53,442	55,618
County Population	89,908	92,980	96,071

Source: U.S. Bureau of the Census




65 AND OLDER POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
65 to 69 years	2,656	2,783	2,842
70 to 74 years	2,429	2,496	2,559
75 to 79 years	2,118	2,196	2,225
80 to 84 years	1,306	1,459	1,583
85 and over	1,033	1,148	1,288
65 years and older	9,542	10,082	10,497
County Population	89,908	92,980	96,071

Source: U.S. Bureau of the Census



SOCIO-ECONOMIC - INCOME


**PER CAPITA PERSONAL INCOME
1992-2001**



^{r/} Revised ^{p/} Preliminary

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

**ANNUAL AVERAGE WAGE - SALARY PER JOB ^{1/}
1992-2001**




^{r/} Revised ^{p/} Preliminary

^{1/} The employment estimates used to compute the average wage are a job, not person, count.

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released December 2002.

**TOTAL PERSONAL INCOME
1992-2001**




^{r/} Revised ^{p/} Preliminary

See glossary for definition of Total Personal Income

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

**UNEMPLOYMENT TRENDS
ANNUAL RATES
1993-2002**



SOURCE: U.S. Department of Labor, Bureau of Labor Statistics

**AVERAGE MONTHLY TANF AND FOOD STAMPS CASES
FISCAL YEAR 2003
(7/02 - 6/03)**


Supplement	Sandoval Co.		New Mexico	
	Number	Percent*	Number	Percent*
TANF	350	0.4	16,382	0.9
Food Stamps	2,239	2.3	72,411	3.9

*Percent of county's estimated 2002 population.

NOTE: Starting July 1, 1999, changes were made in the methodology for counting TANF (Temporary Assistance for Needy Families) caseloads. Caution should be used when comparing data to previous fiscal years.

SOURCE: NM Human Services Department, Income Support Division.


**AVERAGE MONTHLY PERCENT
TANF AND FOOD STAMP CASES
FISCAL YEAR 2003**



TANF = Temporary Assistance for Needy Families.

SOURCE: NM Human Services Department Income Support Division.

**AVERAGE MONTHLY MEDICAID
ELIGIBLES*
FISCAL YEAR 2000**



*Medicaid eligible counts do not include retroactive and late reported eligibility. Figures subject to change.

SOURCE: NM Human Services Department Income Support Division

**ESTIMATED NUMBER AND PERCENT
OF PEOPLE IN POVERTY
1999**

Age	Sandoval Co.		New Mexico	
	Number	Percent*	Number	Percent*
All Ages in Poverty	11,718	13.0	326,223	18.2
----Children age < 18 years	5,042	19.0	133,194	26.4
----Related children ages 5-17 years	3,408	17.3	92,333	25.0

See glossary for definition of poverty. *Percent of Specified Age Group.



SOURCE: U.S. Census Bureau, "Estimates Model 1999."

MATERNAL AND INFANT HEALTH -LIVE BIRTHS

RESIDENT LIVE BIRTHS BY COUNTY OF RESIDENCE AND STATE 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	1,152	1,236	1,202	1,224	1,205	1,306	1,223	1,303	1,249	1,297	1,316
New Mexico	27,910	27,831	27,585	26,914	27,216	26,844	27,294	27,133	27,206	27,101	27,708

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



MATERNAL AND INFANT HEALTH -LIVE BIRTHS

**SANDOVAL COUNTY RESIDENT LIVE BIRTHS
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	143	157	145	146	136	165	134	160	173	174	166
20-24	267	280	282	307	287	324	289	364	297	336	343
25-29	346	371	346	340	343	369	347	367	350	340	358
30-34	273	276	287	278	290	292	269	259	262	260	273
35-39	104	126	119	124	122	123	143	124	130	134	141
40-44	18	19	18	25	27	27	38	20	28	45	30

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

SANDOVAL COUNTY RESIDENT BIRTH RATES
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	65.5	67.8	58.4	54.5	47.6	54.8	42.5	49.2	52.6	48.0	43.5
20-24	140.3	140.5	132.2	136.9	124.4	136.0	118.0	142.6	133.2	134.5	122.0
25-29	126.2	136.9	127.3	122.6	119.7	125.7	115.1	118.7	129.3	127.3	134.1
30-34	78.8	77.5	78.0	74.6	78.2	80.5	76.1	74.7	82.8	81.8	84.5
35-39	32.9	37.7	33.5	33.0	31.1	30.6	35.2	30.3	33.0	34.9	37.5
40-44	7.1	7.1	6.2	8.1	8.2	7.8	10.6	5.4	6.8	10.5	6.9

*2002 data are provisional **Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT BIRTH RATES
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	79.8	80.7	77.2	74.3	70.8	68.0	69.1	67.2	65.5	63.1	62.3
20-24	153.9	150.4	142.2	134.0	135.0	133.6	135.8	137.6	136.1	134.2	132.1
25-29	129.0	131.7	129.7	125.5	131.8	129.8	132.1	128.0	117.0	119.3	123.3
30-34	75.8	74.7	76.5	77.2	76.6	79.1	79.6	82.7	77.2	77.2	79.1
35-39	31.3	30.8	31.3	31.3	32.5	31.5	33.8	34.1	33.3	33.5	35.0
40-44	6.9	5.9	7.0	6.6	7.4	7.0	6.8	7.1	7.6	7.5	7.1

*2002 data are provisional **Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**UNITED STATES BIRTH RATES*
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
15-19	60.7	59.6	58.9	56.8	54.4	52.3	51.1	49.6	47.7	45.3	43.0
20-24	114.6	112.6	111.1	109.8	110.4	110.4	111.2	111.0	109.7	106.2	103.6
25-29	117.4	115.5	113.9	112.2	113.1	113.8	115.9	117.8	113.5	113.4	113.6
30-34	80.2	80.8	81.5	82.5	83.9	85.3	87.4	89.6	91.2	91.9	91.5
35-39	32.5	32.9	33.7	34.3	35.3	36.1	37.4	38.3	39.7	40.6	41.4
40-44	5.9	6.1	6.4	6.6	6.8	7.1	7.3	7.4	8.0	8.1	8.3

* Rate per 1,000 women in specified group.


SOURCE: CDC's, National Center for Health Statistics: NVSR Volume 52, Number 10.

MATERNAL AND INFANT HEALTH - *LIVE BIRTHS*

RESIDENT LIVE BIRTHS TO MOTHERS UNDER 20 YEARS OF AGE 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	143	162	148	150	136	170	135	166	179	178	167
New Mexico	4,749	4,965	4,964	4,950	4,850	4,789	4,964	4,841	4,728	4,603	4,592

*2002 data are provisional


SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



RESIDENT LIVE BIRTHS TO SINGLE MOTHERS 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	441	505	449	454	461	528	453	566	543	560	580
New Mexico	11,021	11,522	11,408	11,388	11,347	11,590	12,021	12,236	12,400	12,549	12,984

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics




**RESIDENT LIVE BIRTHS
TO MOTHERS WITH LESS THAN 12 YEARS OF EDUCATION
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	221	210	210	185	182	204	172	223	203	218	231
New Mexico	7,898	7,806	7,545	7,269	7,415	6,961	7,309	7,342	7,408	7,459	7,679

*2002 data are provisional NOTE: Births to mothers of all ages. Some mothers are still in school.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics




**RESIDENT LIVE BIRTHS
WITH FIRST TRIMESTER PRENATAL CARE
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	731	759	812	883	834	904	813	764	808	906	961
New Mexico	16,656	17,344	17,893	18,011	18,264	17,932	17,411	16,790	17,757	17,741	18,293

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



**KESSNER INDEX VERSUS
KOTELCHUCK INDEX**

Both the Kessner Index and the Kotelchuck Index utilize the month of pregnancy in which prenatal care began and the number of prenatal visits. The Kessner Index relies very heavily on the timing of the initiation of prenatal care. For example, inadequate prenatal care is defined as no prenatal care or care beginning in the third trimester. The Kessner Index has been modified by most states to allow for insufficient visits even when care was initiated early. The exact combination varies from state to state so that there is no standard modified Kessner.

The Kotelchuck Index is more sophisticated and uses two dimensions, the timing of the initiation of care and the adequacy of services received (ratio of observed visits to expected visits), which are combined into a single summary index.


**RESIDENT LIVE BIRTHS
ADEQUACY OF PRENATAL CARE UTILIZATION
(Kotelchuck Data Index)
1996-2002**

	1996	1997	1998	1999	2000	2001	2002*
Inadequate Care							
Sandoval Co.	237	222	233	289	275	218	238
New Mexico	5,811	5,541	6,284	6,499	6,333	5,854	6,321
Intermediate Care							
Sandoval Co.	219	221	169	180	129	153	175
New Mexico	4,943	4,845	4,660	4,331	4,122	4,187	4,663
Adequate Care							
Sandoval Co.	353	374	368	384	340	406	429
New Mexico	8,826	8,417	8,239	8,052	7,915	8,165	8,498
Intensive Care							
Sandoval Co.	317	355	319	263	404	411	399
New Mexico	6,182	6,341	6,109	5,885	7,097	7,090	6,526

* 2002 data are provisional


SOURCE: NM Department of Health, ONMVRHS

**PERCENT INADEQUATE
PRENATAL CARE
1996-2002**




*2002 data are provisional

**PERCENT INTERMEDIATE
PRENATAL CARE
1996-2002**




*2002 data are provisional

**PERCENT ADEQUATE
PRENATAL CARE
1996-2002**



*2002 data are provisional

**PERCENT INTENSIVE
PRENATAL CARE
1996-2002**



*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

MATERNAL AND INFANT HEALTH - *PRENATAL CARE*





RESIDENT LIVE BIRTHS LEVEL OF PRENATAL CARE (Modified Kessner Index) 1996-2002							
	1996	1997	1998	1999	2000	2001	2002*
Low or No Prenatal Care							
Sandoval Co.	132	137	108	169	166	116	129
New Mexico	3,203	2,973	3,413	3,665	3,523	3,065	3,356
Mid-Level Prenatal Care							
Sandoval Co.	358	327	325	354	295	319	306
New Mexico	8,337	8,166	8,551	8,258	8,045	8,190	8,485
High Prenatal Care							
Sandoval Co.	644	723	659	608	695	762	810
New Mexico	14,331	14,139	13,476	13,025	14,035	14,164	14,284
Unknown Prenatal Care							
Sandoval Co.	71	119	131	172	93	100	71
New Mexico	1,345	1,566	1,854	2,185	1,603	1,682	1,581

* 2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS

MODIFIED KESSNER INDEX CLASSIFICATIONS OF LEVELS OF PRENATAL CARE					
NUMBER OF PRENATAL VISITS	MONTH CARE BEGAN				
	1-3	4-6	7-9	NONE (0)	UNKNOWN
9+	H	M	L	L	?
5-8	M	M	L	L	?
1-4	L	L	L	L	L
NONE	L	L	L	(NONE) L	L
UNKNOWN	?	?	L	L	?

HIGH (OPTIMUM) LEVEL **H** LOW or NO LEVEL **L**
 MID-LEVEL **M** UNKNOWN LEVEL **?**



SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

MATERNAL AND INFANT HEALTH - TYPE OF ATTENDANT

RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	881	923	872	869	885	944	803	822	753	827	790
New Mexico	23,454	22,492	22,309	21,965	22,101	21,387	20,932	19,696	19,407	19,063	19,231
Certified Nurse Midwife											
Sandoval Co.	251	282	311	341	305	351	408	465	473	454	505
New Mexico	3,977	4,756	4,738	4,474	4,622	5,040	5,912	7,011	7,338	7,619	7,937
Lay Midwife											
Sandoval Co.	6	4	8	12	8	3	9	5	16	10	16
New Mexico	286	293	292	272	254	240	248	269	290	268	336
Other											
Sandoval Co.	10	19	10	8	7	7	7	7	7	6	5
New Mexico	193	290	246	203	239	177	202	157	171	151	204

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


PERCENT OF RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	76.5	74.7	72.5	71.0	73.4	72.3	65.7	63.1	60.3	63.8	60.0
New Mexico	84.0	80.8	80.9	81.6	81.2	79.7	76.7	72.6	71.3	70.3	69.4
Certified Nurse Midwife											
Sandoval Co.	21.8	22.8	25.9	27.9	25.3	26.9	33.4	35.7	37.9	35.0	38.4
New Mexico	14.2	17.1	17.2	16.6	17.0	18.8	21.7	25.8	27.0	28.1	28.6
Lay Midwife											
Sandoval Co.	0.5	0.3	0.7	1.0	0.7	0.2	0.7	0.4	1.3	0.8	1.2
New Mexico	1.0	1.1	1.1	1.0	0.9	0.9	0.9	1.0	1.1	1.0	1.2
Other											
Sandoval Co.	0.9	1.5	0.8	0.7	0.6	0.5	0.6	0.5	0.6	0.5	0.4
New Mexico	0.7	1.0	0.9	0.8	0.9	0.7	0.7	0.6	0.6	0.6	0.7

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

PERCENT OF RESIDENT LIVE BIRTHS DELIVERED BY PHYSICIANS AND CERTIFIED NURSE MIDWIVES SANDOVAL COUNTY 1992-2002




SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

RESIDENT LIVE BIRTHS LOW BIRTH WEIGHT BIRTHS (<2500 grams) 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	84	99	60	74	85	91	67	86	99	103	96
New Mexico	2,014	2,032	2,023	2,017	2,041	2,086	2,042	2,078	2,180	2,147	2,224

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



Low Birth Weight

Low birth weight (LBW) is defined as an infant weight of less than 2,500 grams (5 1/2 lbs) at the time of delivery. Birth weight is one of the most important factors in determining the survival and health of an infant. Low birth weight is a public health problem since infants born LBW have increased infant mortality, morbidity, incidence of learning disabilities, and medical costs. Nationally, the risk factors for LBW include maternal age of less than seventeen and greater than 34 years, Black race/ethnicity, low socioeconomic status, single marital status, lower levels of maternal education, smoking, inadequate weight gain, low pre-pregnancy weight, and a variety of medical risk factors (Source: Data to Action).

Smoking, which retards fetal growth, is the single largest modifiable risk factor for LBW and infant mortality. It is estimated to account for 20 to 30% of all LBW births.

RESIDENT LIVE BIRTHS VERY LOW BIRTH WEIGHT BIRTHS (<1500 grams) 1994-2002						
	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Sandoval Co.	32	0.9	30	0.8	57	1.5
New Mexico	894	1.1	880	1.1	1,005	1.2

*2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS

High Birth Weight

A woman with a history of gestational diabetes or delivery of a baby weighing >9 pounds is at risk of developing type 2 diabetes. In addition, if the baby has macrosomia (generally defined as a weight of 4000 g or more), he or she is at risk for obesity and also for developing type 2 diabetes later on in life. It should be noted that there is no widely agreed-upon weight definition. Any evaluation of fetal weight must be considered in the context of gestational age.

Sources: "Diabetes in the Life Cycle and Research," Vol. 4. 2003. Editor M. Franz. Published by the American Association of Diabetes Educators, Chicago Illinois. *Diabetes Care Journal*, Supplement 1, January 2003 Vol. (26).

RESIDENT LIVE BIRTHS HIGH BIRTH WEIGHT BIRTHS (4090+ grams, 9 pounds) 1994-2002						
	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Sandoval Co.	192	5.3	197	5.1	158	4.1
New Mexico	4,010	5.2	3,810	4.9	3,674	4.7

*2002 Data are provisional


SOURCE: NM Department of Health, ONMVRHS

MATERNAL AND INFANT HEALTH - MEDICAID BIRTHS / SUPPLEMENTAL PROGRAMS / FEMALE POPULATION

Medicaid is a Federal-State matching entitlement program that pays for medical assistance. Originating in 1965 as Title XIX of the Social Security Act, it was created as a medical extension of the federally funded cash income assistance program emphasizing care for dependent children and their mothers, the disabled, and the elderly.

Federal and state initiatives intending to expand access to maternity and child health care have resulted in dramatic changes in policy and manner of health care delivery. Federal Omnibus Budget Reconciliation Acts (OBRA) of 1986, 1987, and 1989 required states to grant Medicaid eligibility/coverage for pregnant woman and infants, ultimately, at or below the 133% of federal poverty levels, and allow for eligibility up to 185%. The State of New Mexico followed this progression and complimented the initiatives by extending eligibility up to 225% of federal poverty levels.

Statewide, Medicaid paid for 49% of births.




NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS 1999-2000

Residence	Non-Medicaid Births	Medicaid Paid Births	Total Births
Sandoval	1,490	1,060	2,550
New Mexico	27,710	26,600	54,310

SOURCE: NM Department of Health, ONMVRHS and Human Services Department Paid By Medicaid Final Report 2003

Compared to mothers of children whose births were not paid by Medicaid, Medicaid mothers in New Mexico tended to:

- Be younger;
- Be White Hispanic;
- Have fewer years of education;
- Have lower levels of prenatal care;
- Be outside of the major metropolitan areas;
- Be more at risk for preterm and low weight births.



WOMEN, INFANT & CHILDREN (WIC) PROGRAM & COMMODITY SUPPLEMENTAL FOOD PROGRAM (CSFP) POTENTIAL ELIGIBLES FISCAL YEAR 2001

	Estimated Potential Eligible	WIC Recipients	CSFP Recipients	Percent Served
Sandoval Co.	4,604	1,834	20	40.3
New Mexico	96,571	55,934	4,889	63.0

SOURCE: NM Department of Health, Family Food & Nutrition Services, WIC Program

SANDOVAL FEMALE POPULATION AGES 15-44 2000, 2001 and 2002



Age Groups	2000	2001	2002	Age Groups	2000	2001	2002
15 to 19 years	3,287	3,627	3,818	35 to 39 years	3,943	3,836	3,757
20 to 24 years	2,229	2,498	2,812	40 to 44 years	4,135	4,284	4,354
25 to 29 years	2,706	2,671	2,670	15 to 44 years	19,464	20,094	20,640
30 to 34 years	3,164	3,178	3,229				

Source: U.S. Bureau of the Census

RESIDENT INFANT DEATHS NEONATAL AND POSTNEONATAL MORTALITY RATES 1993-1997 & 1998-2002 AVERAGE						
	All Infant Deaths		Neonatal		Postneonatal	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Sandoval Co.	6.5	6.7	3.9	4.8	2.6	1.9
New Mexico	7.1	6.6	4.2	4.0	2.9	2.6

* 2002 data are provisional.
Rate per 1,000 live births in mid year.

SOURCE: NM Department of Health, ONMVRHS



INFANT MORTALITY RATES BY COUNTY OF RESIDENCE FOR SELECTED CAUSES 1993-1997 & 1998-2002 AVERAGE								
	All Infant Deaths		Birth Defects		Short Gestation		SIDS	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Sandoval Co.	6.5	6.7	1.8	2.1	0.5	1.6	1.4	0.2
New Mexico	7.1	6.6	1.7	1.8	1.3	1.4	1.1	0.6

*2002 data are provisional

NOTE: Rate per 1,000 live births. Subcategory rates may not add up to all infant death rate due to rounding.
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999.
Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENTS AGES 20 AND YOUNGER SELECTED DIAGNOSES REPORTED TO CHILDRENS CHRONIC CONDITIONS REGISTRY 2000				
Diagnoses	Sandoval Co.		New Mexico	
	Number	Rate	Number	Rate
Children in Registry	5,629	1884.1	90,763	1,534.5
Congenital Anomalies - All	1,339	448.2	22,241	376.0
---Neural Tube Defects	40	13.4	870	14.7
---Cleft Lip/Cleft Palate	166	55.6	2,946	49.8
---Down Syndrome	49	16.4	997	16.9
---All Other Anomalies	1,084	362.8	17,428	294.6
Asthma	1,280	428.4	20,904	353.4

* = 1-3 ** = 0
Rates per 10,000 population ages 20 years and younger
NOTE: Children in registry totals include all other conditions not listed above.


SOURCE: NM Department of Health
Children's Medical Services

CHILD ABUSE CASES NUMBER AND TYPE OF INVESTIGATIONS 2002			
	Substantiated	Unsubstantiated	Total
Sandoval Co.	164	354	518
New Mexico	4,089	10,067	14,156

Substantiated means that through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report has been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

An **unsubstantiated** investigation indicates that the investigator was unable to determine that the allegation(s) was, true.

SOURCE: NM Children, Youth and Families Department, Child Protective Services





Sometimes children have special developmental needs or health concerns that may put them at risk for or cause a developmental delay.

Through the Department of Health's Family Infant Toddler (FIT) Program early intervention services are available to help families who have concerns about the development of their young child (birth to three).

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) ELIGIBILITY STATUS FOR FY03		
ELIGIBILITY	Sandoval	New Mexico
	NUMBER	NUMBER
At Risk, Environmental	89	665
At Risk, Medical/Biological	67	1,150
Developmental Delay	132	2,937
Established Condition	15	470

The eligibility category of children with an active IFSP during FY 2003 is reported. Children are eligible for FIT Program service through one of four eligibility categories: a developmental delay of 25% or more in one of five developmental areas, an established condition (such as Down's Syndrome) that usually leads to a development delay, or a medical / biological risk or an environmental risk for a developmental delay.

**SOURCE: DOH Long Term Services Division
Family Infant Toddler (FIT) Program**

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY RACE/ ETHNICITY FOR FY03		
RACE/ ETHNICITY	Sandoval	New Mexico
	NUMBER	NUMBER
American Indian or Alaskan Native	104	779
Asian or Pacific Islander	^	43
Black or African American (not Hispanic)	5	130
Hispanic or Latino	88	2,696
White (not Hispanic)	103	1,574

The race / ethnicity of children with active IFSP during FY 2003 is reported
^Statistics not displayed due to less than 5 cases.

**SOURCE: DOH Long Term Services Division
Family Infant Toddler (FIT) Program**

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY AGE OF CHILD on 12/1/2002				
AGE OF CHILD	Sandoval		New Mexico	
	NUMBER	PERCENT	NUMBER	PERCENT
Less Than 1 year	16	12.8	458	17.9
1 to 2 years	38	30.4	707	27.6
2 to 3 years	54	43.2	1048	41.0
3 years and older	17	13.6	345	13.5
Total	125	100.0	2558	100.0

The age of child with an IFSP on December 1st as reported


**SOURCE: DOH Long Term Services Division
Family Infant Toddler (FIT) Program**

Fiscal Year 2003 = July 01, 2002 to June 30, 2003

CHILD HEALTH - SCHOOL ENROLLMENT

PRIVATE AND PUBLIC SCHOOL ENROLLMENT KINDERGARTEN THROUGH 8TH GRADE 2002-2003				
GRADE	Sandoval Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
Kindergarten	178	1,065	3,525	22,638
1st Grade	174	1,074	2,667	23,706
2nd Grade	173	1,150	2,738	23,550
3rd Grade	191	1,100	2,601	24,012
4th Grade	173	1,196	2,553	24,995
5th Grade	147	1,187	2,554	25,310
6th Grade	162	1,327	2,666	25,702
7th Grade	118	1,276	2,628	25,425
8th Grade	38	1,206	2,555	25,630
Total	1,354	10,581	24,487	220,968



SOURCE: NM Department of Education



HOMESCHOOL STUDENTS ALL GRADES 1998-1999 & 1999-2000				
	1998-1999		1999-2000	
	FALL	SPRING	FALL	SPRING
Sandoval Co.	448	439	463	472
New Mexico	5,796	5,728	6,080	6,732

NOTE: These are the number of home school students reporting to the New Mexico Department of Education.

SOURCE: NM Department of Education




**NEW MEXICO
RESIDENT DEATHS
FOR AGES 1-14 YEARS
1992-2002**

Year	Sandoval Co.	New Mexico
1992	5	120
1993	5	133
1994	7	125
1995	5	123
1996	3	128
1997	6	106
1998	4	115
1999	3	100
2000	4	79
2001	5	94
2002*	1	92

*2002 data are provisional

SOURCE: NM Department of Health
ONMVRHS

**NEW MEXICO RESIDENT DEATH RATES
FOR AGES 1-14 YEARS
1998-2002**



SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

**NEW MEXICO RESIDENT DEATHS
LEADING CAUSES OF DEATH - AGES 1-14 YEARS
1998-2002* AVERAGE**

SANDOVAL COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	17	16.3	All Causes	480	24.4
Accidents (Unintentional Injuries)	8	7.7	Accidents (Unintentional Injuries)	190	9.7
---(Motor Vehicle Accidents)	(3)	(2.7)	---(Motor Vehicle Accidents)	(128)	(6.5)
Other Diseases of Respiratory System	2	2.2	Congenital Malformations	45	2.3
Intentional Self-Harm (Suicide)	1	1.0	Malignant Neoplasms	39	2.0


* 2002 data are provisional

Rate per 100,000 population ages 1-14 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**NEW MEXICO RESIDENT DEATH RATES
LEADING CAUSES OF DEATH - AGES 1-14 YEARS
1998-2002* AVERAGE**



*2002 data are provisional. **Accidents are considered Unintentional Injuries. *** Motor Vehicle Accidents (MVA) are included in Accidents. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not be equal to those previously reported due to application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

ADOLESCENT/YOUTH (15-19) YEARS - SCHOOL ENROLLMENT & DROPOUT RATE

PUBLIC HIGH SCHOOL ENROLLMENT GRADES 9-12 SCHOOL YEARS 2000-2003

SCHOOL YEAR	Sandoval Co.	New Mexico
2000-2001	4,660	95,427
2001-2002	4,860	95,224
2002-2003	5,190	95,767


SOURCE: NM Department of Education

PRIVATE AND PUBLIC HIGH SCHOOL ENROLLMENT GRADES 9 - 12 SCHOOL YEAR 2000-2001

GRADE	Sandoval Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
9th	7	1,425	2,454	28,944
10th	6	1,267	2,092	25,476
11th	7	1,092	1,901	21,905
12th	4	876	1,690	19,102
Total	24	4,660	8,137	95,427


SOURCE: NM Department of Education

PERCENT ENROLLMENT PUBLIC & PRIVATE SCHOOLS GRADES 9-12 2000-2001



SOURCE: NM Department of Education

HIGH SCHOOL DROPOUT RATE GRADES 9 - 12 SCHOOL YEARS 1995-2002



	95-96	96-97	97-98	98-99	99-00	00-01	01-02
—●— Sandoval Co.	8.1	8.3	6.8	4.5	6.3	5.2	2.5
—■— New Mexico	8.5	7.8	7.1	5.6	6.0	5.3	3.6

Rate calculated by dividing the number of dropouts by the number of students enrolled in grades 9-12 on the 40th day of enrollment. A dropout is a student who was enrolled in school the previous year, but did not enroll the following year and did not graduate or meet certain approved exclusions (e.g., transfer, illness).

SOURCE: NM Department of Education

RESIDENT FALL ENROLLMENT TO NEW MEXICO HIGHER EDUCATION INSTITUTIONS 2001-2002

INSTITUTE	Sandoval		New Mexico	
	2001	2002	2001	2002
UNM	1,298	1,404	19,751	20,497
UNM Gallup	3	6	2,125	2,485
UNM Los Alamos	111	125	824	918
UNM Medical School	11	14	263	268
UNM Taos	1	7	1,190	1,349
UNM Valencia	2	8	1,563	1,717
NMSU	156	162	10,897	11,330
NMSU Alamogordo	0	0	1,300	1,380
NMSU Carlsbad	0	0	1,028	1,108
NMSU Dona Ana	31	37	4,342	4,744
NMSU Grants	4	1	619	640
ENMU	9	11	3,144	3,120
ENMU Roswell	8	18	3,046	3,536
ENMU Ruidoso	0	0	752	751
NMHU	114	122	2,987	2,841
WNMU	8	6	2,109	2,277
Other NM Institutions*	1,784	1,972	38,739	41,773

SOURCE: NM Commission on Higher Education



NOTE: Not all resident students report their original county of origin. In addition, out of state students are not included. Resident students attending school out of state are also not included. Counts reflect all students at a specific site, including extended services enrollments.

*Includes all other institutions of higher education not listed above, including community and technical colleges.

**PERSONS 19 AND UNDER KILLED OR INJURED AS VEHICLE OCCUPANTS
IN CRASHES BY SEATBELT STATUS
2002**

	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Sandoval Co.	3	1	2	260	44	216
New Mexico	81	59	22	6,407	974	5,433


NOTE: Number excludes pedestrians, bicyclists, motorcycleists, and unknown.
SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau



**NUMBER OF PERSONS ARRESTED
FOR DRIVING WHILE IMPAIRED (DWI)
2001 & 2002**

	19 Years and Younger		All Persons	
	2001	2002	2001	2002
Sandoval Co.	53	43	597	525
New Mexico	3,617	3,593	21,576	21,603

SOURCE: NM Department of Transportation, Traffic Safety Bureau



ADOLESCENT/YOUTH (15-19) YEARS - NATALITY/MORTALITY

NEW MEXICO RESIDENT LIVE BIRTHS TO MOTHERS AGE 15-17 YEARS 1998-2002* AVERAGE


	Number	Rate
Sandoval Co.	306	27.7
New Mexico	8,687	40.0

*2002 data are provisional

Rate is per 1,000 female population ages 15-17 years. Rate numerator was births to mothers age 15-17 years for 1998-2002, divided by 5; denominator was 2000 female population age 15-17.

SOURCE: NM Department of Health
ONMVRHS

NEW MEXICO RESIDENT BIRTH RATES FOR MOTHERS AGES 15-17 YEARS 1970, 1980, 1990, & 2000



SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics


NEW MEXICO RESIDENT DEATHS FOR AGES 15-19 YEARS 1992-2002

Year	Sandoval Co.	New Mexico
1992	3	117
1993	4	132
1994	7	128
1995	7	150
1996	9	158
1997	3	118
1998	4	144
1999	11	150
2000	9	143
2001	4	107
2002*	6	136

*2002 data are provisional

SOURCE: NM Department of Health
ONMVRHS

NEW MEXICO RESIDENT DEATH RATES FOR AGES 15-19 YEARS 1998-2002



SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 15-19 YEARS 1998-2002* AVERAGE

SANDOVAL COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	34	100.4	All Causes	680	93.3
Accidents (Unintentional Injuries)	15	44.5	Accidents (Unintentional Injuries)	312	42.8
---(Motor Vehicle Accidents)	(14)	(40.5)	---(Motor Vehicle Accidents)	(235)	(32.2)
Assault (Homicide)	7	20.7	Assault (Homicide)	117	16.0
Intentional Self-Harm (Suicide)	4	11.8	Intentional Self-Harm (Suicide)	117	16.0
Malignant Neoplasms	1	3.0	Malignant Neoplasms	35	4.8


* 2002 data are provisional

Rate per 100,000 population ages 15-19 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

GASTROINTESTINAL DISEASES




**HEPATITIS A
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	107	2,254
1997-1999	5	557
2000-2002	4	141

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**




**CAMPYLOBACTER INFECTION
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	65	1,117
1997-1999	78	1,093
2000-2002	75	1,059

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**




**SALMONELLOSIS
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	48	1,016
1997-1999	59	984
2000-2002	47	856

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**



**SHIGELLOSIS
NUMBER OF CASES**


Year	Sandoval Co.	New Mexico
1994-1996	336	1,900
1997-1999	67	786
2000-2002	16	560

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**

*National Electronic Telecommunication System for Surveillance (NETSS)

BLOODBORNE DISEASES




**HEPATITIS B
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	18	905
1997-1999	9	736
2000-2002	5	419

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**

*National Electronic Telecommunication System for Surveillance (NETSS)




**AIDS
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	11	559
1997-1999	10	357
2000-2002*	9	270

NOTE: *2002 counts may be low due to delays in reporting.

**SOURCE: New Mexico HIV/AIDS
Reporting System**

RESPIRATORY DISEASES




**PERTUSSIS
NUMBER OF CASES**

Year	Sandoval Co.	New Mexico
1994-1996	7	247
1997-1999	11	453
2000-2002	13	426

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**



**TUBERCULOSIS
NUMBER OF CASES**


Year	Sandoval Co.	New Mexico
1997-1998	10	139
1999-2000	3	110
2001-2002	6	111

Data from TIMS**

**SOURCE: NM Department of Health
Infectious Disease Bureau**

**Tuberculosis Information Management System (TIMS)

SEXUALLY TRANSMITTED DISEASES




CHLAMYDIA NUMBER OF CASES

Year	Sandoval Co.	New Mexico
2001	153	6,669
2002	202	7,419

Data from STD MIS*

SOURCE: NM Department of Health Infectious Disease Bureau




GONORRHEA NUMBER OF CASES

Year	Sandoval Co.	New Mexico
2001	28	1,090
2002	60	1,472

Data from STD MIS*

SOURCE: NM Department of Health Infectious Disease Bureau



SYPHILIS NUMBER OF CASES

Year	Sandoval Co.	New Mexico
2001	0	19
2002	2	39

Data from STD MIS*

SOURCE: NM Department of Health Infectious Disease Bureau

NOTE: The scales on the above graphs are not comparable.

*Sexually Transmitted Diseases Management Information Systems (STD MIS)


INJURY - MOTOR VEHICLE CRASHES



NUMBER OF FATAL AND INJURY CRASHES VEHICLE MILES TRAVELED, LICENSED DRIVERS AND ECONOMIC LOSS 2001						
	NUMBER OF CRASHES			Licensed Drivers	Economic Loss *1000	100 MVM Traveled
	Total	Fatal	Injury			
Sandoval Co.	1,608	15	585	67,760	\$124,861	9.7
New Mexico	50,236	415	17,879	1,225,793	\$3,537,921	227.1

NOTE: MVM = Million Vehicle Miles

SOURCE: NM Department of Transportation, Traffic Safety Bureau
"New Mexico Traffic Crash Information", 2001 Report.





ALL PERSONS KILLED OR INJURED AS VEHICLE OCCUPANTS IN CRASHES BY SEATBELT STATUS 2002

	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Sandoval Co.	15	10	5	885	134	751
New Mexico	349	236	113	24,771	2,818	21,953

NOTE: Number excludes pedestrians, bicyclists, motorcyclists, and unknown.

SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau.





**ALCOHOL RELATED CRASHES
NEW MEXICO - 2001**


- 43 percent of all fatal crashes involved alcohol.
- A person died in an alcohol-involved crash every 44 hours.
- A person was injured in an alcohol-involved crash every 174 minutes.
- An alcohol-involved crash occurred every 147 minutes.

**ALCOHOL INVOLVED CRASHES
PERSONS INVOLVED AND DWI CONVICTIONS
2002**

	CRASHES		PERSONS INVOLVED			
	Fatal	Injury	Killed	Injured	DWI	
					Conviction*	DWI Rate
Sandoval Co.	8	68	8	95	531	7.7
New Mexico	198	1,774	221	2,921	12,544	10.1

*DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.

**SOURCE: NM Department of Transportation, Traffic Safety Bureau
"Driving While Impaired", 2002 Report.**



INJURY - BY MECHANISM


SANDOVAL COUNTY INJURY DEATHS BY MECHANISM 1999-2001			
Mechanism of Injury	Number of Deaths in 3 Years	Age Adjusted Rate/100,000* Per Year	New Mexico Age Adjusted Rate/100,000* Per Year
Cut/pierce	1	0.4	1.8
Drowning	2	0.8	1.4
Fall	23	10.4	10.2
Fire/burn	0	0.0	1.0
Firearm	39	15.2	15.7
Motor Vehicle Traffic	50	19.7	22.1
Poisoning	23	8.6	17.0
Other**	33	12.8	14.0
All Injury	171	67.9	83.2

NON-FATAL INJURY HOSPITALIZATIONS 1998-2000		
Number/Rate	Sandoval County	New Mexico
Total Number of Hospital Discharges in 3 Years	1,432	30,596
Age Adjusted Rate per 100,000* Population per Year	568.7	585.2

NOTE: Injury as the principal diagnosis of discharge.
* Rates are adjusted to the 2000 U. S. Standard Population.

SOURCE: NM Health Policy Commission

**SANDOVAL COUNTY
INJURY DEATH RATES BY MECHANISM
1999-2001**



Note: Injury categories are from the "Preliminary External Cause of Injury Mortality Matrix for ICD-10," June 12, 2001 by Centers for Disease Control and Prevention, National Center for Injury Prevention and Control.

*Age-adjusted death rate adjusted to the 2000 U.S standard population. Age adjusted death rates weight the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

** Other includes machinery, cyclist, pedestrian, natural /environmental, struck by/against, suffocation, other specified and unspecified categories.

New Mexico Department of Health, Office of Epidemiology, Injury Epidemiology Unit
Source: Office of New Mexico Vital Records and Health Statistics

CANCER INCIDENCE AMONG MALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Sandoval		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	1,045	471.7	23,565	468.7
Stomach	26	12.0	515	10.6
Colon and Rectum	113	52.9	2,482	50.4
Liver and Intrahepatic Bile Duct	13	6.0	412	8.2
Gallbladder	^	^	52	1.1
Pancreas	24	11.5	570	11.7
Lung and Bronchus	113	53.0	3,053	62.2
Melanomas of the Skin	39	15.5	974	18.7
Breast	^	^	51	1.0
Prostate	306	137.2	7,320	145.5
Urinary Bladder	76	35.7	1,324	27.4
Kidney and Renal Pelvis	48	20.8	741	14.3
Non-Hodgkins Lymphomas	47	22.0	912	17.8
Leukemias	27	11.9	727	14.2
All Other Cancers	208	90.7	4,432	85.3

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.
 ~ Statistic could not be calculated.
 ^ Statistic not displayed due to less than 5 cases.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Colorectal Cancer Screening and Early Detection

Screening tests can reduce deaths from colorectal cancer by identifying polyps, which are tiny growths inside the colon, before they become cancerous. Screening also detects early cancers when treatment is most effective and survival rates are high.


SOURCE: www.cdc.gov

Prostate Cancer Fact

The American Cancer Society estimates that in 2003, 220,900 new cases of prostate cancer will be diagnosed and that 28,900 men will die of the disease in the United States.

Two methods for detecting prostate cancer are commonly used by clinicians:
 1) Digital rectal examination (DRE)
 2) Prostate-specific antigen (PSA)

SOURCE: www.cdc.gov



CHRONIC DISEASE - CANCER DATA, FEMALES

CANCER INCIDENCE AMONG FEMALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Sandoval		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	1,025	372.3	21,575	353.8
Stomach	14	5.3	333	5.5
Colon and Rectum	102	37.8	2,173	35.6
Liver and Intrahepatic Bile Duct	6	2.2	211	3.4
Gallbladder	5	1.8	113	1.8
Pancreas	19	7.1	543	8.9
Lung and Bronchus	89	33.0	2,208	36.0
Melanomas of the Skin	40	13.7	745	12.2
Breast	339	122.1	7,067	116.5
Cervix	10	3.5	566	9.3
Corpus and Uterus, NOS	71	25.9	1,116	18.3
Urinary Bladder	26	9.8	484	7.9
Kidney and Renal Pelvis	33	11.9	472	7.7
Non-Hodgkins Lymphomas	30	11.1	759	12.5
Leukemias	27	9.3	532	8.6
All Other Cancers	214	77.7	4,253	69.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.
 ~ Statistic could not be calculated.
 ^ Statistic not displayed due to less than 5 cases.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Breast Cancer Screening


According to the American Cancer Society, an estimated 211,300 new invasive cases of breast cancer are expected to occur among women in the United States during 2003. Mammography is the best way to detect breast cancer in its earliest, most treatable stage, an average of 1.7 years before a woman can feel the lump. Mammography also locates cancers too small to be felt during a clinical breast examination.

SOURCE: www.cdc.gov

Cervical Cancer Screening

Cervical cancer is nearly 100 percent preventable, yet according to the American Cancer Society, in 2003, an estimated 12,200 new cases of invasive cervical cancer will be diagnosed and about 4,100 women will die of the disease. The occurrence of deaths from cervical cancer has declined significantly over the past 40 years. This decline is largely attributed to the effectiveness of Pap test screening in detecting precancerous lesions and early stage cervical cancer.

SOURCE: www.cdc.gov



MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC)

➤ Hospitals use a classification scheme, called Major Diagnostic Categories (MDC), to group the diagnoses of patients upon their discharge from the hospital. Data shown in the following pages are based on a modification of the Major Diagnostic Categories. The Modified Major Diagnostic Categories (MMDCs) separates injuries and neoplasms into their own unique groupings while conventional MDCs distribute these diagnoses across other categories, which obscures their impact.

METHODOLOGY NOTES:


- The size of the county’s population and the population demographics, such as average age of residents, should be taken into account in interpreting reported data.
- Indian Health Service facilities do not report discharge data to the New Mexico Health Policy Commission, the state agency that maintains the hospital discharge database. As such, counties with large Native American populations may have artificially lower rates.
- Only hospitalization to New Mexico hospitals are included. Counties bordering other states may have a significant number of hospitalization in other states.

**HOSPITAL INPATIENT DISCHARGE DATA - ALL AGES
MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDCs)
1999-2001**


MMDC	1999		2000		2001	
	Sandoval Co.	New Mexico	Sandoval Co.	New Mexico	Sandoval Co.	New Mexico
01: Nervous System	264	6,319	303	6,416	303	6,799
02: Eye Diseases	28	639	19	386	10	205
03: Ear, Nose, Mouth, Throat	69	1,879	86	1,612	62	1,702
04: Respiratory System	639	17,875	597	15,151	640	15,329
05: Circulatory System	911	20,349	949	20,923	945	20,629
06: Digestive System	517	12,425	592	13,099	547	12,921
07: Hepatobiliary System	225	5,084	238	5,306	248	5,343
08: Musculoskeletal System	352	7,400	388	7,206	375	7,293
09: Skin, Subcutaneous, Breast	92	2,272	105	2,392	111	2,583
10: Endocrine, Metabolic	192	4,658	171	4,726	216	5,103
11: Kidney & Urinary Tract	183	4,789	190	4,787	215	5,186
12: Male Reproductive System	42	772	31	662	33	767
13: Female Reproductive System	160	3,330	191	3,496	183	3,542
14: Pregnancy, Childbirth	1,240	26,121	1,264	26,521	1,315	26,606
15: Newborns, Neonates	1,153	23,859	1,226	24,401	1,263	24,567
16: Blood & Blood Forming-Organs	44	1,052	38	1,170	56	1,253
17: Myeloproliferative Diseases	419	8,616	477	8,345	460	8,118
18: Infectious Diseases	103	2,128	63	1,795	78	1,915
19: Mental Diseases	246	8,878	400	9,064	436	9,485
20: Alcohol/ Drug Abuse	110	3,295	100	2,957	115	2,909
21: Injuries & Poisonings	656	14,682	699	14,193	695	14,113
22: Burns	14	270	7	233	17	229
23: Factors Influencing Health	117	4,148	242	4,274	243	4,387
24: Multiple Trauma	0	0	0	0	0	0
25: HIV	4	148	0	96	0	86

SOURCE: NM Health Policy Commission

CHRONIC DISEASE - HOSPITAL DISCHARGE STATUS / ASTHMA



NEW MEXICO ASTHMA DISCHARGE DATA BY COUNTY 1998-2000



SOURCE: NM Health Policy Commission

HOSPITAL DISCHARGES BY PRIMARY PAYER 1999 & 2000

Payee	Sandoval		New Mexico	
	1999	2000	1999	2000
Medicare	1,363	1,466	47,144	47,959
Medicaid	1,359	1,524	39,147	39,468
Private Insurance	4,601	4,894	71,401	74,271
Uninsured	234	322	12,354	13,859
Others	259	221	5,431	4,738
Total Discharges	7,816	8,427	175,477	180,295

SOURCE: NM Health Policy Commission

NEW MEXICO ASTHMA HOSPITAL DISCHARGES* BY COUNTY 1998-2000

	Number	Rate
Sandoval Co.	219	8.2
New Mexico	4,936	9.4

*Primary discharges from non-Federal Hospitals
Average rates per 10,000 population per year.

SOURCE: NM Health Policy Commission

ESTIMATED DIABETES PREVALENCE AMONG NEW MEXICO ADULTS 2002*			
County	2002 Adult Population	Number of Adults with Diabetes	Percentage of Adults with Diabetes
Bernalillo	430,698	38,586	9.0%
Catron	2,844	228	8.0%
Chaves	43,413	3,806	8.8%
Cibola	18,460	1,960	10.6%
Colfax	10,765	951	8.8%
Curry	31,536	2,672	8.5%
De Baca	1,666	142	8.5%
Dona Ana	127,663	12,049	9.4%
Eddy	37,146	3,195	8.6%
Grant	22,677	2,022	8.9%
Guadalupe	3,513	352	10.0%
Harding	616	55	8.9%
Hidalgo	3,801	344	9.1%
Lea	39,662	3,451	8.7%
Lincoln	15,533	1,269	8.2%
Los Alamos	13,763	1,075	7.8%
Luna	18,007	1,639	9.1%
McKinley	47,057	5,630	12.0%
Mora	3,960	398	10.0%
Otero	43,945	3,827	8.7%
Quay	7,524	646	8.6%
Rio Arriba	29,687	3,093	10.4%
Roosevelt	13,160	1,109	8.4%
Sandoval	68,949	6,313	9.2%
San Juan	82,679	8,169	9.9%
San Miguel	22,029	2,197	10.0%
Santa Fe	103,491	9,359	9.0%
Sierra	10,497	859	8.2%
Socorro	13,177	1,246	9.5%
Taos	23,651	2,246	9.5%
Torrance	11,901	1,030	8.7%
Union	2,962	251	8.5%
Valencia	48,121	4,450	9.2%
New Mexico**	1,354,553	120,555	8.9%

***County estimates were derived in the following manner:** The Behavioral Risk Factor Surveillance System (BRFSS, 2002), a telephone survey of adults' (age 18 and over) health in New Mexico, was utilized to generate the racial/ethnic-specific diagnosed diabetes prevalence rates for the entire state. County populations were then obtained from the US Census Bureau (2002) by racial/ethnic group. The BRFSS rates were applied to these groups, generating an estimate of the number of American Indians, non-Hispanic Whites, Hispanics and Others (Asian/Pacific Islanders, non-Hispanic Blacks, and other) with diagnosed diabetes. The numbers were then combined to yield a total estimate of adults in each county with diagnosed diabetes. For those with undiagnosed diabetes, estimates by racial/ethnic group from NHANES III (National Health and Nutrition Examination Survey) were obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate.

****State estimates were derived in the following manner:** The Behavioral Risk Factor Surveillance System (BRFSS, 2002) was utilized to generate an overall estimate of diagnosed diabetes among New Mexican adults. That is, in 2002, an estimated 6.2% of New Mexican adults indicated they had been diagnosed with diabetes. An estimate for undiagnosed diabetes (from NHANES III data) was obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate. Note: adding up the county estimates will not result in the state estimate. For the state estimate, there was no initial stratification by race/ethnicity, it was simply a calculation of those with diabetes (all races) divided by those responding to the question.

Source: Department of Health, Diabetes Prevention & Control Program

AGING - INPATIENT HOSPITALIZATION AGES 65+ YEARS

HOSPITAL INPATIENT DISCHARGE DATA MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC) SANDOVAL COUNTY 1999-2001

MMDC	1999			2000			2001		
	65+	All Ages	% All Ages	65+	All Ages	% All Ages	65+	All Ages	% All Ages
01: Nervous System	130	264	49.2	148	303	48.8	148	303	48.8
02: Eye Diseases	8	28	28.6	8	19	42.1	5	10	50.0
03: Ear, Nose, Mouth, Throat	11	69	15.9	19	86	22.1	8	62	12.9
04: Respiratory System	327	639	51.2	286	597	47.9	298	640	46.6
05: Circulatory System	542	911	59.5	562	949	59.2	578	945	61.2
06: Digestive System	202	517	39.1	224	592	37.8	224	547	41.0
07: Hepatobiliary System	58	225	25.8	57	238	23.9	63	248	25.4
08: Musculoskeletal System	158	352	44.9	167	388	43.0	154	375	41.1
09: Skin, Subcutaneous, Breast	29	92	31.5	29	105	27.6	36	111	32.4
10: Endocrine, Metabolic	75	192	39.1	61	171	35.7	77	216	35.6
11: Kidney & Urinary Tract	89	183	48.6	80	190	42.1	85	215	39.5
12: Male Reproductive System	29	42	69.0	12	31	38.7	20	33	60.6
13: Female Reproductive System	26	160	16.3	32	191	16.8	31	183	16.9
14: Pregnancy, Childbirth	0	1,240	0.0	0	1,264	0.0	0	1,315	0.0
15: Newborns, Neonates	0	1,153	0.0	0	1,226	0.0	0	1,263	0.0
16: Blood & Blood-Forming Organs	18	44	40.9	19	38	50.0	25	56	44.6
17: Myeloproliferative Diseases	152	419	36.3	197	477	41.3	187	460	40.7
18: Infectious Diseases	51	103	49.5	28	63	44.4	30	78	38.5
19: Mental Diseases	26	246	10.6	77	400	19.3	76	436	17.4
20: Alcohol / Drug Abuse	5	110	4.5	13	100	13.0	8	115	7.0
21: Injuries & Poisonings	235	656	35.8	248	699	35.5	254	695	36.5
22: Burns	0	14	0.0	0	7	0.0	2	17	11.8
23: Factors Influencing Health	61	117	52.1	150	242	62.0	144	243	59.3
24: Multiple Trauma	0	0	--	0	0	--	0	0	--
25: HIV	0	4	0.0	0	0	--	0	0	--



SOURCE: New Mexico Health Policy Commission

SANDOVAL COUNTY HOSPITAL INPATIENT DISCHARGE STATUS FOR AGE 65 YEARS AND OLDER 1999-2001

	1999	2000	2001
Routine Discharge	1,308	1,508	1,541
Transfer-Hospital	62	70	73
Transfer-Skilled Nursing Facility	253	230	220
Transfer-Intermediate Care Facility	50	105	114
Transfer-Other	103	136	161
Transfer-Home Care	313	261	240
Left Against Medical Advice	5	1	3
Died	137	109	101
Other	5	7	3
TOTAL DISCHARGED	2,236	2,427	2,456

SOURCE: New Mexico Health Policy Commission

TOP FIVE CATEGORIES OF HOSPITALIZATION FOR AGES 65+ 1999-2001



SOURCE: NM Health Policy Commission



Discharged


ADULT ABUSE CASES NUMBER AND TYPE OF INVESTIGATION Annual 2002					
Residence	Substantiated Investigations		Unsubstantiated Investigations		Total Investigations
	Number	Percent	Number	Percent	Number
Sandoval Co.	23	20.0	92	80.0	115
New Mexico	1475	29.2	3569	70.8	5,044

Source: NM Children, Youth and Families Department
Protective Services Division Fact Book, Fourth Quarter & Annual 2002



NEW MEXICO RESIDENT DEATHS AGES 65 YEARS AND OLDER 1992-2002		
Year	Sandoval Co.	New Mexico
1992	249	7,600
1993	306	7,971
1994	298	8,368
1995	329	8,628
1996	322	8,663
1997	328	8,772
1998	370	9,100
1999	380	9,515
2000	378	9,441
2001	431	9,864
2002*	437	9,840

*2002 data are provisional
SOURCE: NM Department of Health
ONMVRHS



NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 65 YEARS AND OLDER 1998-2002* AVERAGE					
SANDOVAL COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	1,995	4181.5	All Causes	47,760	4500.9
Diseases of Heart	493	1034.2	Diseases of Heart	13,459	1268.4
Malignant Neoplasms	484	1013.5	Malignant Neoplasms	10,313	971.9
Cerebrovascular Diseases	144	302.6	Chronic Lower Respiratory Diseases	3,630	342.1
Chronic Lower Respiratory Diseases	136	284.3	Cerebrovascular Diseases	3,407	321.1
Diabetes Mellitus	75	157.4	Diabetes Mellitus	1,969	185.5

* 2002 data are provisional
Rate per 100,000 population ages 65 years and older. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.
SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

GENERAL MORTALITY


NEW MEXICO RESIDENT DEATHS COUNTY AND STATE TOTALS 1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Sandoval Co.	364	462	427	471	452	496	523	537	536	604	618
New Mexico	11,130	11,689	12,106	12,500	12,456	12,613	12,858	13,433	13,384	14,016	14,114

* 2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENTS DEATH RATES 1992-2002



* 2002 data are provisional

SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH 1998-2002* AVERAGE

SANDOVAL COUNTY			NEW MEXICO		
All Races/All Ages	Number	Rate	All Races/All Ages	Number	Rate
All Causes	2,818	626.9	All Causes	67,805	745.5
Malignant Neoplasms	676	150.3	Diseases of Heart	16,186	178.0
Diseases of Heart	590	131.3	Malignant Neoplasms	14,440	158.8
Accidents (Unintentional Injuries)	179	39.8	Accidents (Unintentional Injuries)	4,759	52.3
---(Motor Vehicle Accidents)	(84)	(18.7)	---(Motor Vehicle Accidents)	(1,904)	(20.9)
Cerebrovascular Diseases	162	36.0	Chronic Lower Respiratory Diseases	4,125	45.3
Chronic Lower Respiratory Diseases	155	34.4	Cerebrovascular Diseases	3,890	42.8

* 2002 data are provisional

Rate per 100,000 population. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999.

Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

CHILDREN UNDER 6 WITH ELEVATED BLOOD LEAD LEVELS OF THOSE CHILDREN SCREENED, 2001-2002		
	2001	2002
Sandoval Co.		
Number of Children with Elevated Blood Lead Levels	1	0
New Mexico		
Number of Children Screened	2,691	2,876
Number of Children with Elevated Blood Lead Levels	37	35
Percent of Children with Elevated Blood Lead Levels	1.4	1.2



NOTE: Elevated Blood Lead Levels is defined as $\geq 10 \mu\text{g/dl}$ of blood.

In Sandoval County, 7.4% of the houses were built prior to 1950. More than 27% pre-1950 housing in an area is considered a greater than average risk for lead poisoning in children.

- Lead poisoning is the number one preventable environmental health problem for children under 6 years.
- Risk factors for lead poisoning include older housing, poverty, and adult occupational exposure to lead.
- The only way to determine a child's lead level is with a blood lead test.
- The national estimate (1997) of children with an elevated blood lead level is 4.4%.²

It is estimated that 60% to 80% of children with elevated blood lead levels are in the Medicaid population.²

Note: Screening rates have declined significantly in New Mexico (NM) since the mid 1990's.



¹ $\geq 10 \mu\text{g/dl}$ of blood (greater than or equal to 10 micrograms per deciliter of blood), the Centers for Disease Control and Prevention (CDC) identified level of concern.

² General Accounting Office (GAO) Report, 1999.

SOURCE: NM Department of Health, Office of Epidemiology

COMMUNITY RESOURCES



HOSPITALS AND PRIMARY CARE FACILITIES

HOSPITAL / PRIMARY CARE FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
Lovelace Health Care Center	(505) 896-8600	3801 Southern Blvd.	Rio Rancho	NM	87124
Presbyterian - High Resort	(505) 462-8888	4100 High Resort	Rio Rancho	NM	87124

SOURCE: NM Department of Health, District I Health Office

HEALTH CARE CLINICS

FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
El Pueblo Health Services	505-867-2324	121 Calle Del Presidente	Bernalillo	NM	87004
Enchanted Hills Family Healthcare	505-771-1180	4351 Jager Dr. NE	Rio Rancho	NM	87144
Indian Health Service Clinic	505-867-2497	02 Dove Rd.	Bernalillo	NM	87004
Indian Health Service Clinic	505-465-2587	P.O. 105	Cochiti Pueblo	NM	87072
Indian Health Service Clinic	505-834-7413	P.O.Box 279	Jemez Pueblo	NM	87072
Indian Health Service Clinic	505-867-2739	P.O.B. 4344	San Felipe Pueblo	NM	87001
Indian Health Service Clinic	505-465-2996	P.O. Box 340	Santo Domingo Pblo	NM	87052
Indian Health Service Clinic	505-867-5258	155 B Capitol Square Pl.	Zia Pueblo	NM	87053
Indian Health Services Clinic	505-867-4696	RR1 P.O. 6008	Bernalillo	NM	87004
Los Pinos Family Health	505-289-3326	P.O. Box 1659	Cuba	NM	87013
Presbyterian Medical Service	505-289-3291	P.O.Box 638 or 6349 Hwy 550	Cuba	NM	87013
Presbyterian Medical Services	505-834-0802	P.O. Box 638 or 8372 State Hwy 4	Cuba	NM	87013
Presbyterian Medical Services	505-731-2268	P.O. Box 638 or HCR 79, 14 Miles W of 197	Cuba	NM	87013
Presbyterian Medical Services	505-731-2284	P.O. Box 638	Cuba	NM	87013
Presbyterian Medical Services	505-568-4328	P.O. Box 638	Cuba	NM	87013
Presbyterian Medical Services	505-896-0928	1424 Deborah Rd SE	Rio Rancho	NM	87124
Public Health Office	505-867-2291	P.O. Box 297 or 711 Camino del Pueblo	Bernalillo	NM	87004
Public Health Office	505-289-3718	2 Cordova Ave or P.O.Box 880	Cuba	NM	87013
Public Health Office	505-892-0990	224 Unser Blvd., Ste. A	Rio Rancho	NM	87124

Note - Mail is received at the PMS clinic in Cuba for Canon, Ojo Encino, Torreon, and Counselor

SOURCE: NM Department of Health, District I Health Office

LICENSED HEALTH PROFESSIONALS BY COUNTY OF LICENSE 2002

	Sandoval Co.	New Mexico
Medical Doctor	87	5,809
Medical Doctor Resident	7	1,144
Physician Assistant	3	287
Nurse (RN & LPN)	944	19,575
Certified Nurse Midwives	6	148
Licensed Midwives	0	79

SOURCE: New Mexico Health Policy Commission

SANDOVAL COUNTY SELECTED COMMUNITY PARTNERS FOR PUBLIC HEALTH	
COMMUNITY PARTNER	PHONE#
Bernalillo Public Health Office	505-867-2291
Cochiti Pueblo Social Services	505-465-2244
Cuba Public Health Office	505-289-3718
Five Sandoval Indian Pueblos, Inc.	505-867-3351
Haven House - Domestic Violence Services	505-896-4869
Jemez Helping Hands - Food/Clothing	505-834-1962
Jemez Pueblo Social Services	505-834-7117
La Buena Vida, Inc. - Substance Abuse and Mental Health Counseling	505-876-2383
Navajo Social Services, Crownpoint	505-786-2215
New Mexico Department of Human Services - Income Support Division	505-867-3357
PB&J Family Services	505-867-2356
Rio Rancho Public Health Office	505-892-0990
Sandia Pueblo Social Services	505-867-3317
Sandoval County Children Youth & Families	505-8672373
Sandoval County Community Health Alliance	505-867-7500
Sandoval County DWI Planning Council	505-867-8165
Sandoval County Economic Opportunity Corporation - Emerg. Svcs.	505-867-3374
Sandoval County Senior Program	505-867-7550
Sandoval County Substance Abuse Prevention Program	505-867-7548
Sandoval County Van Transportation	505-867-7500
Share Your Care - Adult Day Care	505-881-8982
Southwest Communication Resources	505-867-3396
St. Felix Pantry - Emergency Food	505-891-8075
Storehouse West - Emergency Food	505-892-2077
Town of Bernalillo Housing Authority	505-867-2792
Zia Pueblo Social Services	505-867-3304

SOURCE: NM Department of Health, District I Health Office

ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY LEVEL AS OF AUGUST 20, 2003		
Level	Sandoval Co.	New Mexico
First Responder	52	760
Dispatcher	33	398
Dispatcher-Instructor	0	16
EMT-Basic	205	3,321
EMT-Intermediate	71	1,190
EMT-Paramedic	68	955
Total	429	6,641

NOTE: There are personnel with current active licenses at more than one level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health



ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY GENDER AS OF AUGUST 20, 2003		
Gender	Sandoval Co.	New Mexico
Male	279	4,574
Female	146	1,995
Unknown	4	72
Total	429	6,641

NOTE: There are personnel with current active licenses at more than on level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health

GLOSSARY

AGE-ADJUSTED—Weights the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

CHILDREN'S CHRONIC CONDITIONS REGISTRY—A registry of data on children with special needs; data are from programs and physicians who provide services to these children. Maintained by the New Mexico Department of Health.

COMPARABILITY RATIOS—With each revision of the *International Classification of Diseases (ICD)*, discontinuities are created in cause-of-death trend data. The classification and rule changes have a substantial impact as deaths that may have been coded to one category in the previous revision are coded to another category in the new revision. To compensate for these shifts, comparability (also called bridge-coding) studies are undertaken to determine the extent of comparability between the two revisions. As a result of these studies, comparability ratios are developed that reflect the degree of comparability between the two revisions.

CRUDE BIRTH RATE—Number of live births per 1,000 population.

CRUDE DEATH RATE—Number of deaths per 1,000 or 100,000 population.

D.W.I.—Driving While Impaired; the current legal limit for blood alcohol concentration is .08 for 21 and older, and .02 for younger than 21.

FERTILITY RATE—Number of live births per 1,000 women 15-44 years of age.

FOOD STAMP PROGRAM (FSP)—The FSP is an entitlement program based on Federal rules and mandates. The purpose of the FSP is to increase food purchasing power and to supplement the nutrition level of eligible households. In addition, the FSP provides a nutrition education program to eligible households. Eligibility for participation in the FSP is based on a gross income test at 130% of the Federal Poverty Guidelines for the size of the household. Eligibility is also based on a resource test; the household's liquid and nonliquid resources cannot exceed \$2000.00. Food stamp benefits are issued on a monthly basis through an electronic benefit transfer (EBT) system. The FSP has a change reporting and work requirement for adults in the household. Failure to report changes or comply with work requirements results in a reduction or closure of Food Stamp benefits. Under contract with another agency, the Department provides a free nutrition education program for Food Stamp applicants and recipients.

HOSPITAL DISCHARGE DATA—Data, such as diagnosis, gender, age, residence, on hospital inpatient discharges; collected by the NM Health Policy Commission from licensed, non-federal general and specialty hospitals.

INCIDENCE—Measure of the frequency at which new events/cases of a disease or condition occur in a specified population over a given time period.

INCIDENCE RATE—Number of new cases of disease/condition over a given time period (often, a year) that occur in a population at risk for that disease/condition (ergo number of new lung cancer cases per 100,000 persons in a year). An estimate of the risk of developing a disease/condition during a specified time period.

INFANT DEATH—Death of an infant under one year of age (neonatal + postneonatal).

INFANT MORTALITY RATE—Number of infant deaths per 1,000 (or 100,000) live births.

LIVE BIRTH—A birth that shows any sign of life after delivery.

LOW BIRTH WEIGHT—A live birth weighing less than 2500 grams (5-1/2 pounds).

MEDICAID—A federally and state-funded program to pay for medical and other services to eligible New Mexico citizens.

NEONATAL DEATH—Death of newborn under 28 days of age.

NEONATAL MORTALITY RATE—Number of neonatal deaths per 1,000 (or 100,000) live births.

NEURAL TUBE DEFECTS—Malformations of the spine and brain that arise in the first 29 days of pregnancy.

OCCURRENCE DATA—Data allocated by place where event occurred, regardless of the person's place of residence.

GLOSSARY CONTINUED

POPULATION ESTIMATE—Estimate of the number of persons for either a past or current time period.

POSTNEONATAL DEATH—Death of an infant of at least 28 days, but less than one year of age.

POSTNEONATAL MORTALITY RATE—Number of postneonatal deaths per 1,000 or (100,000) live births.

POVERTY—Poverty status is based on the 1964 Social Security Administration definition (modified in 1969 and 1980). At the core of this definition was the 1961 Department of Agriculture economy food plan, which arose from findings of a 1955 Department of Agriculture survey of food consumption. The 1955 findings showed that families of three or more spent about 1/3 of their income on food. Poverty status/level is tied to the cost of the economy food plan that is revised annually for cost of living as reflected in the Consumer Price Index.

PRENATAL CARE—1) Level of Prenatal Care – categorization of prenatal care services into no/low, middle and high levels of care based on the number of visits and month care began (modified Kessner index). 2) Adequacy of Prenatal Care Utilization Index – an alternative measure of prenatal care utilization that adjusts for some of the weaknesses of the trimester care began and the Kessner index (Kotelchuck index).

RESIDENCE DATA—Data allocated by place of residence of the decedent (deaths) or by place of residence of the child's mother (births).

SCHOOL ENROLLMENT—The count of high school students on the current roll on the 40th official school day, by school district.

SUBSTANTIATED—Through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report have been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

TEMPORARY ASSISTANCE FOR NEEDY FAMILIES (TANF)—TANF is the State-administered, county-operated, monthly cash assistance program funded by a Federal block grant under Title IV-A of the Social Security Act. In July 1997, TANF replaced the previous entitlement program known as Aid to Families with Dependent Children (AFDC). The TANF program is not an entitlement program and has a 60-month term limit in New Mexico, which means that adults receiving assistance from the TANF block grant program can receive assistance for a 60 month maximum limit. TANF is available to both single and two-parent families. To receive TANF, there must be at least one dependent child (under age 18) in the home. TANF eligibility is based on a gross income test at 85% of the Federal Poverty Guideline for the size of the family. Eligibility is also based on a resource test; the family's liquid resources must be less than \$1500.00 and non liquid resources must be less than \$2000.00. Cash assistance is issued through an electronic benefit transfer system, similar to an ATM debit card. The TANF program has a mandatory change reporting and work requirement for adults and a mandatory school attendance requirement for dependent children. The adults in the family must cooperate with child support enforcement efforts on behalf of the dependent children. There are cash payment reductions for failure to comply with change reporting, work requirements, child support enforcement and school attendance.

TOTAL PERSONAL INCOME (TPI)—Includes the earnings (wages and salaries, other labor income, proprietors' income), dividends, interest, and rent, and transfer payments received by the residents of county. Data shown in thousands.

UNEMPLOYED—Based on monthly surveys, persons who did not work during a specified week but made specific efforts to find a job in the previous 4 weeks and were available for work. Also, persons who did not work, were available for work but were not actively seeking work because they (a) had been laid off and were waiting to be called back; or (b) were waiting to report to a job within 30 days. Does not include those no longer seeking work other than in situations (a) and (b).

UNEMPLOYMENT RATE—Number of persons unemployed as a percent of the civilian labor force.

UNSUBSTANTIATED—Investigation indicates that the investigator was unable to determine that the allegation(s) were true.

VERY LOW BIRTH WEIGHT—A live birth weighing less than 1500 grams (about 2 lbs. 5 oz.) at birth.

W.I.C.—Women, Infants and Children; a federally-funded, special supplemental nutrition program administered by the New Mexico Department of Health and tribal agencies. Its purpose is to provide high-nutrient density food to promote optimal health outcome during the perinatal period. Services include food assistance, nutrition education and referral to health services.