

PARAGARD INTRAUTERINE DEVICE (IUD) Consent Form

BENEFITS: The Paragard IUD contains copper and no hormones. The IUD is NOT guaranteed to be 100% effective but can be more than 99% effective if used correctly.

CONTRAINDICATIONS (REASONS I CANNOT USE THIS METHOD):

- Pregnancy
- Current pelvic infection
- Distorted uterine cavity
- Pelvic tuberculosis
- Unexplained abnormal vaginal bleeding
- Current cervical, uterine or endometrial cancer

RISKS:

Common, mild side effects (problems that do not require IUD removal - there are treatments that may help):

- Longer and/or heavier periods
- Spotting
- Increased menstrual cramping

More serious, rare risks, seek urgent medical attention:

- Excessive bleeding
- If a pregnancy occurs, there is higher risk of tubal pregnancy or miscarriage.
- Severe abdominal pain
- Severe pelvic infection (fever, chills, pelvic pain, discharge)

Possible complications of Insertion Procedures:

- Perforation, where the IUD goes through the wall of the uterus (about 1 out of 1000)
- Infection in the uterus (abnormal discharge, pain, fever, chills)
- Pain and cramping
- Possibility of undiagnosed pregnancy at the time of insertion

Possible complications of Removal Procedures:

- Difficulty removing the device may require specialist referral.

Sometimes an IUD may fall out. If you see the IUD has come out, you cannot find the IUD strings, or you feel the plastic part, you should use backup contraception and call the clinic. If you have had intercourse in the last 5 days, you may want to use Emergency Contraception. The IUD does not protect against HIV/AIDS and other sexually transmitted infections. Condoms used consistently and correctly can reduce the risk of STIs.

ALTERNATIVES: Other means of contraception have been explained and discussed.

INQUIRIES: You have the right to ask questions about this method at any time.

DECIDING TO STOP USING THE IUD: You have the right to have the IUD removed at any time. If you choose to have your IUD removed, you can expect your fertility to return to baseline (what is normal for you) rapidly. Any care outside the health office for problems related to the IUD may be at your own expense.

EXPLANATION OF INSERTION PROCEDURE:

- The clinician will perform a pelvic examination
- After inserting a speculum, the cervix will be cleansed to reduce bacteria
- The uterus will be stabilized and measured using medical instruments
- The IUD will be passed through the cervix into the uterus using a small tube
- The strings will be trimmed
- Cramping is normal

EXPLANATION OF REMOVAL PROCEDURE:

- The provider will insert a speculum
- Forceps will grasp the IUD strings and the IUD will be gently pulled out
- Removal is usually much faster and more comfortable than insertion

DOCUMENTATION: I have read and understand the information in this consent form. I have been given the manufacturer's information about the IUD and I will read it. I have been taught how to check for the strings of my IUD. I have had all my questions about the Paragard IUD answered. I may have the IUD removed at any time for any reason without losing benefits through any government program.

___ I am requesting the insertion of Paragard for on-going contraception.

___ I am requesting the insertion of Paragard for emergency contraception and on-going contraception.

___ I am requesting the removal of Paragard.

Client name: _____ Date of birth: _____ Client signature: _____

Counselor signature: _____ Date _____

Clinician signature: _____ Date _____

Forma de Autorización para el APARATO INTRAUTERINO (DIU) PARAGARD

BENEFICIOS: DIU Paragard contiene cobre y no hormonas. DIU NO garantiza ser 100% efectivo, pero puede ser más del 99% efectivo si se usa correctamente.

CONTRAINDICACIONES (RAZONES POR LA CUALES NO PUEDO USAR ESTE MÉTODO)

- Embarazo
- Infección pélvica actual
- Cavidad uterina distorsionada
- Tuberculosis pélvica
- Sangrado vaginal anormal sin explicación
- Cáncer de cérvix, uterino y endometrial actual

RIESGOS:

Efectos secundarios comunes, leves (problemas que no requieren remover el DIU - hay tratamientos que pueden ayudar):

- Períodos más largos y/o más pesados
- Manchado
- Aumento en cólicos menstruales

Riesgos más serios, raros, busque atención médica urgente:

- Sangrado excesivo
- Si ocurre un embarazo, hay un alto riesgo de embarazo ectópico o aborto espontáneo.
- Dolor abdominal severo
- Infección pélvica severa (fiebre, escalofríos, dolor pélvico, secreción)

Posibles complicaciones del Procedimiento de Inserción:

- Perforación, donde el DIU atraviesa la pared del útero (cerca de 1 en cada 1000)
- Infección en el útero (secreción anormal, dolor, fiebre, escalofríos)
- Dolor y cólicos
- Probabilidad de un embarazo no diagnosticado al momento de la inserción

Posibles complicaciones del Procedimiento al remover:

- Dificultad removiendo el aparato puede requerir ser referido a un especialista.

A veces el DIU se puede caer. Si usted que el DIU se sale, no puede encontrar el hilo del DIU, o siente la parte plástica, usted debe usar un método anticonceptivo alternativo y llamar la clínica. Si usted ha tenido relaciones sexuales en los pasados 5 días, debería utilizar Anticonceptivos de Emergencia. El DIU no le protege de VIH/SIDA y otras infecciones transmitidas sexualmente. Si los condones son usados consistentemente y de forma correcta el riesgo de ITS son mínimas.

ALTERNATIVAS: Otras formas anticonceptivas han sido explicadas y discutidas.

PREGUNTAS: Usted tiene el derecho de hacer preguntas acerca de este método en cualquier momento.

DECIDIR CUÁNDO DETENER EL USO DE DIU: Usted tiene el derecho de remover el DIU an cualquier momento. Si usted elige remover el DIU, espere que sus niveles de fertilidad volveran a su base rápidamente (lo que es normal para usted). Cualquier atención fuera de las oficinas de salud relacionadas a problemas con su DIU podrían correr por su cuenta.

EXPLICACIÓN DEL PROCEDIMIENTO DE INSERCIÓN:

- El médico hará un examen pélvico
- Después de insertar el espéculo, el cérvix será limpiado para reducir bacterias
- El útero será establecido y medido utilizando instrumentos médicos.
- El DIU será pasado a través del cérvix hasta el útero utilizando un pequeño tubo.
- Los hilos serán acortados
- Cólicos son comunes

EXPLICACIÓN DEL PROCEDIMIENTO AL REMOVER:

- El proveedor insertará un espéculo
- Las pinzas agarrarán los hilos del DIU y el DIU se sacará suavemente
- Usualmente, el remover es mucho más rápida y cómoda que la inserción

DOCUMENTACIÓN: He leído y entendido la información en esta forma de autorización. Se me ha dado la información del fabricante sobre el DIU y la estaré leyendo. Se me ha enseñado cómo verificar los hilos de mi DIU. Se me han contestado todas las preguntas acerca del DIU Paragard. Puedo pedir que se me remueva el DIU en cualquier momento y por cualquier razón sin perder los beneficios de cualquier programa gubernamental.

___ Estoy solicitando la inserción de Paragard como método anticonceptivo.

___ Estoy solicitando la inserción de Paragard como método anticonceptivo de emergencia y actual.

___ Estoy solicitando la remoción de Paragard.

Nombre de Cliente: _____ Fecha de Nacimiento: _____ Firma del cliente _____

Firma del Consejero/a: _____ Fecha _____

Firma del médica: _____ Fecha _____