

EOL Committee: Scopes and Responsibilities

- *Establish Definition and Scope for End-of-Life Criteria ***
- *Therapeutic Team Development*
- *Inclusion of Family and Caregivers ***
- *Sites of End-of-Life Care*
- *Education and Workforce Development ***
- **Development of Psilocybin Assisted Therapy End-of-Life Care Plans**
- *Ongoing Review and Updates*

****Topics for discussion at 6/5 EOLCommittee**

Establish Definition and Scope for End-of-Life Criteria

- *Establish definitions and parameters for end-of-life care criteria.*
- *Recognize that end-of-life psychedelic therapy may be viewed through palliative, hospice care, and cultural perspectives.*
- *Support expansive timeframes, including from the time of diagnosis of serious, terminal, or life limiting medical conditions, or from the time of recognition that end of life is approaching due to the natural aging process.*

Establish Definition and Scope for End-of-Life Criteria

- Eligibility may include individuals across a range of end-of-life experiences, including:
- Those diagnosed with a terminal illness, including individuals who may have months or years remaining
- Those living with serious or life-limiting conditions
- Those who are approaching imminent transition
- *This model recognizes that end-of-life is not a single moment*

End of Life criteria eligibility for psilocybin assisted therapy

- Progressive illness with estimate life span under 3 years
- Any diagnosis of cancer with exception of skin cancer other than melanoma
- Natural end of life anticipated within 2 years
- Partner, family, caretaker of a person participating in EOL psilocybin therapy

Prioritization guidelines for Equity Fund for EOL Care

- Socioeconomic criteria c/w overall equity fund priorities
- Approaching EOL within one year
- Approaching EOL within 6 months

Reconsider exclusions for people approaching end of life?

- Substance use
- Mental health – e.g bipolar or borderline personality
- Uncontrolled hypertension or diabetes or forms of heart disease
- End organ damage-renal and hepatic
- Suicidal wishes